

# Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/CA04/002129

International filing date: 15 December 2004 (15.12.2004)

Document type: Certified copy of priority document

Document details: Country/Office: US  
Number: 60/529,082  
Filing date: 15 December 2003 (15.12.2003)

Date of receipt at the International Bureau: 02 March 2005 (02.03.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland  
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse

PCT/CA 2004/002129  
03 FEBRUARY 2005 03.02.05

PA 1266427

# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:  
UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

January 04, 2005


THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM  
THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK  
OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT  
APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A  
FILING DATE UNDER 35 USC 111.

APPLICATION NUMBER: 60/529,082

FILING DATE: December 15, 2003

By Authority of the  
COMMISSIONER OF PATENTS AND TRADEMARKS

*W. Montgomery*  
W. MONTGOMERY  
Certifying Officer





16698 U.S. PTO

19587 U.S. PTO  
60/529082

PTO/SB/16 (10-01)

Approved for use through 10/31/2002. OMB 0651-0032  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**PROVISIONAL APPLICATION FOR PATENT COVER SHEET**

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53 (c).

Express Mail Label No. \_\_\_\_\_

INVENTOR(S)					
Given Name (first and middle [if any])	Family Name or Surname	Residence (City and either State or Foreign Country)			
Rob David K.	Shipman Lee	Mississauga, Ontario, Canada Mississauga, Ontario, Canada			
<input type="checkbox"/> Additional inventors are being named on the _____ separately numbered sheets attached hereto					
TITLE OF THE INVENTION (280 characters max)					
MATERIALS AND METHODS FOR ANALYSIS OF ATP-BINDING CASSETTE TRANSPORTER GENE EXPRESSION					
CORRESPONDENCE ADDRESS					
Direct all correspondence to:					
<input checked="" type="checkbox"/> Customer Number		1059		→ Place Customer Number Bar Code Label here	
OR Type Customer Number here					
<input checked="" type="checkbox"/> Firm or Individual Name		Bereskin & Parr			
Address		40 King Street West			
Address		Box 401			
City		Toronto	State	Ontario	ZIP M5H 3Y2
Country		Canada	Telephone	416 364 7311	Fax 416 361 1398
ENCLOSED APPLICATION PARTS (check all that apply)					
<input checked="" type="checkbox"/> Specification Number of Pages		58	<input type="checkbox"/> CD(s), Number		
<input checked="" type="checkbox"/> Drawing(s) Number of Sheets		57	<input type="checkbox"/> Other (specify)		
<input checked="" type="checkbox"/> Application Data Sheet. See 37 CFR 1.76					
METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT					
<input checked="" type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27.					
<input checked="" type="checkbox"/> A check or money order is enclosed to cover the filing fees					
FILING FEE AMOUNT (\$)					
<input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number: 022095 80.00					
<input type="checkbox"/> Payment by credit card. Form PTO-2038 is attached.					
The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.					
<input checked="" type="checkbox"/> No.					
<input type="checkbox"/> Yes, the name of the U.S. Government agency and the Government contract number are: _____					

Respectfully submitted,

SIGNATURE

Date

Dec. 12, 2003

REGISTRATION NO.

51,379

TYPED or PRINTED NAME

Patricia Power

(if appropriate)

Docket Number:

13516-1

TELEPHONE

416 364 7311

**USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT**

This collection of information is required by 37 CFR 1.51. The information is used by the public to file (and by the PTO to process) a provisional application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the complete provisional application to the PTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, D.C., 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Box Provisional Application, Assistant Commissioner for Patents, Washington, D.C. 20231.

16698

U.S. PTO

PTO/SB/17 (10-03)

Approved for use through 07/31/2006. OMB 0651-0032  
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**FEE TRANSMITTAL**  
**for FY 2004**

Effective 10/01/2003. Patent fees are subject to annual revision.

☒ Applicant claims small entity status. See 37 CFR 1.27

TOTAL AMOUNT OF PAYMENT (\$) 80.00

**Complete if Known**

Application Number	N/A
Filing Date	N/A
First Named Inventor	Rob Shipman
Examiner Name	N/A
Art Unit	N/A
Attorney Docket No.	13516-1

**METHOD OF PAYMENT (check all that apply)**☒ Check ☐ Credit card ☐ Money Order ☐ Other ☐ None☐ Deposit Account:Deposit Account Number  
Deposit Account Name

022095

Bereskin &amp; Parr

The Director is authorized to: (check all that apply)

☐ Charge fee(s) indicated below: ☒ Credit any overpayments.☒ Charge any additional fee(s) or any underpayment of fee(s).☐ Charge fee(s) indicated below, except for the filing fee, to the above-identified deposit account.**FEE CALCULATION****1. BASIC FILING FEE**

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
1001 770	2001 385	Utility filing fee	
1002 340	2002 170	Design filing fee	
1003 530	2003 265	Plant filing fee	
1004 770	2004 385	Reissue filing fee	
1005 160	2005 80	Provisional filing fee	80.00
SUBTOTAL (1)			80.00

**2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE**

Total Claims	Extra Claims	Fee from below	Fee Paid
Independent Claims	20	X	0.00
Multiple Dependent	3	X	0.00

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
1202 18	2202 9	Claims in excess of 20	
1201 86	2201 43	Independent claims in excess of 3	
1203 290	2203 145	Multiple dependent claim, if not paid	
1204 86	2204 43	** Reissue independent claims over original patent	
1205 118	2205 9	** Reissue claims in excess of 20 and over original patent	
SUBTOTAL (2)			0.00

\*or number previously paid, if greater; For Reissues, see above.

**FEE CALCULATION (continued)****3. ADDITIONAL FEES**

Large Entity Small Entity

Fee Code (\$)	Fee Code (\$)	Fee Description	Fee Paid
1051 130	2051 65	Surcharge - late filing fee or oath	
1052 50	2052 25	Surcharge - late provisional filing fee or cover sheet	
1053 130	2053 130	Non-English specification	
1812 2,520	1812 2,520	For filing a request for ex parte reexamination	
1804 920	1804 920	Requesting publication of SIR prior to Examiner action	
1805 1,840	1805 1,840	Requesting publication of SIR after Examiner action	
1251 110	2251 55	Extension for reply within first month	
1252 420	2252 210	Extension for reply within second month	
1253 950	2253 475	Extension for reply within third month	
1254 1,480	2254 740	Extension for reply within fourth month	
1255 2,010	2255 1,005	Extension for reply within fifth month	
1401 330	2401 165	Notice of Appeal	
1402 330	2402 165	Filing a brief in support of an appeal	
1403 290	2403 145	Request for oral hearing	
1451 1,510	2451 1,510	Petition to institute a public use proceeding	
1452 110	2452 55	Petition to revive - unavoidable	
1453 1,330	2453 665	Petition to revive - unintentional	
1501 1,330	2501 665	Utility issue fee (or reissue)	
1502 480	2502 240	Design issue fee	
1503 640	2503 320	Plant issue fee	
1460 130	1460 130	Petitions to the Commissioner	
1807 50	1807 50	Processing fee under 37 CFR 1.17(a)	
1806 180	1806 180	Submission of Information Disclosure Stmt	
8021 40	8021 40	Recording each patent assignment per property (times number of properties)	
1809 770	1809 385	Filing a submission after final rejection (37 CFR 1.129(a))	
1810 770	1810 385	For each additional invention to be examined (37 CFR 1.129(b))	
1801 770	1801 385	Request for Continued Examination (RCE)	
1802 900	1802 900	Request for expedited examination of a design application	

Other fee (specify)

\*Reduced by Basic Filing Fee Paid

SUBTOTAL (3) (\$) 0.00

**SUBMITTED BY**

Name (Print/Type) Patricia Power

Registration No. (Attorney/Agent)

51,379

(Complete if applicable)

Telephone (416) 364-7311

Signature

P. Power

Date December 12, 2003

**WARNING:** Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS.

SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

COPY provided by USPTO from the IFW Image Database on 10/09/2006



## Patent Application Data Sheet

### Application Information

Application Type:: Provisional

Subject Matter:: Utility

Title:: MATERIALS AND METHODS FOR ANALYSIS OF ATP-BINDING CASSETTE TRANSPORTER GENE EXPRESSION

Attorney Docket Number:: 13516-1

Request for Early Publication?:: No

Request for Non-Publication?:: No

Suggested Drawing Figure:: 1

Total Drawing Sheets:: 57

Small Entity?:: Yes

Petition included?:: No

### Applicant Information

Inventor Authority Type:: Inventor

Primary Citizenship

Country:: Canadian

Status:: Full Capacity

Given Name:: Rob

Middle Name::

Family Name:: Shipman

City of Residence:: Mississauga

State or Prov. Of

Residence:: Ontario  
Country of Residence:: Canada  
Street of mailing address:: 130 Vista Boulevard  
City of mailing address:: Mississauga  
State or Province of  
mailing address:: Ontario  
Country of mailing address:: Canada  
Postal or Zip Code of  
mailing address:: L5M 1V9

Inventor Authority Type:: Inventor  
Primary Citizenship  
Country:: Canadian  
Status:: Full Capacity

Given Name:: David  
Family Name:: K. H.  
City of Residence:: Lee  
State or Prov. Of  
Residence:: Ontario  
Country of Residence:: Canada  
Street of mailing address:: 160 St. Lawrence Drive, Unit. 11  
City of mailing address:: Mississauga  
State or Province of  
mailing address:: Ontario  
Country of mailing address:: Canada  
Postal or Zip Code of  
mailing address:: L5G 4T8

**Correspondence Information****Correspondence Customer**

Number:: 001059  
Phone Number:: 416 364 7311  
Fax Number:: (416) 361-1398  
E-Mail Address:: ppower@bereskinparr.com

**Representative Information**

**Representative**  
Customer Number:: 001059

**Domestic Priority Information**

<b>Application::</b>	<b>Continuity Type::</b>	<b>Parent Application::</b>	<b>Parent Filing Date::</b>
----------------------	--------------------------	-----------------------------	-----------------------------

**Foreign Priority Applications**

<b>Country::</b>	<b>Application Number::</b>	<b>Filing Date::</b>	<b>Priority Claimed</b>
------------------	-----------------------------	----------------------	-------------------------

**Assignee Information**

Assignee name:: NoAb Biodiscoveries  
Street of mailing address:: 2820 Argentia Road, Unit. #8  
City of mailing address:: Mississauga  
State or Province of mailing address:: Ontario  
Country of mailing address:: Canada  
Postal or Zip Code of mailing address:: L5N 8G4

13516-1

**BERESKIN & PARR**

**UNITED STATES PROVISIONAL**

**Title:**

Materials and Methods for Analysis of ATP-binding Cassette Transporter Gene Expression

**Inventors:**

Rob Shipman  
David Lee

**TITLE:** Materials and Methods for Analysis of ATP-binding Cassette Transporter Gene Expression

**FIELD OF THE INVENTION**

5 The invention relates to materials and methods for detection of ATP-binding cassette transporter gene expression. In particular, the invention relates to primers and the resulting PCR products for detection of ABC transporter gene expression, and the use of said materials and methods in assays and kits.

**BACKGROUND OF THE INVENTION**

10 ATP-binding cassette (ABC) transporters are one of the largest protein classes known to be involved in the trafficking of biological molecules across membranes. There are 48 different genes in humans, which code for ABC transporters. The ABC transporters are classified into families based on the sequence and organization of their ATP-binding domain. Currently, there are seven  
15 families, which are designated A through G. The families are further classified into subfamilies based on their gene and protein structure.

All of the 48 human genes encoding the ABC transporters have been cloned and sequenced ([www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov); [www.humanabc.org](http://www.humanabc.org)). Of these genes, 16 have known function and at least 14 have been associated with a defined human  
20 disease.

The functional ABC transporters typically contain two nucleotide-binding folds (NBF) and two transmembrane-spanning  $\alpha$ -helices. ABC transporters bind to ATP and use the energy from the ATP hydrolysis to drive the transport of various molecules across cell membranes. These transporters are able to transport a variety  
25 of compounds across cell membranes against steep concentration gradients. The ABC transporters are involved in the transport of ions, amino acids, peptides, sugars, vitamins, steroid hormones, lipids, bile salts and toxic compounds across cell membranes.

The ABC transporters have been shown to be involved in transporting drugs  
30 out of cells, especially anti-cancer drugs. For example ABC B1 (ABR1), ABC C1 (MRP1), ABC C2 (MRP2), and ABC G2 (BCRP) have been characterized and tested for drug resistance. Genetic variations in the ABC transporters may modulate the

phenotype in patients, and thus affect their predisposition to drug toxicity and response to drug treatment (Sparreboom et al., 2003).

5 The presence of functional ABC transporters in cells may significantly influence the efficacy of drugs. Thus, ABC transporter gene expression experiments in specific cells can be used to tailor drug treatment protocols to specific cell types, tissues, diseases or cancers. For example, a biopsy of a tumor can be tested for the presence of specific ABC transporter gene expression, and the information can be used to choose the most effective drugs for the treatment of that cancer. In addition, the information on ABC transporter gene expression can be used in candidate  
10 population profiling, such as the pre-screening of patients for inclusion or exclusion from clinical trials.

There is a need for screening of ABC transporter gene expression, which can be used, for example in drug screening analysis.

#### **SUMMARY OF THE INVENTION**

15 The present inventors have prepared primers pairs for the human ABC transporter genes. These primers were used to generate a nucleic acid molecule for the ABC transporter genes, said nucleic acid molecule comprising a sequence that specifically hybridizes to one of the ABC transporter genes. These nucleic acid molecules have been used in assays to screen for ABC transporter gene expression  
20 in test samples.

Accordingly, the present invention includes one or more isolated and purified nucleic acid molecules, wherein each of the nucleic acid molecules comprises a sequence that specifically hybridizes to one ABC transporter gene. In an embodiment of the invention the one or more nucleic acid molecules comprise a  
25 portion of the 3' untranslated region of the ABC transporter gene. In a further embodiment of the present invention, there is provided a set of at least two nucleic acid molecules, at least 10 nucleic acid molecules, at least 20 nucleic acid molecules, at least 30 nucleic acid molecules or at least 48 nucleic acid molecules, wherein each of the nucleic acid molecules comprises a sequence that specifically  
30 hybridizes to one ABC transporter gene. In another embodiment of the present invention, the set of at least two nucleic acid molecules are attached to a substrate. The substrate may be, for example, a membrane, a glass support, a filter, a tissue culture dish, a polymeric material, a bead or a silica support.



In an embodiment of the present invention, the one or more nucleic acid molecules comprise an isolated and purified nucleic acid sequence selected from those shown in Figures 1 to 47 and Sequence ID NOS: 1 to 47. In a further embodiment of the invention, the one or more nucleic acid molecules comprise an isolated and purified nucleic acid sequence selected from:

(a) the nucleic acid sequences as shown in SEQ ID NOS: 1 to 47 and Figures 1 to 47, wherein T can also be U;

(b) nucleic acid sequences complementary to (a);

(c) nucleic acid sequences which are homologous to (a) or (b); or

(d) a fragment of (a) to (c), which comprises a sequence that specifically hybridizes to one of the ABC transporter genes.

In an embodiment of the present invention the one or more nucleic acid molecules are prepared from one or more primer pairs using any known amplification method, for example the polymerase chain reaction (PCR). Accordingly, the present invention includes one or more pairs of primers for preparing one or more nucleic acid molecules, wherein each of the nucleic acid molecules comprises a sequence that specifically hybridizes to one ABC transporter gene. In an embodiment of the present invention, the one or more pairs of primers used to generate such nucleic acid molecules comprise a nucleic acid sequence selected from those listed in Table 1 or SEQ ID NOS: 48 to 141. In further embodiments of the invention, the primers comprise:

(a) the nucleic acid sequences as shown in SEQ ID NOS: 48 to 141 and Table 1, wherein T can also be U;

(b) nucleic acid sequences complementary to (a); or

(c) nucleic acid sequences which are homologous to (a) or (b).

In another embodiment of the invention, the primers comprise at least the 5 nucleotides at the 3' end of the sequences as shown in Table 1 or SEQ ID NOS: 48 to 141.

In still further embodiments of the invention, the one or more primers pairs comprise a nucleic acid sequence selected from one or more of:

(a) SEQ ID NO: 48 and SEQ ID NO: 49;

SEQ ID NO: 50 and SEQ ID NO: 51;

SEQ ID NO: 52 and SEQ ID NO: 53;

5  
10  
15  
20  
25  
30

SEQ ID NO: 54 and SEQ ID NO: 55;  
SEQ ID NO: 56 and SEQ ID NO: 57;  
SEQ ID NO: 58 and SEQ ID NO: 59;  
SEQ ID NO: 60 and SEQ ID NO: 61;  
SEQ ID NO: 62 and SEQ ID NO: 63;  
SEQ ID NO: 64 and SEQ ID NO: 65;  
SEQ ID NO: 66 and SEQ ID NO: 67;  
SEQ ID NO: 68 and SEQ ID NO: 69;  
SEQ ID NO: 70 and SEQ ID NO: 71;  
SEQ ID NO: 72 and SEQ ID NO: 73;  
SEQ ID NO: 74 and SEQ ID NO: 75;  
SEQ ID NO: 76 and SEQ ID NO: 77;  
SEQ ID NO: 78 and SEQ ID NO: 79;  
SEQ ID NO: 80 and SEQ ID NO: 81;  
SEQ ID NO: 82 and SEQ ID NO: 83;  
SEQ ID NO: 84 and SEQ ID NO: 85;  
SEQ ID NO: 86 and SEQ ID NO: 87;  
SEQ ID NO: 88 and SEQ ID NO: 89;  
SEQ ID NO: 90 and SEQ ID NO: 91;  
SEQ ID NO: 92 and SEQ ID NO: 93;  
SEQ ID NO: 94 and SEQ ID NO: 95;  
SEQ ID NO: 96 and SEQ ID NO: 97;  
SEQ ID NO: 98 and SEQ ID NO: 99;  
SEQ ID NO: 100 and SEQ ID NO: 101;  
SEQ ID NO: 102 and SEQ ID NO: 103;  
SEQ ID NO: 104 and SEQ ID NO: 105;  
SEQ ID NO: 106 and SEQ ID NO: 107;  
SEQ ID NO: 108 and SEQ ID NO: 109;  
SEQ ID NO: 110 and SEQ ID NO: 111;  
SEQ ID NO: 112 and SEQ ID NO: 113;  
SEQ ID NO: 114 and SEQ ID NO: 115;  
SEQ ID NO: 116 and SEQ ID NO: 117;  
SEQ ID NO: 118 and SEQ ID NO: 119;

SEQ ID NO: 120 and SEQ ID NO: 121;  
SEQ ID NO: 122 and SEQ ID NO: 123;  
SEQ ID NO: 124 and SEQ ID NO: 125;  
SEQ ID NO: 126 and SEQ ID NO: 127;  
5 SEQ ID NO: 128 and SEQ ID NO: 129;  
SEQ ID NO: 130 and SEQ ID NO: 131;  
SEQ ID NO: 132 and SEQ ID NO: 133;  
SEQ ID NO: 134 and SEQ ID NO: 135;  
SEQ ID NO: 136 and SEQ ID NO: 137;  
10 SEQ ID NO: 138 and SEQ ID NO: 139; and  
SEQ ID NO: 140 and SEQ ID NO: 141;

- (b) the nucleic acid sequences in (a) wherein T can also be U;
- (c) nucleic acid sequences complementary to (a) or (b); and
- (d) nucleic acid sequences which are homologous to (a), (b) or (c).

15 The present invention also includes nucleic acid molecules prepared using PCR and one or more of the pairs of primers of the invention.

Additionally, the invention provides methods for detecting ABC transporter gene expression in general. Accordingly, the present invention includes a method of detecting ABC transporter gene expression comprising:

- 20 (a) providing one or more nucleic acid molecules comprising a sequence that specifically hybridizes to one ABC transporter gene;
- (b) providing a transcription indicator from a test sample;
- (c) allowing the transcription indicator to hybridize with said one or more nucleic acid molecules; and
- 25 (d) detecting an amount of hybridization of said transcription indicator with said one or more nucleic acid sequences,

wherein the amount of hybridization is indicative of ABC transporter gene expression.

30 In another embodiment of the invention, an array, in particular a microarray is used to detect ABC transporter gene expression in a test sample. Therefore, the present invention also includes an array, in particular a microarray, comprising a substrate and one or more nucleic acid molecules comprising a sequence that specifically hybridizes to one ABC transporter gene, wherein said one or more

nucleic acid molecules are immobilized to said substrate. Additionally, the invention provides a method of detecting ABC transporter gene expression in a test sample using a DNA microarray.

5 In yet another embodiment of the invention, there is provided a method for screening compounds for their effect on ABC transporter gene expression comprising:

- (a) exposing a test sample to the compound;
- (b) providing a transcription indicator from the test sample;
- 10 (c) providing one or more nucleic acid sequences comprising a sequence that specifically hybridizes to one ABC transporter gene;
- (d) allowing said transcription indicator to hybridize with said one or more nucleic acid sequences; and
- (e) detecting an amount of hybridization of said transcription indicator with said one or more nucleic acid sequences,

15 wherein the amount of hybridization is indicative of the degree of ABC transporter gene expression.

In further embodiments, the methods of the invention further comprise (a) generating a set of expression data from the detection of the amount of hybridization; (b) storing the data in a database; and (c) performing comparative analysis on the  
20 set of expression data, thereby analyzing ABC transporter gene expression. The present invention also relates to a computer system comprising (a) a database containing information identifying the expression level of a set of genes comprising at least two ABC transporter genes; and (b) a user interface to view the information.

25 The method for screening compounds for their effect on ABC transporter gene expression is useful for the design of a drugs or chemical therapy for the treatment of disease. In an embodiment, the hybridization assay is a DNA microarray.

Other aspects of the present invention include kits for performing the methods of the invention as well as methods of conducting a target discovery business using the methods of the invention.

30 Other features and advantages of the present invention will become apparent from the following detailed description. It should be understood, however, that the detailed description and the specific examples while indicating embodiments of the invention are given by way of illustration only, since various changes and

modifications within the spirit and scope of the invention will become apparent to those skilled in the art from this detailed description.

#### **BRIEF DESCRIPTION OF THE DRAWINGS**

- 5           The invention will now be described in relation to the drawings in which:
- Figure 1 shows a nucleic acid sequence that specifically hybridizes to ABCA1 and corresponds to SEQ ID NO: 1.
- Figure 2 shows a nucleic acid sequence that specifically hybridizes to ABCA2 and corresponds to SEQ ID NO: 2.
- 10   Figure 3 shows a nucleic acid sequence that specifically hybridizes to ABCA3 and corresponds to SEQ ID NO: 3.
- Figure 4 shows a nucleic acid sequence that specifically hybridizes to ABCA4 and corresponds to SEQ ID NO: 4.
- Figure 5 shows a nucleic acid sequence that specifically hybridizes to ABCA5 and
- 15   corresponds to SEQ ID NO: 5.
- Figure 6 shows a nucleic acid sequence that specifically hybridizes to ABCA6 and corresponds to SEQ ID NO: 6.
- Figure 7 shows a nucleic acid sequence that specifically hybridizes to ABCA7 and corresponds to SEQ ID NO: 7.
- 20   Figure 8 shows a nucleic acid sequence that specifically hybridizes to ABCA8 and corresponds to SEQ ID NO: 8.
- Figure 9 shows a nucleic acid sequence that specifically hybridizes to ABCA9 and corresponds to SEQ ID NO: 9.
- Figure 10 shows a nucleic acid sequence that specifically hybridizes to ABCA10 and
- 25   corresponds to SEQ ID NO: 10.
- Figure 11 shows a nucleic acid sequence that specifically hybridizes to ABCA12 and corresponds to SEQ ID NO: 11.
- Figure 12 shows a nucleic acid sequence that specifically hybridizes to ABCB1 and corresponds to SEQ ID NO: 12.
- 30   Figure 13 shows a nucleic acid sequence that specifically hybridizes to ABCB2 and corresponds to SEQ ID NO: 13.
- Figure 14 shows a nucleic acid sequence that specifically hybridizes to ABCB3 and corresponds to SEQ ID NO: 14.

Figure 15 shows a nucleic acid sequence that specifically hybridizes to ABCB4 and corresponds to SEQ ID NO: 15.

Figure 16 shows a nucleic acid sequence that specifically hybridizes to ABCB6 and corresponds to SEQ ID NO: 16.

- 5 Figure 17 shows a nucleic acid sequence that specifically hybridizes to ABCB7 and corresponds to SEQ ID NO: 17.

Figure 18 shows a nucleic acid sequence that specifically hybridizes to ABCB8 and corresponds to SEQ ID NO: 18.

- 10 Figure 19 shows a nucleic acid sequence that specifically hybridizes to ABCB9 and corresponds to SEQ ID NO: 19.

Figure 20 shows a nucleic acid sequence that specifically hybridizes to ABCB10 and corresponds to SEQ ID NO: 20.

Figure 21 shows a nucleic acid sequence that specifically hybridizes to ABCB11 and corresponds to SEQ ID NO: 21.

- 15 Figure 22 shows a nucleic acid sequence that specifically hybridizes to ABCC1 and corresponds to SEQ ID NO: 22.

Figure 23 shows a nucleic acid sequence that specifically hybridizes to ABCC2 and corresponds to SEQ ID NO: 23.

- 20 Figure 24 shows a nucleic acid sequence that specifically hybridizes to ABCC3 and corresponds to SEQ ID NO: 24.

Figure 25 shows a nucleic acid sequence that specifically hybridizes to ABCC4 and corresponds to SEQ ID NO: 25.

Figure 26 shows a nucleic acid sequence that specifically hybridizes to ABCC5 and corresponds to SEQ ID NO: 26.

- 25 Figure 27 shows a nucleic acid sequence that specifically hybridizes to ABCC6 and corresponds to SEQ ID NO: 27.

Figure 28 shows a nucleic acid sequence that specifically hybridizes to ABCC7 and corresponds to SEQ ID NO: 28.

- 30 Figure 29 shows a nucleic acid sequence that specifically hybridizes to ABCC8 and corresponds to SEQ ID NO: 29.

Figure 30 shows a nucleic acid sequence that specifically hybridizes to ABCC9 and corresponds to SEQ ID NO: 30.



Figure 31 shows a nucleic acid sequence that specifically hybridizes to ABCC10b and corresponds to SEQ ID NO: 31.

Figure 32 shows a nucleic acid sequence that specifically hybridizes to ABCC11 and corresponds to SEQ ID NO: 32.

- 5 Figure 33 shows a nucleic acid sequence that specifically hybridizes to ABCC12a and corresponds to SEQ ID NO: 33.

Figure 34 shows a nucleic acid sequence that specifically hybridizes to ABCC13 and corresponds to SEQ ID NO: 34.

- 10 Figure 35 shows a nucleic acid sequence that specifically hybridizes to ABCD1 and corresponds to SEQ ID NO: 35.

Figure 36 shows a nucleic acid sequence that specifically hybridizes to ABCD2 and corresponds to SEQ ID NO: 36.

Figure 37 shows a nucleic acid sequence that specifically hybridizes to ABCD3 and corresponds to SEQ ID NO: 37.

- 15 Figure 38 shows a nucleic acid sequence that specifically hybridizes to ABCD4 and corresponds to SEQ ID NO: 38.

Figure 39 shows a nucleic acid sequence that specifically hybridizes to ABCE1 and corresponds to SEQ ID NO: 39.

- 20 Figure 40 shows a nucleic acid sequence that specifically hybridizes to ABCF1 and corresponds to SEQ ID NO: 40.

Figure 41 shows a nucleic acid sequence that specifically hybridizes to ABCF2 and corresponds to SEQ ID NO: 41.

Figure 42 shows a nucleic acid sequence that specifically hybridizes to ABCF3 and corresponds to SEQ ID NO: 42.

- 25 Figure 43 shows a nucleic acid sequence that specifically hybridizes to ABCG1 and corresponds to SEQ ID NO: 43.

Figure 44 shows a nucleic acid sequence that specifically hybridizes to ABCG2 and corresponds to SEQ ID NO: 44.

- 30 Figure 45 shows a nucleic acid sequence that specifically hybridizes to ABCG4 and corresponds to SEQ ID NO: 45.

Figure 46 shows a nucleic acid sequence that specifically hybridizes to ABCG5 and corresponds to SEQ ID NO: 46.

Figure 47 shows a nucleic acid sequence that specifically hybridizes to ABCG8 and corresponds to SEQ ID NO: 47.

Figure 48 shows the ABC transporter gene RT-PCR amplification products from the CaCo2 cell line.

5 Figure 49 shows the ABC transporter gene RT-PCR amplification products from the HEK293 cell line.

Figure 50 shows the ABC transporter gene RT-PCR amplification products from the HepG2 cell line.

10 Figure 51 shows the heat maps of relative levels of ABC transporter gene expression in various cell lines normalized to GAPDH.

Figure 52 shows the heat maps of relative levels of ABC transporter gene expression in various cell lines normalized to actin.

Figure 53 shows the heat maps of relative levels of ABC transporter gene expression in various cell lines normalized to SH1.

15 Figure 54 shows the relative levels of ABC B1 to B11 gene expression in the HEK cell line normalized to various constitutively expressed control genes.

Figure 55 shows the relative levels of ABC B1 to B11 gene expression in various cell lines.

20 Figure 56 shows the heat map of relative levels of ABC transporter genes in a cell line treated with doxorubicin at various time intervals.

Figure 57 shows the heat map of relative levels of ABC transporter genes in a cell line treated with vinblastine at various time intervals.

#### **DETAILED DESCRIPTION OF THE INVENTION**

25 The present invention provides materials and methods for detection of ABC transporter gene expression. In particular, the invention relates to nucleic acid molecules for analyzing ABC transporter gene expression, wherein the nucleic acid molecules comprise a sequence that specifically hybridizes to one ABC transporter gene, and methods and materials for obtaining such nucleic acid molecules. The  
30 invention also relates to the use of said materials and methods in assays and kits to detect ABC transporter gene expression.

## (I) Abbreviations

The following standard abbreviations for the nucleic acid residues are used throughout the specification: A-adenine; C-cytosine; G-guanine; T-thymine; and U-uracil.

## 5 (II) Definitions

The term "nucleic acid molecule", "nucleic acid sequence(s)" or "nucleotide sequence" as used herein refers to an oligonucleotide or polynucleotide, and fragments or portions thereof, and to DNA or RNA of genomic or synthetic origin that may be single- or double-stranded, and represent the sense or antisense strand.

10 The term "ABC transporter genes" refers to nucleic acid sequences encoding the ABC transporters, for example the human ABC transporter genes. There are currently 48 known human transporters, which have been cloned and sequenced ([www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov); [www.humanabc.org](http://www.humanabc.org)). The discovery and confirmation of new ABC transporter genes are ongoing. ABC transporter genes in this application are  
15 intended to include unknown ABC transporter genes, which will be discovered or confirmed in the future.

The term "PCR amplicon" refers to a nucleic acid generated by nucleic acid amplification.

The term "ABC transporter gene expression" refers to the transcription of an  
20 ABC transporter gene into an RNA product.

"Amplification" is defined as the production of additional copies of a nucleic acid sequence and is generally carried out using polymerase chain reaction technologies well known in the art (Dieffenbach CW and GS Dveksler (1995) PCR Primer, a Laboratory Manual, Cold Spring Harbor Press, Plainview N.Y.). As used  
25 herein, the term "polymerase chain reaction" ("PCR") refers to the method of K. B. Mullis U.S. Pat. Nos. 4,683,195 and 4,683,202, hereby incorporated by reference, which describe a method for increasing the concentration of a segment of a target sequence in a mixture of genomic DNA without cloning or purification. The length of the amplified segment of the desired target sequence is determined by the relative  
30 positions of two oligonucleotide primers with respect to each other, and therefore, this length is a controllable parameter. By virtue of the repeating aspect of the process, the method is referred to as the "polymerase chain reaction" (hereinafter "PCR"). Because the desired amplified segments of the target sequence become the

predominant sequences (in terms of concentration) in the mixture, they are said to be "PCR amplified".

Amplification in PCR requires "PCR reagents" or "PCR materials", which herein are defined as all reagents necessary to carry out amplification except the  
5 polymerase, primers and template. PCR reagents normally include nucleic acid precursors (dCTP, dTTP etc.) and buffer.

As used herein, the term "primer" refers to an oligonucleotide, whether occurring naturally as in a purified restriction digest or produced synthetically, that is capable of acting as a point of initiation of synthesis when placed under conditions in  
10 which synthesis of a primer extension product that is complementary to a nucleic acid strand is induced, (i.e., in the presence of nucleotides and an inducing agent such as DNA polymerase and at a suitable temperature and pH). The primer can be single stranded for maximum efficiency in amplification, but may alternatively be double stranded. If double stranded, the primer is first treated to separate its strands  
15 before being used to prepare extension products. In one embodiment, the primer is an oligodeoxyribonucleotide. The primer must be sufficiently long to prime the synthesis of extension products in the presence of the inducing agent. The exact lengths of the primers will depend on many factors, including temperature, source of primer and the use of the method.

20 The term "pair(s) of primers" refers to an upper primer and a lower primer. The primers can be categorized as upper or lower primers, depending upon the relative orientation of the primer versus the polarity of the nucleic acid sequence of interest (e.g., whether the primer binds to the coding strand or a complementary (noncoding) strand of the sequence of interest).

25 The terms "homolog", "homology" and "homologous" as used herein in reference to nucleotide or nucleic acid sequences refer to a degree of complementarity with other nucleotide or nucleic acid sequences. There may be partial homology or complete homology (i.e., identity). A nucleotide sequence that is partially complementary, i.e., "substantially homologous," to a nucleic acid sequence  
30 is one that at least partially inhibits a completely complementary sequence from hybridizing to a target nucleic acid sequence. The inhibition of hybridization of the completely complementary sequence to the target sequence may be examined using a hybridization assay (Southern or Northern blot, solution hybridization and the like)

under conditions of low stringency. A substantially homologous sequence or probe will compete for and inhibit the binding (i.e., the hybridization) of a completely homologous sequence to a target sequence under conditions of low stringency. This is not to say that conditions of low stringency are such that non-specific binding is permitted; low stringency conditions require that the binding of two sequences to one another be a specific (i.e., selective) interaction. The absence of non-specific binding may be tested by the use of a second target sequence that lacks even a partial degree of complementarity (e.g., less than about 30% identity); in the absence of non-specific binding the probe will not hybridize to the second non-complementary target.

Low stringency conditions comprise conditions equivalent to binding or hybridization at 25°C, in a solution consisting of 500mM sodium phosphate pH 6.0, 1% SDS, 1% BSA, 1mM EDTA when a target of about 50 nucleotides in length is employed.

The art knows well that numerous equivalent conditions may be employed to comprise low stringency conditions; factors such as the length and nature (DNA, RNA, base composition) of the probe and nature of the target (DNA, RNA, base composition, present in solution or immobilized, etc.) and the concentration of the salts and other components (e.g., the presence or absence of formamide, dextran sulfate, polyethylene glycol), as well as components of the hybridization solution may be varied to generate conditions of low stringency hybridization different from, but equivalent to, the above listed conditions. In addition, the art knows conditions that promote hybridization under conditions of high stringency (e.g., increasing the temperature of the hybridization and/or wash steps, the use of formamide in the hybridization solution, etc.).

When used in reference to a double-stranded nucleic acid sequence such as a cDNA or genomic clone, the term "substantially homologous" refers to any probe that can hybridize to either or both strands of the double-stranded nucleic acid sequence under conditions of low stringency as described above.

When used in reference to a single-stranded nucleic acid sequence, the term "substantially homologous" refers to any probe that can hybridize (i.e., it is the complement of the single-stranded nucleic acid sequence) under conditions of low stringency as described above.

The term "cDNA" refers to complementary or "copy" DNA. Generally, cDNA is synthesized by a DNA polymerase using any type of RNA molecule as a template. Alternatively, the cDNA can be obtained by direct chemical synthesis.

5 The term "complementary" refers to nucleic acid sequences capable of base-pairing according to the standard Watson-Crick complementary rules, or being capable of hybridizing to a particular nucleic acid segment under stringent conditions.

10 The term "hybridization" refers to duplex formation between two or more polynucleotides to form, for example a double-stranded nucleic acid, via base pairing. The ability of two regions of complementarity to hybridize and remain together depends on the length and continuity of the complementary regions, and the stringency of the hybridization conditions.

15 The term "DNA microarray" refers to substrate with at least one target DNA immobilized to said substrate. The target DNA molecules are typically immobilized in prearranged patterns so that their locations are known or determinable. Nucleic acids in a sample can be detected by contacting the sample with the DNA microarray; allowing the target DNA and nucleic acids in the sample to hybridize; and analyzing the extent of hybridization.

20 The term "label" refers to any detectable moiety. A label may be used to distinguish a particular nucleic acid from others that are unlabelled, or labeled differently, or the label may be used to enhance detection.

25 The term "nucleic acids" refers to a polymer of ribonucleic acids or deoxyribonucleic acids, including RNA, mRNA, rRNA, tRNA, small nuclear RNAs, cDNA, DNA, PNA, or RNA/DNA copolymers. Nucleic acid may be obtained from a cellular extract, genomic or extragenomic DNA, viral RNA or DNA, or artificially/chemically synthesized molecules.

30 The term "RNA" refers to a polymer of ribonucleic acids, including RNA, mRNA, rRNA, tRNA and small nuclear RNAs, as well as to RNAs that comprise ribonucleotide analogues to natural ribonucleic acid residues, such as 2-O-methylated residues.

The term "transcription" refers to the process of copying a DNA sequence of a gene into an RNA product, generally conducted by a DNA-directed RNA polymerase using the DNA as a template.



The term "isolated" when used in relation to a nucleic acid molecule or sequence, refers to a nucleic acid sequence that is identified and separated from at least one contaminant nucleic acid with which it is ordinarily associated in its natural source. Isolated nucleic acid is nucleic acid present in a form or setting that is different from that in which it is found in nature.

As used herein, the term "purified" or "to purify" refers to the removal of undesired components from a sample.

As used herein, the term "substantially purified" refers to molecules, either nucleic or amino acid sequences, that are removed from their natural environment, isolated or separated, and are at least 60% free, 75% free, or 90% free from other components with which they are naturally associated. An "isolated nucleic acid molecule" is therefore a substantially purified nucleic acid molecule.

### **(III) Nucleic Acid Molecules**

The present invention provides one or more isolated and purified nucleic acid molecules, wherein each of the nucleic acid molecules comprises a sequence that specifically hybridizes to one ABC transporter gene. By "specifically hybridizes to" it is meant that the subject nucleic acid sequence will bind, duplex or hybridize substantially to or only with a particular nucleic acid sequence with minimum cross-hybridization with the other members of this gene family. In other words, the nucleic acid sequence represents a probe for one ABC transporter gene. In an embodiment of the invention, the one or more nucleic acid molecules comprise a portion of the 3' untranslated region of the ABC transporter gene.

In a further embodiment of the present invention, there is provided a set of at least two nucleic acid molecules, at least 10 nucleic acid molecules, at least 20 nucleic acid molecules, at least 30 nucleic acid molecules or at least 48 nucleic acid molecules, wherein each of the nucleic acid molecules comprises a sequence that specifically hybridizes to one ABC transporter gene. In another embodiment of the present invention, the set of at least two nucleic acid molecules are attached to a substrate. The substrate may be, for example, a membrane, a glass support, a filter, a tissue culture dish, a polymeric material, a bead or a silica support.

In an embodiment of the present invention, the one or more nucleic acid molecules comprise an isolated and purified nucleic acid sequence selected from those shown in Figures 1 to 47 and Sequence ID NOS: 1 to 47. In a further

embodiment of the invention, the one or more nucleic acid molecules comprise an isolated and purified nucleic acid sequence selected from:

(a) the nucleic acid sequences as shown in SEQ ID NOS: 1 to 47 and Figures 1 to 47, wherein T can also be U;

(b) nucleic acid sequences complementary to (a);

(c) nucleic acid sequences which are homologous to (a) or (b); or

(d) a fragment of (a) to (c), which comprises a sequence that specifically hybridizes to one of the ABC transporter genes.

In an embodiment of the present invention the one or more nucleic acid molecules are prepared from one or more primer pairs using any known amplification method, for example the polymerase chain reaction (PCR). Accordingly, the present invention includes one or more pairs of primers for preparing one or more nucleic acid molecules, wherein each of the nucleic acid molecules comprises a sequence that specifically hybridizes to one ABC transporter gene. In an embodiment of the present invention, the one or more pairs of primers used to generate such nucleic acid molecules comprise a nucleic acid sequence selected from those listed in Table 1 or SEQ ID NOS: 49 to 144. In further embodiments of the invention, the primers comprise:

(a) the nucleic acid sequences as shown in SEQ ID NOS: 48 to 141 and Table 1, wherein T can also be U;

(b) nucleic acid sequences complementary to (a); or

(c) nucleic acid sequences which are homologous to (a) or (b).

In another embodiment of the invention, the primers comprise at least the 5 nucleotides at the 3' end of the sequences as shown in Table 1 or SEQ ID NOS: 48 to 141.

In still further embodiments of the invention, the one or more primers pairs comprise a nucleic acid sequence selected from one or more of:

(a) SEQ ID NO: 48 and SEQ ID NO: 49;

SEQ ID NO: 50 and SEQ ID NO: 51;

SEQ ID NO: 52 and SEQ ID NO: 53;

SEQ ID NO: 54 and SEQ ID NO: 55;

SEQ ID NO: 56 and SEQ ID NO: 57;

SEQ ID NO: 58 and SEQ ID NO: 59;

5      SEQ ID NO: 60 and SEQ ID NO: 61;  
SEQ ID NO: 62 and SEQ ID NO: 63;  
SEQ ID NO: 64 and SEQ ID NO: 65;  
SEQ ID NO: 66 and SEQ ID NO: 67;  
SEQ ID NO: 68 and SEQ ID NO: 69;  
SEQ ID NO: 70 and SEQ ID NO: 71;  
SEQ ID NO: 72 and SEQ ID NO: 73;  
SEQ ID NO: 74 and SEQ ID NO: 75;  
SEQ ID NO: 76 and SEQ ID NO: 77;  
10      SEQ ID NO: 78 and SEQ ID NO: 79;  
SEQ ID NO: 80 and SEQ ID NO: 81;  
SEQ ID NO: 82 and SEQ ID NO: 83;  
SEQ ID NO: 84 and SEQ ID NO: 85;  
SEQ ID NO: 86 and SEQ ID NO: 87;  
15      SEQ ID NO: 88 and SEQ ID NO: 89;  
SEQ ID NO: 90 and SEQ ID NO: 91;  
SEQ ID NO: 92 and SEQ ID NO: 93;  
SEQ ID NO: 94 and SEQ ID NO: 95;  
SEQ ID NO: 96 and SEQ ID NO: 97;  
20      SEQ ID NO: 98 and SEQ ID NO: 99;  
SEQ ID NO: 100 and SEQ ID NO: 101;  
SEQ ID NO: 102 and SEQ ID NO: 103;  
SEQ ID NO: 104 and SEQ ID NO: 105;  
SEQ ID NO: 106 and SEQ ID NO: 107;  
25      SEQ ID NO: 108 and SEQ ID NO: 109;  
SEQ ID NO: 110 and SEQ ID NO: 111;  
SEQ ID NO: 112 and SEQ ID NO: 113;  
SEQ ID NO: 114 and SEQ ID NO: 115;  
SEQ ID NO: 116 and SEQ ID NO: 117;  
30      SEQ ID NO: 118 and SEQ ID NO: 119;  
SEQ ID NO: 120 and SEQ ID NO: 121;  
SEQ ID NO: 122 and SEQ ID NO: 123;  
SEQ ID NO: 124 and SEQ ID NO: 125;

SEQ ID NO: 126 and SEQ ID NO: 127;  
 SEQ ID NO: 128 and SEQ ID NO: 129;  
 SEQ ID NO: 130 and SEQ ID NO: 131;  
 SEQ ID NO: 132 and SEQ ID NO: 133;  
 5 SEQ ID NO: 134 and SEQ ID NO: 135;  
 SEQ ID NO: 136 and SEQ ID NO: 137;  
 SEQ ID NO: 138 and SEQ ID NO: 139; and  
 SEQ ID NO: 140 and SEQ ID NO: 141;

(b) the nucleic acid sequences in (a) wherein T can also be U;

10 (c) nucleic acid sequences complementary to (a) or (b); and

(d) nucleic acid sequences which are homologous to (a), (b) or (c).

The present invention also includes nucleic acid molecules prepared using PCR and one or more of the pairs of primers of the invention.

#### **(IV) Method for detecting ABC transporter gene expression**

15 Transcription of genes into RNA is a critical step in gene expression. Therefore gene expression can be monitored by monitoring various transcription indicators. There are a variety of techniques known in the art to analyze and quantify gene transcription. In an embodiment of the present invention, ABC transporter gene expression was detected by monitoring or detecting the

20 hybridization of transcription indicators from a test sample with the one or more nucleic acid molecules of the present invention, wherein the one or more nucleic acid molecules comprise a sequence that specifically hybridizes to one ABC transporter gene. In an embodiment, ABC transporter gene expression was detected using reverse transcription. For example, RNA was extracted from a test sample using

25 techniques known in the art. cDNA was then synthesized using known techniques, such as using either oligo(dT) or random primers. ABC transporter gene expression was then detected using the said cDNA by allowing the cDNA to hybridize to the one or more nucleic acid molecules, then detecting the amount of hybridization of said cDNA with the one or more nucleic acid molecules.

30 Accordingly, the present invention includes a method of detecting ABC transporter gene expression comprising:

(a) providing one or more nucleic acid molecules comprising a sequence that specifically hybridizes to one ABC transporter gene;

- (a) providing transcription indicators from a test sample;
  - (b) allowing the transcription indicators to hybridize with said one or more nucleic acid molecules; and
  - (c) detecting an amount of hybridization of said transcription indicators with
- 5        said one or more nucleic acid sequences,

wherein the amount of hybridization is indicative of the degree of ABC transporter gene expression.

**(a) Transcription indicators**

10        One of skill in the art will appreciate that it is desirable to have transcription indicators from a test sample that contain suitable nucleic samples containing target nucleic acid sequences that reflect the transcripts of interest. Therefore, suitable nucleic acid samples from the test sample may contain transcripts of interest. Suitable nucleic acid samples, however, may contain nucleic acids derived from the transcripts of interest. As used herein, a nucleic acid derived from a transcript refers

15        to a nucleic acid for whose synthesis the mRNA transcript or a subsequence thereof has ultimately served as a template. Thus, a cDNA reverse transcribed from a transcript, an RNA transcribed from that cDNA, a DNA amplified from the cDNA, an RNA transcribed from the amplified DNA, etc., are all derived from the transcript and detection of such derived products is indicative of the presence and/or abundance of

20        the original transcript in a sample. Thus, suitable transcription indicators include, but are not limited to, transcripts of the gene or genes, cDNA reverse transcribed from the transcript, cRNA transcribed from the cDNA, DNA amplified from the genes, RNA transcribed from amplified DNA, and the like. In an embodiment the transcription indicator is cDNA.

25        Transcripts, as used herein, may include, but not limited to pre-mRNA nascent transcript(s), transcript processing intermediates, mature mRNA(s) and degradation products. It is not necessary to monitor all types of transcripts to practice this invention. For example, one may choose to practice the invention to measure the mature mRNA levels only.

30        The term "test sample" refers to one or more cells, cell lines, tissues or organisms, or fragments thereof. In one embodiment, the test sample is from a human. In an embodiment of the present invention, the test sample is a homogenate of cells or tissues or other biological samples. For example, such sample can be a

total RNA preparation of a biological sample or such a nucleic acid sample can be the total mRNA isolated from a biological sample. Those of skill in the art will appreciate that the total mRNA prepared with most methods includes not only the mature mRNA, but also the RNA processing intermediates and nascent pre-mRNA transcripts. For example, total mRNA purified with a poly (dT) column contains RNA molecules with poly (A) tails. Those polyA+ RNA molecules could be mature mRNA, RNA processing intermediates, nascent transcripts or degradation intermediates.

In an embodiment of the present invention, the test sample is a clinical sample with is a sample derived from a patient. Typical clinical samples include, but are not limited to, sputum, blood, blood cells (e.g. white blood cells), tissue or fine needle biopsy samples, urine, peritoneal fluid and pleural fluid, or cells therefrom. In another embodiment of the present invention, the test sample is derived from a cell culture containing specific cell lines, for example, HepG2, CaCo2 or HEK 293.

One skilled in the art will appreciate that one can inhibit or destroy RNase present in any sample before they are used in the methods of the invention. Methods of inhibiting or destroying nucleases, including RNase, are well known in the art. For example, chaotropic agents may be used to inhibit nucleases or, alternatively, heat treatment followed by proteinase treatment may be used.

Methods of isolating total mRNA are also well known to those skilled in the art. For example, see Chapter 3 of *Laboratory Techniques in Biochemistry and Molecular Biology: Hybridization with Nucleic Acid Probes, Part I: Theory and Nucleic Acid Preparation*, Tijssen, ed. Elsevier Press (1993); Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual* (2<sup>nd</sup> ed.), Vols. 1-3, Cold Spring Harbour Laboratory (1989); or *Current Protocols in Molecular Biology*, F. Ausubel *et al.*, ed. Greene Publishing and Wiley-Interscience, New York (1987). In an embodiment, the total RNA is isolated from a given test sample, for example, using TRIzol reagent (Cat. No. 15596-018, Invitrogen Life Technologies) according to the manufacturer's instructions.

In embodiments of the present invention, the transcription indicator, whether it be cDNA or mRNA, may need to be amplified prior to performing the hybridization assay. Methods for amplification, including "quantitative amplification" are well known to those skilled in the art.



In an embodiment the transcription indicator is labeled with a detectable label. Methods for labeling nucleic acids are well known to those skilled in the art. In an embodiment of the invention, the label is simultaneously incorporated during an amplification step in the preparation of the transcription indicators. Thus for example, PCR with labeled primers or labeled nucleotides (for example fluorescein-labeled UTP and/or CTP) will provide a labeled amplification product. Alternatively, a label may be added directly to the original nucleic acid sample or to the amplification product after the amplification is completed using methods known to those skilled in the art (for example nick translation and end-labeling).

Detectable labels that are suitable for use in the methods of the present invention, include those that are detectable by spectroscopic, photochemical, biochemical, immunochemical, electrical, optical or other means. Some examples of useful labels include biotin staining with labeled streptavidin conjugate, magnetic beads, fluorescent dyes (e.g. fluorescein, rhodamine, green fluorescent protein and the like), radiolabels (e.g.  $^3\text{H}$ ,  $^{32}\text{P}$ ,  $^{14}\text{C}$ ,  $^{25}\text{S}$  or  $^{125}\text{I}$ ), enzymes (e.g. horseradish peroxidase, alkaline phosphatase and others commonly used in ELISA) and colorimetric labels such as colloidal gold or colored glass or plastic (e.g. polystyrene, polypropylene, latex and the like) beads. Patents teaching the use of such labels include U.S. Patent Nos. 3,817,837, 3,850,752, 3,939,350, 3,996,345, 4,277,437, 4,275,149 and 4,366,241, the contents of all of which are incorporated herein by reference.

#### **(b) Assay Format**

The method of detecting ABC transporter gene expression can be performed using any hybridization assay, including solution and solid phase. Typically a set containing two or more nucleic acid molecules of the invention, each of said nucleic acid molecules comprising a sequence that specifically hybridizes to one ABC transporter gene, are put together in a common container or on a common object. These may be on an array or in a kit together. They are typically separated, either spatially on a solid support such as an array, or in separate vessels, such as vials, tubes or wells in a microwell plate.

According to the present invention, at least 5% of the nucleic acid molecules or probes in a set comprise a sequence that specifically hybridizes to one ABC transporter gene. In an embodiment, more than 10%, 20%, 30%, 40%, 50%, 60%,

70%, 80%, 90%, or 95% of such nucleic acid molecules or probes in the set comprise a sequence that specifically hybridizes to one ABC transporter gene.

In an embodiment of the present invention the method of detecting ABC transported gene expression is performed in an array format. One of skill in the art will appreciate that an enormous number of array designs are suitable for the practice of this invention. The array will typically include a number of nucleic acid molecules or probes that specifically hybridize to the sequences of interest. In addition, in an embodiment, the array will include one or more control nucleic acid molecules or probes. The control probes may be, for example, expression level controls (e.g. positive controls and background negative controls).

Background controls are elements printed on the substrate that contain no nucleic acids and thus measure the amount of non-specific hybridization of the labelled cDNA to elements on the substrate.

Expression level controls are probes that hybridize specifically with constitutively expressed genes in the biological sample. Virtually any constitutively expressed gene provides a suitable target for expression level controls. Typically expression level control probes have sequences complementary to subsequences of constitutively expressed "housekeeping genes" including, but not limited to the beta-actin gene, the transferrin receptor gene, the glyceraldehyde-3-phosphate dehydrogenase (GAPDH) gene, and the like [Warrington JA *et al.*, *Physiol Genomics* 2:143-147, 2000, Hsiao LL *et al.*, *Physiol Genomics* 7:97-104, 2001, Whitfield ML *et al.*, *Mol Cell Biol* 13:1977-2000, 2002].

In embodiments of the invention the method of detecting ABC transporter expression in a test sample is performed once or more, over a set period of time and at specified intervals, to monitor ABC transporter expression over that period of time.

DNA microarrays have the benefit of assaying gene expression in a high throughput fashion. These microarrays comprise of short nucleic acid sequences that are immobilized on or directly chemically synthesized on a substrate, which can then be used in a hybridization reaction with nucleotides extracted from a test sample. Microarrays have the advantage of being able to measure the expression level of hundreds of genes simultaneously.

Accordingly, in an embodiment of the present invention there is provided a DNA microarray comprising one or more nucleic acid molecules arrayed on a

substrate, wherein each of the one or more nucleic acid molecules comprise a sequence that specifically hybridizes to one ABC transporter gene. In embodiments of the invention, the one or more nucleic acid molecules are arranged in distinct spots that are known or determinable locations within the array on the substrate. A spot refers to a region of target DNA attached to the substrate as a result of contacting a solution comprising target DNA with the substrate. Each spot can be sufficiently separated from each other spot on the substrate such that they are distinguishable from each other during the hybridization analysis. In an embodiment, there are at least 48 spots on the DNA microarray; one spot for each of the 48 PCR products generated by the 48 sets of primers disclosed herein which are used as target DNA. In another embodiment, the DNA microarray includes at least one spot for an expression level control as described herein above.

The substrate may be any solid support to which nucleic acids can be immobilized, such as a membrane, a glass support, a filter, a tissue culture dish, a polymeric material, a bead or a silica support. For example, the substrate can be a NoAb BioDiscoveries Inc. activated covalent-binding epoxy slide [UAS0005E].

When the nucleic acid molecule is immobilized on the substrate, a conventionally known technique can be used. For example, the surface of the substrate can be treated with polycations such as polylysines to electrostatically bind the target molecules through their charges on the surface of the substrate, and techniques to covalently bind the 5'-end of the target DNA to the substrate may be used. Also, a substrate that has linkers on its surface can be produced, and functional groups that can form covalent bonds with the linkers can be introduced at the end of the DNA to be immobilized. Then, by forming a covalent bond between the linker and the functional group, the DNA and such can be immobilized.

Other methods of forming arrays of oligonucleotides, peptides and other polymer sequences with a minimal number of synthetic steps are known and may be used in the present invention. These methods include, but are not limited to, light-directed chemical coupling and mechanically directed coupling. See Pirrung et al., U.S. Patent No. 5,143,854 and PCT Application No. WO 90/15070, Fodor et al., PCT Publication Nos. WO 92/10092 and WO 93/09668, which disclose methods of forming vast arrays of peptides, oligonucleotides and other molecules using, for example, light-directed synthesis techniques. See also, Fodor et al., Science, 251,

767-77 (1991). These procedures for synthesis of polymer arrays are now referred to as VLSIPS™ procedures. Using the VLSIPS™ approach, one heterogeneous array of polymers is converted, through simultaneous coupling at a number of reaction sites, into a different heterogeneous array.

5           Transcription indicators (targets) from a test sample that have been subjected to particular stringency conditions hybridize to the nucleic acid molecules (probes) on the array. One of skill in the art will appreciate that hybridization conditions may be selected to provide any degree of stringency. In an embodiment, hybridization is performed at low stringency [15-18hrs at 37°C in 500mM sodium Phosphate pH 6.0,  
10   1% SDS, 1% BSA, 1mM EDTA] to ensure hybridization and then subsequent washes are performed at higher stringency [0.1xSSC;0.1%SDS then 0.1xSSC then water] to eliminate mismatched hybrid duplexes. Successive washes may be performed at increasingly higher stringency until a desired level of hybridization specificity is obtained. Stringency can also be increased by addition of agents such  
15 as formamide. Hybridization specificity may be evaluated by comparison of hybridization to the test nucleic acid sequences with hybridization to the various controls that can be present (e.g., expression level controls (positive and negative), etc.).

          The nucleic acids that do not form hybrid duplexes are washed away leaving  
20 the hybridized nucleic acids to be detected, typically through detection of an attached detectable label. After hybridization, the arrays are inserted into a scanner that can detect patterns of hybridization. These patterns are detected by detecting the labeled transcription indicator now attached to the array, for e.g., if the transcription indicator is fluorescently labeled, the hybridization data are collected as light emitted from the  
25 labeled groups. Comparison of the absolute intensities of an array hybridized to nucleic acids from a test sample with intensities produced from the various control samples provides a measure of the relative expression of the nucleic acids represented by each of the probes.

          If the transcription indicator, for example cDNA, is fluorescently labeled, the  
30 fluorescence is detected and acquired using a fluorescence scanner, for example, a GSI Lumonics ScanArray Lite Microarray Analysis System, and the fluorescence intensity analyzed with specific quantitation and data processing software on a dedicated computer, for example, QuantArray and GeneLinker Gold. In an

embodiment, the intensity of fluorescence increases with increased ABC transporter gene expression. If the transcription indicator, for example cDNA, is radiolabelled, then detection can be carried out using an RU image scanner and such, and the intensity of the radiation can be analyzed with a computer. In an embodiment, the intensity of the radiation increases with increased ABC transporter gene expression.

In further embodiments of the present invention, the methods of the invention further comprise (a) generating a set of expression data from the detection of the amount of hybridization; (b) storing the data in a database; and (c) performing comparative analysis on the set of expression data, thereby analyzing ABC transporter gene expression. The present invention also relates to a computer system comprising (a) a database containing information identifying the expression level of a set of genes comprising at least two ABC transporter genes; and b) a user interface to view the information.

#### **(V) Drug Screening Assays**

In one embodiment, the method of the invention has been used in a drug screening analysis. For example, a test sample was exposed to a chemical or a drug, and then ABC transporter gene expression was detected in the test sample using the methods of the invention. In one embodiment of the invention, ABC transporter expression was detected at various time intervals after the test sample was exposed to a chemical or drug, for example every 2 hours after exposure for 24 hours. In one embodiment, after the test sample was exposed to the chemical or drug, mRNA was extracted from the test sample and then cDNA was produced using the extracted mRNA. The cDNA was labeled and allowed to hybridize with the one or more nucleic acid molecules, wherein each one of the one or more nucleic acid molecules comprised a sequence that specifically hybridizes to one ABC transporter gene. The amount of hybridization was detected and compared with the amount of hybridization obtained with the test sample treated under the same conditions except that it had not been exposed to the chemical or drug. By performing this comparison, the effect of the drug or chemical on the expression of each of the ABC transporter genes (whether it be increased, decreased or the same) was determined.

Accordingly, in yet another embodiment of the invention, there is provided a method for screening compounds for their effect on ABC transporter gene expression comprising:

- (a) exposing a test sample to the compound;
- (b) providing a transcription indicator from the test sample;
- (c) providing one or more nucleic acid sequences comprising a sequence that specifically hybridizes to one ABC transporter gene;
- 5 (d) allowing said transcription inhibitor to hybridize with said one or more nucleic acid sequences; and
- (e) detecting an amount of hybridization of said transcription indicator with said one or more nucleic acid sequences,

10 wherein the amount of hybridization is indicative of the degree of ABC transporter gene expression.

In further embodiments of the invention the method for screening compounds for their effect on ABC transporter gene expression further comprises the steps of

- 15 (f) comparing the amount of hybridization detected in step (e) with the amount of hybridization of transcription indicators from a normal test sample, thereby determining the effect of the compound on ABC transporter gene expression.

The term "a normal test sample" as used herein means a test sample that is not exposed to a compound or other conditions that may have an effect on ABC transporter gene expression.

- 20 The term "compound" as used herein means any agent, including drugs, which may have an effect of ABC transporter gene expression and includes, but is not limited to, small inorganic or organic molecules: peptides and proteins and fragments thereof; carbohydrates, and nucleic acid molecules and fragments thereof. The compound may be isolated from a natural source or be synthetic. The term
- 25 compound also includes mixtures of compounds or agents such as, but not limited to, combinatorial libraries and extracts from an organism.

In a further embodiment of the present invention there is provided a method for screening compounds for their effect on ABC transporter gene expression comprising:

- 30 (a) preparing an ABC transporter gene expression profile, using a method of the invention, of a test sample that has been exposed to the compound;

(b) comparing the gene expression profile from (a) with a gene expression profile, prepared using a method of the invention, from a normal test sample,

wherein differential expression is indicative of a compound having an effect on ABC transporter gene expression.

In yet another embodiment of the invention, ABC transporter gene expression in the test sample is monitored over a set period of time and at specified time intervals to determine the effect of the compound on ABC transporter expression over that period of time.

In an embodiment of the invention, the method may be used to identify compounds or agents that stimulate or up-regulate the transcription or expression of one or more ABC transporter genes, or to down-regulate or counteract the transcription or expression of one or more ABC transporter genes, or that have no effect on transcription or expression of one or more ABC transporter genes, in a given system. According to the present invention, one can also compare the specificity of a compound's effect by looking at the number of ABC transporter genes, the expression of which has been effected. More specific compounds will have fewer transcriptional targets. Further, similar sets of results for two different compounds indicates a similarity of effects for the two compounds.

The ABC expression data can be used to design or choose an effective drug or chemical for the treatment of disease, such as cancer. By knowing which of the ABC transporter genes are modulated in the presence of the drug or compound, one can determine a cell's or patient's predisposition to drug toxicity and/or response to drug treatment. For example, if the chemical or drug up-regulates or increases the expression of certain ABC transporters in a test sample that are known to be involved in transporting compounds out of cells, for example ABC B1 (ADR1), ABC C1 (MRP1), ABC C2 (MRP2), or ABC G2 (BCRP), then the efficacy of that compound may be lowered. Further, if the compound down-regulates or decreases the expression of certain ABC transporters in a test sample that are known to be involved in transporting compounds out of cells, for example ABC B1 (ADR1), ABC C1 (MRP1), ABC C2 (MRP2), or ABC G2 (BCRP), then the toxicity of that compound may be increased.

Accordingly the present invention further relates to a method of assessing the toxicity and/or efficacy of a compound in a subject comprising:

(a) obtaining a test sample from the subject;

(b) comparing the ABC transporter gene expression profile of the test sample  
5 in the presence and absence of the compound using a method of the invention,

wherein a difference in the degree of ABC transporter gene expression is indicative of the toxicity and/or efficacy of the compound in the subject.

10 In an embodiment of the invention, the compound is administered to the subject and ABC transporter gene expression is profiled in a test sample from the patient before or after administration of the compounds. Changes in ABC transporter gene expression are indicative of the toxicity and/or efficacy of the compound in the subject.

15 The methods of the present invention may also be used to monitor the changes in ABC transporter gene expression as a function of disease state. For example, an ABC transporter gene expression profile of a test sample from the subject may be obtained at one point in time and again at a later date. Changes in ABC transporter gene expression are indicative of changes in disease state, treatment response or treatment toxicity.

20 Another embodiment of the invention is the use of the ABC transporter gene expression information for population profiling. For example, the ABC transporter gene expression information can be used to pre-selected individuals for clinical trials into non-responder and responder groups to a particular drug or chemical before initiation of the clinical trial.

## 25 (VI) Databases

The present invention also includes relational databases containing ABC transporter gene expression profiles in various tissue samples and/or cell lines. The database may also contain sequence information as well as descriptive information about the gene associated with the sequence information, the clinical status of the  
30 test sample and/or its source. Methods of configuring and constructing such databases are known to those skilled in the art (see for example, Akerblom *et al.* 5,953,727).



The databases of the invention may be used in methods to identify the expression level in a test sample of the ABC transporter genes by comparing the expression level at least one of the ABC transporter genes in the test sample with the level of expression of the gene in the database. Such methods may be used to assess the physiological state or a given test sample by comparing the level of expression of an ABC transporter gene or genes in the sample with that found in samples from normal, untreated samples or samples treated with other agents.

#### (VII) Kits

The present invention further includes kits combining, in different combinations, nucleic acid arrays or microarrays, reagents for use with the arrays, signal detection and array-processing instruments, gene expression databases and analysis and database management software described above. The kits may be used, for example, to predict or model the toxic or therapeutic response of a test compound, to monitor the progression of disease states, to identify genes that show promise as new drug targets and to screen known and newly designed drugs as discussed above.

The databases packaged with the kits are a compilation of expression patterns from human or laboratory animal ABC transporter genes. Data is collected from a repository of both normal and diseased animal tissues and provides reproducible, quantitative results, i.e., the degree to which a gene is up-regulated or down-regulated under a given condition.

The kits may be used in the pharmaceutical industry, where the need for early drug testing is strong due to the high costs associated with drug development, but where bioinformatics, in particular gene expression informatics, is still lacking. These kits will reduce the costs, time and risks associated with traditional new drug screening using cell cultures and laboratory animals. The results of large-scale drug screening of pre-grouped patient populations, pharmacogenomics testing, can also be applied to select drugs with greater efficacy and fewer side-effects. The kits may also be used by smaller biotechnology companies and research institutes who do not have the facilities for performing such large-scale testing themselves.

Databases and software designed for use with use with microarrays is discussed in Balaban et al., U.S. Pat. No. Nos. 6,229,911, a computer-implemented method for managing information, stored as indexed tables, collected from small or

large numbers of microarrays, and U.S. Pat. No. 6,185,561, a computer-based method with data mining capability for collecting gene expression level data, adding additional attributes and reformatting the data to produce answers to various queries. Chee et al., U.S. Pat. No. 5,974,164, disclose a software-based method for  
 5 identifying mutations in a nucleic acid sequence based on differences in probe fluorescence intensities between wild type and mutant sequences that hybridize to reference sequences.

### **(VIII) Methods of Conducting Drug Discovery Businesses**

Yet another aspect of the present invention provides a method of conducting  
 10 a target discovery business comprising:

- (a) providing one or more assay systems for identifying agents by their ability to modulate ABC transporter gene expression, said assay systems using a method of the invention;
- (b) (optionally) conducting therapeutic profiling of agents identified in step  
 15 (a) for efficacy and toxicity in animals; and
- (c) licensing, to a third party, the rights for further drug development and/or sales or agents identified in step (a), or analogs thereof.

By assay systems, it is meant, the equipment, reagents and methods involved in conducting a screen of compounds for the ability to modulate ABC transporter  
 20 gene expression using the method of the invention.

The following non-limiting examples are illustrative of the present invention:

### **(IX) EXAMPLES**

#### **Example 1: Sets of primers and resulting PCR products for each ABC transporter gene**

25 The sets of primers were designed such that the amplification product is a PCR amplicon that is a unique portion of an ABC transporter gene (See table 1). Figures 1 to 47 show nucleic acid sequences for each PCR amplicon. The primers are shown in bold.

The NCBI ([www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov)) and BCM search launcher  
 30 ([www.searchlauncher.bcm.tmc.edu](http://www.searchlauncher.bcm.tmc.edu)) websites were used to verify PCR primer identity with the ABC transporter gene region of interest. BLAST sequence searches and alignment analyses were completed for each PCR primer pair and PCR

amplicon to ensure minimum cross-hybridization with other known genes and other known ABC transporter genes.

#### Total RNA preparation

5 Cell lines were grown as adherent monolayers following the ATCC guidelines in Falcon T175 flasks until semi-confluent. Culture medium was removed. The adherent cells were washed twice with PBS (phosphate buffered saline) pH7.4. 1.6ml TriZol reagent (Cat. No. 15596-018, Invitrogen Life Technologies) was added to each flask to lyse the cells and liberate the nucleic acids. The total RNA  
10 component of the nucleic acid lysate was isolated according to the manufacturer's instructions. Total RNA was quantitated by spectrophotometric analysis and  $OD_{260nm}:OD_{280nm}$  ratios.

#### cDNA synthesis

15 cDNA was prepared from 20 $\mu$ g of total RNA in a total volume of 40 $\mu$ l. 20 $\mu$ g of total RNA was added to a 200 $\mu$ l RNase-free microtube and placed on ice. 4 $\mu$ l of a 300ng/ $\mu$ l solution of random d(N)<sub>9</sub> primers (Cat. No. S1254S, New England BioLabs) was added to the tube containing the total RNA and the final volume made up to 22 $\mu$ l with RNase-free dH<sub>2</sub>O. The microtube was capped and then heated at 65°C for  
20 10min in a thermal cycler (PTC200 DNA Engine, MJ Research). The microtube was then removed from the thermal cycler and placed on ice for 3min. The microtube was spun in a microfuge (C-1200, VWR Scientific Products) to collect the solution in the bottom of the microtube and placed on ice.

First-strand cDNA synthesis was accomplished with the SuperScript II RNase  
25 H-Reverse Transcriptase reagent set (Cat. No. 18064-014, Invitrogen Life Technologies). 8 $\mu$ l 5x First-Strand Buffer [250mM Tris-HCl pH 8.3, 375mM KCl, 15mM MgCl<sub>2</sub>], 4 $\mu$ l 100mM DTT, 2 $\mu$ l 10mM dNTP Mix [10mM each dATP, dCTP, dGTP, dTTP] were added to the microtube on ice. The microtube was capped and then heated at 25°C for 10min in a thermal cycler. The microtube was then heated at  
30 42°C for 2min in a thermal cycler. The microtube was uncapped and left in the thermal cycler. 2 $\mu$ l SuperScript II (200U/ $\mu$ l) was added to the solution in the microtube and mixed with the micropipette tip. The microtube was recapped and

incubated at 42°C for 60min in a thermal cycler. Subsequent to this incubation the microtube was heated at 70°C for 15min in a thermal cycler. The microtube was then removed from the thermal cycler and spun in a microfuge to collect the solution in the bottom of the microtube and then returned to the thermal cycler. 1µl of RNase H  
5 (2U/µl) was added to the cDNA synthesis reaction and incubated at 37°C for 20min in a thermal cycler. The first-strand cDNA synthesis reaction was then stored at -20°C until required for RT-PCR.

### RT-PCR

10 RT-PCR was performed in a final volume of 25µl. 2µl of the first-strand cDNA synthesis reaction was added to a 200µl microtube and placed on ice. 2µl of a specific ABC Drug Transporter (ABC-DT) primer pair mix [10µM each forward PCR primer and reverse PCR primer], 2.5µl 10x PCR Buffer [200mM Tris-HCl pH 8.4, 500mM KCl], 0.75µl 50mM MgCl<sub>2</sub>, 0.5µl 10mM dNTP Mix [10mM each dATP, dCTP,  
15 dGTP, dTTP], 16.25µl dH<sub>2</sub>O and 1µl Taq polymerase (5U/ul) were added to the side of the microtube. The reagents were mixed and collected in the bottom of the microtube by spinning the capped microtube in a microfuge. The capped microtube was then placed in a thermal cycler block with a heated lid (PTC200 DNA Engine, MJ Research), both pre-heated to 95°C, and incubated at this temperature for 5min.  
20 After this initial denaturation step 40 cycles of PCR amplification were performed as follows: Denature 95°C for 30s, Anneal 60°C for 30s, Extend 72°C for 60s. Following the final 72°C Extend step the PCR was incubated for an additional 10min at 72°C. The PCR was then maintained at a temperature of 15°C. PCR products were stored at -20°C until needed.

25

### PCR amplicon purification

ABC-DT RT-PCR amplification products (PCR amplicons) were analysed by electrophoresis at 150V for 20min in 1x TAE running buffer in an agarose gel [0.8% agarose, 1x TAE, 0.5µg/ml ethidium bromide] with 4µl of a 250bp DNA Ladder (Cat.  
30 No. 10596-013, Invitrogen Life Technologies) to permit size estimates of the PCR amplicons.

The ABC-DT RT-PCR amplification products (PCR amplicons) were visualised "in gel" with a UV transilluminator (UVP M-15, DiaMed Lab Supplies) and photographed with a photo-documentation camera and hood (FB-PDC-34, FB-PDH-1216, Fisher Biotech), a #15 Deep Yellow 40.5mm screw-in optical glass filter (FB-PDF-15, Fisher Biotech) and Polaroid Polapan 667 film.

The ABC-DT RT-PCR amplification products (PCR amplicons) were isolated and purified from the ABC-DT RT-PCR using the QIAquick PCR purification kit (Cat. No. 28104, QIAGEN Inc.) according to the manufacturer's instructions. After purification, ABC-DT RT-PCR amplification products (PCR amplicons) were analysed by electrophoresis at 150V for 20min in 1x TAE running buffer in an agarose gel [0.8% agarose, 1x TAE, 0.5ug/ml ethidium bromide] with 4µl of a Low DNA Mass Ladder (Cat. No. 10068-013, Invitrogen Life Technologies) to permit PCR amplicon sizing and quantitation.

Figure 48 shows the ABC transporter gene RT-PCR amplification products from the CoCo2 cell line. Figure 49 shows the ABC transporter gene RT-PCR amplification products from the HEK293 cell line. Figure 50 shows the ABC transporter gene RT-PCR amplification products from the HepG2 cell line.

#### **Example 2: Sequencing**

The sequences of the PCR amplicons, which are each unique portions of each of the known human ABC transporter genes, can be verified.

#### **ABC-DT PCR amplicon cloning and sequencing**

A number of the purified ABC-DT RT-PCR amplification products (PCR amplicons) were cloned into pCR4-TOPO vectors using the TOPO TA Cloning Kit for Sequencing (Cat. No. K4575-40, Invitrogen Life Technologies) according to the manufacturer's instructions to verify the sequence of the purified ABC-DT PCR amplicon.

DNA sequence analysis was performed with Cy5.5-labelled M13 (-20) universal and M13 reverse primers, the Cy5/Cy5.5 Dye Primer Cycle Sequencing Kit (Cat. No. VG 30001, Visible Genetics Inc./Bayer Inc.) and the OpenGene automated DNA sequencing system (MGB-16, Visible Genetics Inc./Bayer Inc.) according to the manufacturer's instructions.

**Example 3: DNA Microarray****5 ABC-DT microarray (DT1 microarray)**

1-2 $\mu$ g of each of the purified ABC-DT RT-PCR amplification products (PCR amplicons) and 5 purified positive control RT-PCR amplification products (PCR amplicons) were aliquoted into individual wells of a CoStar SeroCluster 96 well U-bottom polypropylene microwell plate (source plate). The source plate was placed in  
10 a Speed-Vac concentrator (SPD101B, Savant Instruments Inc.) and dried under vacuum for 1 hour at 45°C. The dry RT-PCR amplification products (PCR amplicons) in the source plate were resuspended in 20 $\mu$ l 1x NoAb Print Buffer (150mM sodium phosphate pH 8.5, Cat. No. UAS0001PB, NoAb BioDiscoveries Inc.), sealed with mylar sealing tape (Cat. No. T-2162, Sigma Chemical Company) and dissolved by  
15 shaking at 300rpm for 1 hour at room temperature on a microplate shaker (EAS2/4, SLT Lab Instruments).

The source plate was then placed in a humidified (21-25°C, 45-60% RH) microarrayer cabinet (SDDC-2, ESI / Virtek Vision Corp. / BioRad Laboratories Inc.). Each purified RT-PCR amplification product (PCR amplicon) was printed in  
20 quadruplicate on activated covalent-binding epoxy slides (Cat. No. UAS0005E, NoAb BioDiscoveries Inc.) using Stealth micro-spotting pins (Cat. No. SMP5, TeleChem International Inc.). The 384 element microarrays were air-dried in the microarrayer cabinet for at least 4 hours. Printed microarrays were stored in 20 slide racks under vacuum until needed.

25

**Example 4: Method for detecting ABC transporter gene expression using a DNA microarray**

The ABC transporter gene expression profile for 22 different cell lines was prepared using the DNA microarray.

30

**Total RNA preparation**

All 22 cell lines (BT20, CaCo2, CaOv, Colo320, HBT161, HEK293, HepG2, HT75, HT177, LnCaP, MCF7, MDA453, MDA468, MFE29C, SKMES1, SKNAS,

SKNBE, SKND2, SKNMC, T47D, ZR75, MDCK) were grown as adherent monolayers following the ATCC guidelines in tissue culture flasks until semi-confluent. Culture medium was removed. The adherent cells were washed twice with PBS (phosphate buffered saline) pH7.4. 1.6ml TriZol reagent (Cat. No. 15596-018, Invitrogen Life Technologies) was added to each flask to lyse the cells and liberate the nucleic acids. The total RNA component of the nucleic acid lysate was isolated according to the manufacturer's instructions. Total RNA was quantitated by spectrophotometric analysis and OD<sub>260nm</sub>:OD<sub>280nm</sub> ratios.

#### 10 Fluorescent cDNA target preparation

Fluorescently labelled cDNA targets were prepared from each of the 22 cell lines using 20µg of total RNA in a total volume of 40µl.

20µg of total RNA was added to a 200µl RNase-free microtube and placed on ice. 4µl of a 300ng/µl solution of random d(N)<sub>9</sub> primers (Cat. No. S1254S, New England BioLabs) was added to the tube containing the total RNA and the final volume made up to 22µl with RNase-free dH<sub>2</sub>O. The microtube was capped and then heated at 65°C for 10min in a thermal cycler (PTC200 DNA Engine, MJ Research). The microtube was then removed from the thermal cycler and placed on ice for 3min. The microtube was spun in a microfuge (C-1200, VWR Scientific Products) to collect the solution in the bottom of the microtube and placed on ice.

First-strand cDNA synthesis was accomplished with the SuperScript II RNase H-Reverse Transcriptase reagent set (Cat. No. 18064-014, Invitrogen Life Technologies). 8µl 5x First-Strand Buffer [250mM Tris-HCl pH 8.3, 375mM KCl, 15mM MgCl<sub>2</sub>], 4µl 100mM DTT, 2µl T- dNTP Mix [2.3mM dTTP, 5mM each dATP, dCTP, dGTP], 2µl ChromaTide Alexa 546-14-dUTP (1mM in TE buffer, Cat. No. C-11401, Molecular Probes Inc.) were added to the microtube on ice. The microtube was capped and then heated at 25°C for 10min in a thermal cycler. The microtube was then heated at 42°C for 2min in a thermal cycler. The microtube was uncapped and left in the thermal cycler. 2ul SuperScript II (200U/µl) was added to the solution in the microtube and mixed with the micropipette tip. The microtube was recapped and incubated at 42°C for 60min in a thermal cycler. Subsequent to this incubation the microtube was heated at 70°C for 15min in a thermal cycler. The microtube was

then removed from the thermal cycler and spun in a microfuge to collect the solution in the bottom of the microtube and then returned to the thermal cycler. 1 $\mu$ l of RNase H (2U/ $\mu$ l) was added to the cDNA synthesis reaction and incubated at 37°C for 20min in a thermal cycler. The fluorescently labelled cDNA targets were stored at

5 -20°C overnight before QIAquick column purification.

The fluorescently labelled cDNA targets were thawed and the total volume adjusted to 100 $\mu$ l with dH<sub>2</sub>O. Labelled cDNA targets were isolated and purified using the QIAquick PCR purification kit (Cat. No. 28104, QIAGEN Inc.) according to the manufacturer's instructions except that the final elution volume was adjusted to

10 150 $\mu$ l. The purified cDNA target preparation was stored at -20°C until required for microarray hybridisation.

#### DT1 microarray hybridisation

The printed DT1 microarray(s) was removed from storage under vacuum and

15 placed in a 20 slide rack. The DT1 microarray was then denatured by dipping the microarray slide into "boiled" dH<sub>2</sub>O for 30s. The denatured DT1 microarray was then placed in a polypropylene 5 slide mailer (Cat. No. 240-3074-030, Evergreen Scientific) and blocked in 1x NoAb Pre-Hybridisation Blocking Buffer (Cat. No. UAS0001BB, NoAb BioDiscoveries Inc.) for 2 hours at room temperature. Pre-

20 hybridised, blocked DT1 microarrays were removed from this solution and placed in a new polypropylene 5 slide mailer (Cat. No. 240-3074-030, Evergreen Scientific) containing a solution of denatured, labelled cDNA targets from a specific cell line.

The labelled cDNA target preparation was thawed and the 150 $\mu$ l added to 850 $\mu$ l hybridisation buffer (500mM sodium Phosphate pH 6.0, 1% SDS, 1% BSA,

25 1mM EDTA) in a 1.5ml microtube and heated at 95°C for 10min. Following denaturation the microtube was spun briefly in a microcentrifuge to collect all the liquid. The denatured, labelled cDNA targets were then added to a polypropylene 5 slide mailer (Cat. No. 240-3074-030, Evergreen Scientific) that contained a pre-hybridised, blocked DT1 microarray placed "array-side" down in the bottom-most slot

30 of the 5 slide mailer. In this orientation the entire surface of the microarray slide is bathed in the hybridisation buffer. 5 slide mailers containing the DT1 microarrays were incubated on their sides, "array-side" down, in a 37°C incubator for 15-18h.



Hybridised DT1 microarrays were removed from the 5 slide mailers with forceps and placed directly into a 20 slide rack in a slide wash box containing a 0.1x SSC, 0.1% SDS solution. DT1 microarrays were incubated in this solution at 37°C for 15min. The slide rack containing the DT1 microarrays was then transferred to a slide wash box containing 0.1x SSC and incubated in this solution at 37°C for 15min. Following this step the DT1 microarrays were rinsed in dH<sub>2</sub>O and air-dried by centrifugation at 1200rpm.

#### DT1 microarray image acquisition and data analysis

Processed DT1 microarrays were scanned using ScanArray software in a ScanArray Lite MicroArray Analysis System (GSI Lumonics Inc.) at a scan resolution of 10µm, a laser setting of 90 and a PMT gain of 80. Images were analysed using QuantArray software (GSI Lumonics Inc.). The data generated from QuantArray was exported to GeneLinker Gold (Molecular Mining Inc. / Predictive Patterns Software) for bioinformatic analysis and data mining. Gene expression profiles and hierarchical clustering maps ("heat maps") were also generated using GeneLinker Gold.

Figure 51 shows the heat map for and Table 2 sets out the relative levels of ABC transporter gene expression in various cell lines normalized to GAPDH. Figure 52 shows the heat map for and Table 3 sets out the relative levels of ABC transporter gene expression in various cell lines normalized to actin. Figure 53 shows the heat map for and Table 4 sets out the relative levels of ABC transporter gene expression in various cell lines normalized to SH1.

Figure 54 shows the relative levels of gene expression for ABC B1 to B11 in HEK cells normalized to constitutively expressed control genes (tubulin, actin, GAPDH, and SH1). Figure 55 shows the relative levels of gene expression for ABC B1 to B11 in various cell lines (HEK, CaCo2, CaOv and HepG2) normalized to the constitutively expressed actin control gene.

As shown in Figure 55, the ABC transporter gene expression profile is different for different cell lines. Certain ABC transporter genes are over-expressed in some cell lines, while some are suppressed in other cell lines.

**Example 5: Drug screening assay**

Cell lines were treated with two chemotherapeutic agents, doxorubicin and vinblastine, at 2 hour intervals.

**5    Total RNA preparation from drug-treated HepG2 cell line**

The HepG2 cell line was grown as an adherent monolayer in 24 Falcon T175 flasks following the ATCC guidelines until semi-confluent. Tissue culture flasks were then divided into pairs for each of six timepoints (0h, 2h, 4h, 8h, 18h, 24h).

For vinblastine sulfate treatment, 5 $\mu$ l of a 1000x (5mM in DMSO) stock  
10 solution of vinblastine sulfate was added to 10 Falcon T175 flasks containing the HepG2 monolayer in 10mls of culture medium (25nM final concentration), mixed gently by rocking, returned to the CO<sub>2</sub> incubator and harvested for total RNA at the indicated times. The 0h timepoint flasks were processed immediately after the addition of 5 $\mu$ l DMSO.

15 For doxorubicin HCl treatment, 5 $\mu$ l of a 1000x (5mM in DMSO) stock solution of doxorubicin HCl was added to 10 Falcon T175 flasks containing the HepG2 monolayer in 10mls of culture medium (25nM final concentration), mixed gently by rocking, returned to the CO<sub>2</sub> incubator and harvested for total RNA at the indicated times. The 0h timepoint flasks were processed immediately after the addition of 5 $\mu$   
20 DMSO.

Prior to cell lysis the tissue culture medium was removed. The adherent cells were washed twice with PBS (phosphate buffered saline) pH7.4. 1.6ml TriZol reagent (Cat. No. 15596-018, Invitrogen Life Technologies) was added to each flask to lyse the cells and liberate the nucleic acids. The total RNA component of the  
25 nucleic acid lysate was isolated according to the manufacturer's instructions. Total RNA was quantitated by spectrophotometric analysis and OD<sub>260nm</sub>:OD<sub>280nm</sub> ratios.

**Fluorescent cDNA target preparation**

Fluorescently labelled cDNA targets were prepared from each of the 12  
30 timepoint samples for the drug-treated HepG2 cell line (6x vinblastine sulfate, 6x doxorubicin HCl) using 20 $\mu$ g of total RNA in a total volume of 40 $\mu$ l.

20µg of total RNA was added to a 200µl RNase-free microtube and placed on ice. 4µl of a 300ng/µl solution of random d(N)<sub>9</sub> primers (Cat. No. S1254S, New England BioLabs) was added to the tube containing the total RNA and the final volume made up to 22µl with RNase-free dH<sub>2</sub>O. The microtube was capped and then  
5 heated at 65°C for 10min in a thermal cycler (PTC200 DNA Engine, MJ Research). The microtube was then removed from the thermal cycler and placed on ice for 3min. The microtube was spun in a microfuge (C-1200, VWR Scientific Products) to collect the solution in the bottom of the microtube and placed on ice.

First-strand cDNA synthesis was accomplished with the SuperScript II RNase  
10 H- Reverse Transcriptase reagent set (Cat. No. 18064-014, Invitrogen Life Technologies). 8µl 5x First-Strand Buffer [250mM Tris-HCl pH 8.3, 375mM KCl, 15mM MgCl<sub>2</sub>], 4µl 100mM DTT, 2µl T- dNTP Mix [2.3mM dTTP, 5mM each dATP, dCTP, dGTP], 2µl ChromaTide Alexa 546-14-dUTP (1mM in TE buffer, Cat. No. C-11401, Molecular Probes Inc.) were added to the microtube on ice. The microtube  
15 was capped and then heated at 25°C for 10min in a thermal cycler. The microtube was then heated at 42°C for 2min in a thermal cycler. The microtube was uncapped and left in the thermal cycler. 2µl SuperScript II (200U/µl) was added to the solution in the microtube and mixed with the micropipette tip. The microtube was recapped and incubated at 42°C for 60min in a thermal cycler. Subsequent to this incubation  
20 the microtube was heated at 70°C for 15min in a thermal cycler. The microtube was then removed from the thermal cycler and spun in a microfuge to collect the solution in the bottom of the microtube and then returned to the thermal cycler. 1µl of RNase H (2U/µl) was added to the cDNA synthesis reaction and incubated at 37°C for 20min in a thermal cycler. The fluorescently labelled cDNA targets were stored at  
25 -20°C overnight before QIAquick column purification.

The fluorescently labelled cDNA targets were thawed and the total volume adjusted to 100µl with dH<sub>2</sub>O. Labelled cDNA targets were isolated and purified using the QIAquick PCR purification kit (Cat. No. 28104, QIAGEN Inc.) according to the manufacturer's instructions except that the final elution volume was adjusted to  
30 150µl. The purified cDNA target preparation was stored at -20°C until required for microarray hybridisation.

### DT1 microarray hybridisation

The printed DT1 microarray(s) was removed from storage under vacuum and placed in a 20 slide rack. The DT1 microarray was then denatured by dipping the microarray slide into "boiled" dH<sub>2</sub>O for 30s. The denatured DT1 microarray was then placed in a polypropylene 5 slide mailer (Cat. No. 240-3074-030, Evergreen Scientific) and blocked in 1x NoAb Pre-Hybridisation Blocking Buffer (Cat. No. UAS0001BB, NoAb BioDiscoveries Inc.) for 2 hours at room temperature. Pre-hybridised, blocked DT1 microarrays were removed from this solution and placed in a new polypropylene 5 slide mailer (Cat. No. 240-3074-030, Evergreen Scientific) containing a solution of denatured, labelled cDNA targets from a specific cell line.

The labelled cDNA target preparation was thawed and the 150µl added to 850ul hybridisation buffer (500mM sodium Phosphate pH 6.0, 1% SDS, 1% BSA, 1mM EDTA) in a 1.5ml microtube and heated at 95°C for 10min. Following denaturation the microtube was spun briefly in a microcentrifuge to collect all the liquid. The denatured, labelled cDNA targets were then added to a polypropylene 5 slide mailer (Cat. No. 240-3074-030, Evergreen Scientific) that contained a pre-hybridised, blocked DT1 microarray placed "array-side" down in the bottom-most slot of the 5 slide mailer. In this orientation the entire surface of the microarray slide is bathed in the hybridisation buffer. 5 slide mailers containing the DT1 microarrays were incubated on their sides, "array-side" down, in a 37°C incubator for 15-18h.

Hybridised DT1 microarrays were removed from the 5 slide mailers with forceps and placed directly into a 20 slide rack in a slide wash box containing a 0.1x SSC, 0.1% SDS solution. DT1 microarrays were incubated in this solution at 37°C for 15min. The slide rack containing the DT1 microarrays was then transferred to a slide wash box containing 0.1x SSC and incubated in this solution at 37°C for 15min. Following this step the DT1 microarrays were rinsed in dH<sub>2</sub>O and air-dried by centrifugation at 1200rpm.

### DT1 microarray image acquisition and data analysis

Processed DT1 microarrays were scanned using ScanArray software in a ScanArray Lite MicroArray Analysis System (GSI Lumonics Inc.) at a scan resolution of 10µm, a laser setting of 90 and a PMT gain of 80. Images were analyzed using QuantArray software (GSI Lumonics Inc.). The data generated from QuantArray was

exported to GeneLinker Gold (Molecular Mining Inc. / Predictive Patterns Software) for bioinformatic analysis and data mining. Gene expression profiles and hierarchical clustering maps ("heat maps") for drug treatment-related changes in ABC-DT gene expression were also generated using GeneLinker Gold.

5        Figure 56 shows the heat map for and Table 5 shows the relative levels of ABC transporter gene expression in cell lines treated with doxorubicin at various time intervals. Figure 57 shows the heat map for and Table 6 shows the relative levels of ABC transporter gene expression in cell lines treated with vinblastine at various time intervals.

10        While the present invention has been described with reference to what are presently considered to be examples, it is to be understood that the invention is not limited to the disclosed examples. To the contrary, the invention is intended to cover various modifications and equivalent arrangements included within the spirit and scope of the appended claims.

15        All publications, patents and patent applications are herein incorporated by reference in their entirety to the same extent as if each individual publication, patent or patent application was specifically and individually indicated to be incorporated by reference in its entirety.

Tabl 1

Unique Portion of ABC Transporter Gene	Upper Primer		Lower Primer	
ABCA1	SEQ ID NO: 48	5' CCC TGT GGA ATG TAC CTA TGT GAG 3'	SEQ ID NO: 49	5' GCG TAA AGT GCT TGG AAT GAG GGC 3'
ABCA2	SEQ ID NO: 50	5' CCT TCA ACA CGG ACA CGC TCT GCT 3'	SEQ ID NO: 51	5' AGC TTC TCC ATT CCT GCC ACC TGC 3'
ABCA3	SEQ ID NO: 52	5' AAG GAA AAG TAC GGC GTG GAC GAC 3'	SEQ ID NO: 53	5' CTA AGA CCC CAG CAC CTA ATC ACA 3'
ABCA4	SEQ ID NO: 54	5' GAG CAT CAT CAG AAA AGG GAG GGC 3'	SEQ ID NO: 55	5' GGG TTT CTA GTT CTG GGG TCT GGA 3'
ABCA5	SEQ ID NO: 56	5' AAT GCA AGC CGT CAG GAA AGT TTT 3'	SEQ ID NO: 57	5' CTT ACA CTT CAG CTT TTA CGG ATG 3'
ABCA6	SEQ ID NO: 58	5' AGT TGT GTT TTG TGC TGA GCC TCC 3'	SEQ ID NO: 59	5' GTG CCT GAC TCT TTG GGT GAC TTT 3'
ABCA7	SEQ ID NO: 60	5' ATA GCA TGG AGG AGT GTG AAG CGC 3'	SEQ ID NO: 61	5' TTT CAC CAC CAC GGC TTC TCT CCA 3'
ABCA8	SEQ ID NO: 62	5' GCT GGG TGA TTT TGA GGA GGA TTT 3'	SEQ ID NO: 63	5' GAA AAT GGC ACA CAG TTG GCT TAC 3'
ABCA9	SEQ ID NO: 64	5' TGT GCC AGC AAC CAA ATC CCA TGT 3'	SEQ ID NO: 65	5' TTT CTC CTA ATG CTA TCC CTC CCC 3'
ABCA10	SEQ ID NO: 66	5' AGG AGC TGG GAA ATG TTG ATG ATA 3'	SEQ ID NO: 67	5' GCC ATT TCA TCA GTT TAT CAG ACC 3'
ABCA12	SEQ ID NO: 68	5' CCT GCT GGA GAG TGT TTT GGG CTT 3'	SEQ ID NO: 69	5' ATG TTT GCG ACT CCT CCT GCT GTG 3'
ABCB1	SEQ ID NO: 70	5' CAT CCT GTT TGA CTG CAG CAT TGC 3'	SEQ ID NO: 71	5' GCA AGG CAG TCA GTT ACA GTC CAA 3'
ABCB2	SEQ ID NO: 72	5' ATA TTG CCT ATG GCC TGA CCC AGA 3'	SEQ ID NO: 73	5' TTC TCA GTT TCA GAG TGC TGG CCA 3'
ABCB3	SEQ ID NO: 74	5' GGG AGT AGG AGC TAT GCT AAG TGT 3'	SEQ ID NO: 75	5' TGC TCA TGG TCT AGT GGA AGG TCA 3'
ABCB4	SEQ ID NO: 76	5' TTG ACA GCT ACA GTG AAG AGG GGC 3'	SEQ ID NO: 77	5' CAT AAG TTC TGT GTC CCA GCC TGG 3'
ABCB6	SEQ ID NO: 78	5' TTC GCT TCT ACG ACA TCA GCT CTG 3'	SEQ ID NO: 79	5' GAC CAG GAT GAA ATA AGC CAG GGA 3'

ABCB7	SEQ ID NO: 80	5' CCC TGC AGG AAA GAA AGT GGC CAT 3'	SEQ ID NO: 81	5' CTT AGC ACG AAC AGT TTC CAC AGC 3'
ABCB8	SEQ ID NO: 82	5' AGG TTG TCG GTT TCA TCA GCC AGG 3'	SEQ ID NO: 83	5' TTT ATT GTG AGC AGG AGC AGC CGC 3'
ABCB9	SEQ ID NO: 84	5' TGG ATC ACC GCT TCC TGC ATC TTG 3'	SEQ ID NO: 85	5' TGC CAC CAT CCC ATC CAC CAA AGA 3'
ABCB10	SEQ ID NO: 86	5' GCA AGG CAT GAA CTG CTA GGT ATT 3'	SEQ ID NO: 87	5' GGT TTC TTC TTC CAG TCT AAT CAG 3'
ABCB11	SEQ ID NO: 88	5' TTG TCA TTG CCC ATC GCT TGT CCA 3'	SEQ ID NO: 89	5' AGA GCA TCC ACC CTT TCC CTA TCC 3'
ABCC1	SEQ ID NO: 90	5' GCT CCC ATC ACC TCT AAC ATC CTT 3'	SEQ ID NO: 91	5' TGA GCA GGT ACC ATG AGA GGG AAA 3'
ABCC2	SEQ ID NO: 92	5' GTA GCA TGG AGA AGA TTG GTG TGG 3'	SEQ ID NO: 93	5' GGG TAG TAG GTT CAT GGG TGT TCA 3'
ABCC3	SEQ ID NO: 94	5' CAA GAG CCG CAT CCT GGT TTT AGA 3'	SEQ ID NO: 95	5' TTT AAT GGA TTC AGG CAG CAC CCC 3'
ABCC4	SEQ ID NO: 96	5' TGG GAA GAA CCG GAG CTG GAA AAA 3'	SEQ ID NO: 97	5' AAT GCC TTC GGA ACG GAC TTG ACA 3'
ABCC5	SEQ ID NO: 98	5' AAG GAA GAC GTG TGG CAA TAG TGG 3'	SEQ ID NO: 99	5' AAA CCA CAC AGC AAC CAG CAA CCT 3'
ABCC6	SEQ ID NO: 100	5' TCG TGT CAG TGG AGC GGA TGC AGG 3'	SEQ ID NO: 101	5' CTG CCA CCT GCC CCT TGT CCA TGA 3'
ABCC7	SEQ ID NO: 102	5' TCT TTC ACA GGG GAC AGG ATG GTT 3'	SEQ ID NO: 103	5' CAG TTT GGA GTT GAG AAG GCA GTG 3'
ABCC8	SEQ ID NO: 104	5' AAA CCG AGG CAG AGA GCT ACG AGG 3'	SEQ ID NO: 105	5' TGG GCT CTG GCA GGT CAC TTG TCT 3'
ABCC9	SEQ ID NO: 106	5' TGG GTG CAG TGA AGA AGG TGA ACA 3'	SEQ ID NO: 107	5' GTG GGC GAA CAA ATT TGG GAC AGT 3'
ABCC10b	SEQ ID NO: 108	5' TCT TCC CTG TTG TTG GTG CTC TTC 3'	SEQ ID NO: 109	5' TGA AAA TGC AAG TGG GCT CCT ATG 3'
ABCC11	SEQ ID NO: 110	5' GAT TCT CAT TGA CGG CGT GGA CAT 3'	SEQ ID NO: 111	5' TGG TTC TGG GGT TCT AAG GTC TTG 3'
ABCC12a	SEQ ID NO: 112	5' CTG GTT ATG GAA AAT GGG AAG GTG 3'	SEQ ID NO: 113	5' TTG CAA GGC GAC ATT TCA GGG TAA 3'
ABCC13	SEQ ID NO: 114	5' GCA CCT GTG GGC CAT ACT AAA AGA 3'	SEQ ID NO: 115	5' TAA CAA ACA CAA GGA CTG CCA CCC 3'

ABCD1	SEQ ID NO: 116	5' TTC CCT CCT CGT CAG TCT CTC AAA 3'	SEQ ID NO: 117	5' TCT TTG GCA CTG AGC TGG GAA CAT 3'
ABCD2	SEQ ID NO: 118	5' GTG GCC AAC TAA ACC TGT ACA AAA 3'	SEQ ID NO: 119	5' ACA AAA GAG CAC TAA ACC AGA GAG 3'
ABCD3	SEQ ID NO: 120	5' TAC TCA TTC CTT GTG TGT GTC TTG 3'	SEQ ID NO: 121	5' CTT CGG TAG CCA GTG ATT GTT ATA 3'
ABCD4	SEQ ID NO: 122	5' CTC CAT ATG CTT GAA GTG CTG ATT 3'	SEQ ID NO: 123	5' AGA AGC CTG GCA AAC ATT ATG AAG 3'
ABCE1	SEQ ID NO: 124	5' ATT CCC CGC AAA AAA CCC CTA ACT 3'	SEQ ID NO: 125	5' TGG GAG GGT AAT AAA GGG AGA TCA 3'
ABCF1	SEQ ID NO: 126	5' TTG GAG GCC CTG GGT GAA GTC ATG 3'	SEQ ID NO: 127	5' TTT CCT GCC CCA AGT CCT CAA CCA 3'
ABCF2	SEQ ID NO: 128	5' TGC TAC CCA GAG ATC AAG GAG AAG 3'	SEQ ID NO: 129	5' ACT TGG AGC TGG TGT ACT TGG TGA 3'
ABCF3	SEQ ID NO: 130	5' CCT AAA CGT CAG TGC TTG TGG AAC 3'	SEQ ID NO: 131	5' TTT ACA TAG CAG CCA CTT GGG GTC 3'
ABCG1	SEQ ID NO: 132	5' CGT CTA GAA TCG AGG AGG CAA GCC 3'	SEQ ID NO: 133	5' CCA GCT GGG TGA CTC GGG TTA AAC 3'
ABCG2	SEQ ID NO: 134	5' CAG TAC TTC AGC ATT CCA CGA TAT 3'	SEQ ID NO: 135	5' GGG CTA CTA ACC TAC CTA TTC ATT 3'
ABCG4	SEQ ID NO: 136	5' ACA GGC ACA TAC ATG AGA ACA GGC 3'	SEQ ID NO: 137	5' CAG GGA TGT GTA CAG GAA AAA GGG 3'
ABCG5	SEQ ID NO: 138	5' GCC CAG GTG CAA CAT CTA GAT TCA 3'	SEQ ID NO: 139	5' CCC TCG TGT GGA CAT CTG CAT TTA 3'
ABCG8	SEQ ID NO: 140	5' TCA ATG ACC ATC GGC TTC CTC TAT 3'	SEQ ID NO: 141	5' ACG TAG TAC AGG ACC ATG AAG CCA 3'



Table 2

	bl20	caa02	caa0	col0320	hbl161	hek	hek2	hep02	ht75	ht177	lncap	mc77	mda453	mda468	mfe29c	skmes1	sknas	sknbe	sknd2	skmc	t47d	zr75	mdek
wt1	1.760147	1.618089	1.424148	1.161262	1.543551	1.987004	1.269118	1.040183	1.176464	1.602791	1.511799	1.655671	1.172517	1.364591	1.257281	1.217376	0.626002	1.296755	1.626099	1.447571	1.850718	1.613761	1.412566
abcA1	3.004793	3.347090	8.28726	2.370672	2.264526	3.609649	2.229297	1.564597	2.908955	4.401204	5.121514	3.141233	1.704763	3.274642	3.101382	2.974131	1.551803	2.454523	3.391316	2.096912	4.58395	2.551371	2.453901
abcA2	4.624323	5.260656	9.99857	4.169548	7.839229	6.17035	4.606237	2.813327	3.969959	6.672095	6.680252	5.119029	3.48243	4.697005	4.960736	4.745097	1.381525	3.811958	5.770854	4.22122	6.998368	3.750876	3.993493
shl	3.911999	4.197328	1.598497	3.812322	6.301507	4.454382	4.764967	2.685198	3.817439	5.271368	6.99939	4.016223	2.307139	4.61252	3.669887	3.949323	1.082382	3.328175	4.988276	3.187279	5.914972	2.348161	4.96644
abcA3	7.608692	8.546286	6.317059	7.303269	10.71203	8.577419	6.242746	4.433605	6.165651	12.94566	11.60684	7.93316	5.148105	6.795211	7.890175	7.28488	2.992319	6.880617	9.331218	6.042775	9.776199	5.348274	5.13229
abcA4	5.919356	7.41871	4.700107	6.432769	7.527029	8.965953	7.075436	4.358784	4.712724	8.165924	8.144223	6.643413	4.827968	5.660874	7.521435	7.213923	1.237927	5.505667	7.847183	6.343008	8.173683	5.36549	5.248557
abcA5	2.957649	3.448256	0.89617	2.699665	4.770988	3.656885	4.230468	2.073816	4.231976	3.708588	5.477282	3.097772	1.716878	4.339422	2.885842	3.511156	1.228945	2.558133	3.774496	2.166136	5.289771	2.315449	3.184366
abcA6	5.118411	5.992906	2.18216	6.488178	7.475392	7.827521	6.676626	3.997977	4.716604	7.380911	8.603165	5.66999	4.405	5.3359	5.705216	6.032574	1.482493	4.932076	6.965578	4.76329	7.771708	3.71513	4.6072
abcA7	0.813024	1.451727	0.423628	0.756805	0.925006	1.414885	1.045833	1.075277	3.307867	1.28646	1.089256	0.780969	0.415919	1.64963	0.951143	1.189434	1.169245	0.678497	0.942581	1.060294	0.627354	1.031147	
abcA8	3.766634	4.410631	1.384986	4.646162	5.742969	4.997531	3.498515	2.963095	3.956494	5.261313	6.470901	4.355213	2.630278	4.403083	3.568671	4.097393	1.461138	3.412184	4.423174	2.700437	6.046554	2.900982	3.329838
abcA9	6.745635	7.854984	2.973699	10.55948	11.38119	10.56285	10.78415	6.514659	6.197568	12.38926	13.07479	7.75826	6.282562	7.08791	8.729474	6.184259	1.466374	8.409215	11.61034	6.872109	10.10557	4.556159	7.380374
abcA10	3.731862	4.922754	0.973826	5.048334	7.438836	4.674079	5.928152	2.811801	3.495781	8.054075	8.295051	3.573241	2.815333	4.373692	4.944166	2.483748	0.745729	4.228018	4.854904	3.338708	6.187728	3.136154	5.292145
abcA12	4.602116	6.046777	2.419136	6.102304	6.873125	6.533879	5.779279	3.000348	3.891084	7.761779	7.458326	5.199048	3.419758	4.652229	5.750435	4.411436	1.072138	4.430771	5.938261	4.437994	6.614576	4.085293	5.928269
abcB1	6.22968	6.922212	1.192804	6.876342	8.412035	7.77775	6.954351	2.889171	4.556779	9.130438	9.47086	6.403695	4.676444	5.728989	6.192011	6.088017	1.692989	5.584571	8.058913	5.604806	8.288023	5.028871	6.296814
abcB2	4.692122	5.674072	0.941921	4.828867	7.055056	6.906656	5.510521	3.107792	4.274465	7.468082	6.484062	5.198367	3.292553	5.056885	4.284439	4.850556	2.550281	3.636367	7.826283	3.515015	6.949947	5.53017	5.0383
actin	2.813648	2.554335	2.130733	2.901062	2.465122	3.19905	3.166989	1.849321	2.14277	4.099607	2.05192	2.663159	2.310214	2.052918	2.548381	2.572973	1.296333	2.524045	4.114827	2.527953	2.729459	1.244456	2.843669
abcB3	5.815124	6.389326	2.05251	6.253255	8.191762	8.021734	8.274497	3.410876	5.028789	8.114998	8.767612	6.406229	4.147808	6.190622	4.899937	6.742927	2.140021	5.433807	9.335644	3.940163	8.353189	4.062514	7.246606
abcB4	7.6835	8.38654	0.58921	10.66992	10.24258	12.10061	12.24046	6.266877	6.656844	12.67506	11.05904	7.964991	7.427915	3.12579	8.712582	14.48269	7.130204	10.49239	5.045277	7.130204	10.49239	5.045277	7.209005
abcB6	4.084981	4.984172	8.46189	4.316225	5.88544	5.753428	5.929129	2.891158	4.190264	6.217372	5.877825	4.392595	2.776184	4.565543	4.09943	4.31774	1.576024	3.79744	6.837115	3.318637	6.187565	2.415473	5.259997
abcB7	0.74123	0.157225	0.018996	0.219296	0.1168	0.212074	0.239904	0.212343	0.734458	0.136103	0.192291	0.110247	0.109597	0.281218	0.195551	0.104149	0.041012	0.174013	0.296479	0.234935	0.208883	0.055861	0.204321
abcB8	6.664505	7.71405	9.678823	7.429662	11.50949	8.885061	7.80714	6.916769	6.525109	10.77551	11.0921	8.146399	5.277253	7.358466	6.259928	7.008684	1.860419	7.115313	11.42079	5.129343	9.811637	3.712953	9.161328
abcB9	5.842912	7.795226	4.86316	8.057427	8.533891	9.765656	10.25564	3.976807	5.274958	11.30368	9.473696	7.5665	5.272494	6.691976	7.747736	6.527339	2.833434	6.032784	11.33989	5.270131	8.599939	3.976051	7.62494
abcB10	2.825061	3.106933	1.136532	2.301583	4.752371	3.201264	3.287397	2.280606	3.301957	3.55259	4.940379	2.939483	1.635918	4.142617	2.380918	3.384194	0.973833	2.546677	3.908612	1.864896	4.447705	1.538376	3.513867
abcB11	4.92933	5.926065	2.530428	6.016988	8.145644	7.257995	6.36416	3.383772	4.245162	10.16901	8.433979	4.948483	3.954381	5.200344	6.500304	4.331175	1.016901	5.457363	7.892148	4.303962	6.55196	2.457971	5.433564
abcC1	6.359446	8.127404	3.298729	7.453735	10.77491	8.893629	9.964621	4.780864	5.50021	13.61978	12.0042	6.806182	4.932777	6.809653	8.57131	5.022411	1.160266	7.348775	9.434584	6.013765	8.637754	4.302263	9.586915
abcC2	0.346905	0.577156	0.270287	0.384025	0.448287	0.650925	0.459208	0.268697	1.332171	0.572141	0.508614	0.350252	0.256199	0.385886	0.326415	0.386984	0.388017	0.422901	0.510708	0.291655	0.276086	0.118947	0.375365
abcC3	6.013665	7.439689	5.945232	6.209607	8.332764	9.269004	6.845003	4.983321	4.872408	9.18837	8.199831	6.753851	5.106647	5.919573	6.765984	5.417606	1.678748	6.148746	8.915554	5.96885	7.878307	3.581028	6.422337
tubulin	2.298514	2.087163	1.772524	2.349229	2.136879	2.939772	2.398394	1.276152	1.406254	3.644242	2.058773	2.057926	1.787842	1.659775	2.06705	2.045376	1.004109	1.982293	2.084784	2.470466	2.11105	1.445386	2.455287
abcC4	3.220286	3.368696	1.862558	2.593254	5.03437	3.730238	3.052793	2.10763	3.121299	4.304639	5.198264	3.352922	2.042043	4.142815	2.622131	3.34671	2.057933	2.277096	3.143111	2.232597	4.564203	2.913778	3.438326
abcC5	7.291887	8.497259	7.300674	8.495691	8.914714	10.28172	9.36289	4.89731	7.762627	12.91419	8.46679	7.445036	5.63811	7.616253	8.361338	7.356883	4.697307	8.860292	10.07361	8.428701	10.03339	6.205289	9.101034
abcC6	5.308255	6.250884	5.862711	5.894473	6.011327	8.91434	6.363759	3.901863	4.506416	8.766663	7.07777	5.604559	4.04964	5.496995	5.453474	5.151823	2.60295	4.688247	6.461338	4.944702	6.983595	4.43756	6.433565
abcC7	6.225003	6.015756	6.515959	7.435329	7.629163	8.378556	9.526473	3.635269	5.335326	9.472832	7.786647	7.166225	4.766767	6.51443	6.271785	6.575034	3.144826	6.454929	8.549991	6.111629	8.626731	6.350593	8.475225
abcC8	0.20927	0.312892	0.104774	0.399283	0.316207	0.492878	0.391981	0.090541	0.810137	0.344879	0.512981	0.254042	0.166017	0.493377	0.347002	0.266	0.196555	0.365982	0.329052	0.330411	0.409944	0.03408	0.161494
abcC9	4.64518	5.215393	3.603154	4.558374	6.240997	6.430868	5.16828	3.462834	4.003031	7.085351	6.89536	5.163141	3.255498	5.129568	4.606734	4.810717	1.717879	4.781281	6.920567	5.053801	6.745872	3.654303	5.490752
abcC10	4.421718	4.946461	4.121841	5.83334	5.416718	5.460851	3.449476	1.79319	6.005754	6.226844	4.169301	2.88363	4.755964	4.331723	4.556479	1.645101	4.423686	5.026144	4.751168	5.529159	4.168599	5.561204	

abcC11	5.377921	6.014355	4.830902	6.526437	4.979587	7.718198	7.957897	3.788262	3.902178	8.996234	8.125819	6.068471	4.413025	5.404133	6.297336	5.365717	1.602617	5.326979	7.10816	5.700667	7.456445	4.850691	7.009039
abcC12	4.350023	5.097199	2.083206	5.287654	6.740772	5.947075	5.545201	2.982741	3.771503	8.863798	7.993826	4.225222	3.437331	5.073856	5.931341	3.568024	1.343014	4.877474	5.826324	4.41935	3.84966	4.666285	5.233725
abcC13	3.289754	3.800043	1.178961	3.625486	6.344843	4.852034	4.386753	2.696062	3.18993	5.974607	7.17708	2.957792	2.417687	3.972703	3.082481	1.722248	0.80427	4.023579	3.746475	3.086382	4.387412	3.643549	4.041307
abcD1	3.324885	3.888023	1.527821	4.02903	4.896376	5.135681	5.520253	2.482413	3.418455	5.989764	5.104864	3.723436	2.563685	4.31724	3.968746	3.12896	1.575417	4.202042	5.104484	3.949438	5.473419	3.450191	5.11301
abcD2	2.691791	2.953712	0.973682	2.255953	5.322177	3.067491	3.760776	1.751205	3.294883	3.966396	5.309153	2.865471	1.680424	4.019171	2.339185	3.28914	1.101583	2.982265	3.360074	2.355337	4.726608	1.887609	3.95424
abcD3	2.140153	2.205829	0.720351	1.921719	3.083791	2.584265	2.338868	1.419681	3.483447	2.203203	3.483447	2.123141	1.126501	3.274346	1.543806	2.419758	1.485437	2.021632	2.86093	1.343676	3.745222	1.837798	2.626086
abcD4	4.14984	3.885781	1.643377	4.797625	5.881954	5.275499	5.142964	2.056191	4.663416	3.004363	6.999542	4.275728	2.857245	5.54243	4.592518	4.056683	2.764205	4.550051	6.468077	7.853675	6.305111	3.196361	4.226271
abcE1	3.861133	4.032411	1.123749	3.908748	5.426583	4.427617	4.13424	2.162943	3.777744	3.46213	6.370534	3.811598	2.286778	4.590051	3.491907	3.120769	1.952447	3.538173	4.758896	2.653818	5.231657	3.201301	3.925311
abcE2	3.006927	3.174756	1.434718	2.585275	4.162581	3.438596	3.736274	2.009307	3.978386	3.141324	4.572986	2.925329	1.656583	4.641542	2.397631	3.24873	1.802607	3.194754	5.50298	2.413411	5.138317	2.691841	4.668573
abcF2	4.790131	5.441651	3.842271	4.674228	5.87547	6.234563	5.246463	3.260483	4.377511	3.836889	6.585178	4.966859	3.338441	5.314146	4.688036	4.673684	2.540565	3.33334	6.320643	4.08181	6.460594	3.856447	6.072975
abcF3	4.204277	4.031992	3.819556	4.154403	6.220227	4.68503	4.375861	3.108019	4.057537	4.0832	6.796362	4.424878	2.649993	5.247922	4.126422	4.173554	2.113369	2.789391	5.566595	3.58488	5.853848	3.048415	4.769793
abcG1	4.681105	5.047226	4.150557	4.956643	6.502208	6.122183	5.994359	3.498153	4.096599	4.883075	6.594222	4.918009	3.110898	5.169477	4.696716	4.616634	2.266889	1.886996	6.717191	4.143091	6.73207	3.486553	6.323139
abcG2	3.651149	3.601846	1.405222	2.235066	6.296545	4.418258	3.541676	2.341017	4.123002	3.674578	6.905581	4.337574	1.97057	5.424299	3.38139	4.576475	1.676385	1.620625	4.19817	2.920977	5.7438	2.41731	3.931884
abcG4	5.790807	7.229536	3.666519	7.763176	9.084905	8.305757	8.253085	3.405108	4.574626	7.435929	8.935062	7.730029	4.750124	6.335067	7.198438	4.975459	1.482581	1.996986	8.376657	5.91003	7.746507	5.923334	8.298024
abcG5	1.849521	2.966887	0.447623	1.853678	4.376194	2.754429	2.842199	1.776374	4.73147	3.294423	4.270417	2.125876	0.96839	2.808186	1.864413	1.149096	0.535571	0.697843	2.381646	1.480494	2.896487	1.586755	3.564191
abcG8	3.423202	4.417621	1.874501	4.016039	5.100572	4.995688	4.445849	2.438934	4.338727	4.759615	6.102491	3.924575	1.699189	5.148777	3.706877	3.627643	1.124542	0.889562	6.172538	3.63882	6.247417	3.856546	5.077863

Table 3

wt1	0.625575	0.633468	0.668384	0.400289	0.626156	0.621123	0.400733	0.562468	0.549039	0.390962	0.73678	0.621694	0.507536	0.664708	0.493364	0.844846	0.482902	0.513761	0.39518	0.572626	0.678053	1.29676	0.496741
abcA1	1.067935	1.31036	0.38894	0.817174	1.35605	1.12835	0.703917	0.846039	1.357568	1.073567	2.495985	1.179514	0.737923	1.595116	1.217	1.15912	1.97071	0.972456	0.82417	0.82949	1.679435	2.050189	0.862935
abcA2	1.643533	2.059501	1.36566	1.437249	1.180057	1.928807	1.454453	1.521275	1.852723	1.627496	2.555641	1.922165	1.507406	2.287965	1.946622	1.844208	1.065716	1.510258	1.402453	1.670174	2.564013	3.014068	1.404345
sh1	1.390365	1.643217	0.75021	1.314112	2.556266	1.392408	1.504573	1.451991	1.781544	1.285823	3.411175	1.508067	0.998669	2.246812	1.440085	1.534926	0.834957	1.318588	1.212269	1.260814	2.167086	1.886898	1.74649
abcA3	2.704209	3.345796	2.026091	2.517446	4.345434	2.68124	1.971193	2.397423	2.877421	3.157781	5.656632	2.978854	2.228411	3.310026	3.096152	2.831308	2.308296	2.726028	2.267706	2.390383	3.581735	4.297679	1.804813
abcA4	2.103801	2.90436	2.205864	2.217384	3.053411	2.802692	2.23412	2.356064	2.203351	1.99188	3.969112	2.494561	2.089836	2.757477	2.951456	2.80373	0.954946	2.181287	1.907051	2.509148	2.994617	4.311513	1.845699
abcA5	1.051179	1.349962	0.420592	0.930578	1.935396	1.143116	1.33801	1.121393	1.975003	0.90462	2.66937	1.163195	0.743168	2.113783	1.132422	1.36463	0.948017	1.013505	0.917291	0.856874	1.938029	1.860611	1.119809
abcA6	1.819137	2.34617	1.041058	2.236483	3.032463	2.446827	2.108193	1.838403	2.201172	1.800395	1.92779	2.129047	1.90675	2.599178	2.238761	2.344593	1.143606	1.954037	1.6928	1.884248	2.847344	2.985344	1.62016
abcA7	0.288957	0.568339	0.198818	0.260872	0.375237	0.442283	0.330229	0.581444	1.543734	0.313801	0.530852	0.293249	0.180035	0.803554	0.373234	0.46228	0.901964	0.268814	0.229069	0.271875	0.388463	0.504119	0.362611
abcA8	1.338701	1.726724	0.650005	1.601538	2.32969	1.562192	1.104682	1.602261	1.846439	1.28337	3.153613	2.919776	2.719472	3.452603	3.425497	2.403546	1.131711	3.331643	2.821586	2.718448	3.702407	3.661164	2.595371
abcA9	2.397469	3.075158	1.395623	3.639867	4.616888	3.301872	3.405173	3.522732	2.892316	3.02206	6.372039	2.919776	2.719472	3.452603	3.425497	2.403546	1.131711	3.331643	2.821586	2.718448	3.702407	3.661164	2.595371
abcA10	1.326343	1.927215	0.457038	1.740167	3.017634	1.461084	1.871857	1.52045	1.631431	1.964597	4.042618	1.34173	2.18646	2.130476	1.94012	0.965322	0.575261	1.675096	1.320716	2.267016	2.5201	1.861027	2.082827
abcA12	1.63564	2.367261	1.35354	2.103472	2.78148	1.82485	1.622444	1.82485	1.622444	1.82485	1.622444	1.82485	1.622444	1.82485	1.622444	1.82485	1.622444	1.82485	1.622444	1.82485	1.622444	1.82485	1.622444
abcB1	2.214094	2.709986	1.498453	2.370284	3.412421	2.431277	2.195887	1.562872	1.26583	2.227149	4.615653	2.404548	2.024247	2.790657	2.429782	2.366141	1.305983	2.212548	1.958506	2.217132	3.036508	4.041019	2.214327
abcB2	1.667629	2.221349	1.380709	1.664514	2.870063	2.158971	1.739987	1.680504	1.994832	1.821658	3.160028	1.951955	1.425216	2.46317	1.681239	1.886944	1.951877	1.44069	1.901971	1.390459	2.546273	4.48631	1.771761
abcB3	2.066756	2.501365	1.973617	2.155505	3.23066	2.507536	2.612733	1.844393	2.346864	1.979457	3.838452	2.4055	1.795421	3.015524	1.922764	2.620675	1.650827	1.52817	2.268781	1.558638	3.060383	3.264489	2.54833
abcB4	2.730797	3.283257	3.312908	3.677934	4.154998	3.782563	3.865015	3.388745	3.106654	3.091775	5.389659	3.1282	2.71252	3.78884	3.12551	2.8869	2.411256	3.451834	3.519634	2.820545	3.844128	4.054202	2.535107

abcB6	1.451845	1.951261	1.335779	1.487807	2.267046	1.79848	1.872166	1.563362	1.955536	1.516577	2.864576	1.649393	1.20172	2.232929	1.608641	1.678113	1.215756	1.504506	1.66158	1.312776	2.266957	1.940987	1.849722
abcB7	0.026344	0.061552	0.008915	0.075592	0.047381	0.066293	0.075751	0.114822	0.342761	0.033199	0.093714	0.041397	0.04744	0.136985	0.076735	0.040478	0.031637	0.068942	0.072051	0.092935	0.076529	0.044888	0.071851
abcB8	2.368635	3.019983	1.542486	2.561014	4.668934	2.777406	3.088332	3.740167	3.045175	2.628425	5.405767	3.058923	2.284313	3.584394	2.456433	2.723963	1.43514	2.819012	2.77552	2.02905	3.394719	2.983594	3.221658
abcB9	2.432043	3.051763	2.282388	2.777405	3.461854	3.052674	3.238294	2.150415	2.461747	2.757258	4.617035	2.841175	2.282253	3.259739	3.040258	2.536886	2.185371	2.390126	2.755862	2.084743	3.1507863	1.95011	2.681374
abcB10	1.004056	1.216337	0.5334	0.793359	1.927844	1.000692	1.038019	1.233213	1.540976	0.866568	2.407709	1.103758	0.708124	2.017916	0.934286	1.315285	0.751222	1.008967	0.949885	0.73771	1.629519	1.236184	1.235681
abcB11	1.751936	2.320003	1.187586	2.074063	3.304357	2.268797	2.00953	1.829737	1.981156	2.480483	4.110326	1.858125	1.711694	2.533148	2.554289	1.683335	0.784444	2.16215	1.917978	1.702549	2.400461	1.975136	1.910758
abcC1	2.260214	3.181808	1.548167	2.569312	3.70943	2.780085	2.830645	2.585199	2.568689	3.322217	5.850286	2.55568	2.135203	3.317061	3.365433	1.951987	0.895037	2.911508	2.297826	2.378907	3.16464	3.457143	3.371319
abcC2	0.123294	0.225951	0.126852	0.132374	0.181852	0.203474	0.144988	0.145295	0.621705	0.13956	0.247874	0.131517	0.110898	0.18797	0.128087	0.150404	0.299319	0.167549	0.124114	0.115372	0.10115	0.095581	0.132
abcC3	2.13732	2.912573	2.790229	2.14046	3.802064	2.897424	2.16136	2.694676	2.273883	2.241281	3.996213	2.53603	2.210465	2.883492	2.655012	2.105582	1.294998	2.436068	2.16669	2.213999	2.886399	2.877585	2.258469
tubulin	0.816916	0.817106	0.831885	0.809782	0.866845	0.918795	0.75731	0.690065	0.656278	0.888925	1.003349	0.772739	0.773886	0.808495	0.811123	0.794946	0.774576	0.785364	0.506652	0.97726	0.773432	1.16146	0.863422
abcC4	1.144524	1.118815	0.87414	0.893897	1.826862	1.166046	0.963942	1.139678	1.456665	1.050013	2.53339	1.258803	0.883919	2.018013	1.02894	1.300717	1.587504	0.902162	0.76385	0.883164	1.672201	2.341406	1.209116
abcC5	2.591613	3.326603	3.426368	2.928476	3.616338	3.213992	2.956401	2.64817	3.139039	3.150105	4.798809	2.795566	2.440514	3.709965	3.281039	2.859293	3.623535	3.510354	2.448125	3.3342	3.675962	4.986346	3.200455
abcC6	1.88661	2.447166	2.7515	2.031832	2.438549	2.466806	2.009403	2.10989	2.10308	2.138415	3.440377	2.104478	1.752928	2.67765	2.139976	2.002284	2.007934	1.857434	1.570257	1.956011	2.558601	3.565862	2.262417
abcC7	2.212431	2.355143	0.58084	2.562967	3.094842	2.619076	3.008053	1.965731	2.48992	2.310668	4.283174	2.690874	2.063344	3.173254	2.461086	2.555423	2.425941	2.557375	2.077849	2.41762	3.160601	5.103106	2.980384
abcC8	0.074377	0.122495	0.049173	0.137633	0.128273	0.15407	0.123771	0.048959	0.378079	0.084125	0.250003	0.095591	0.071862	0.240329	0.136166	0.103383	0.151624	0.144998	0.079967	0.130703	0.150193	0.027386	0.056791
abcC9	1.650946	2.041783	1.69104	1.571277	2.531719	2.010243	1.836706	1.872353	1.868157	1.7283	3.360475	1.938728	1.409176	2.498672	1.80771	1.869711	1.325183	1.894293	1.681861	1.999168	2.471505	2.936466	1.930869
abcC10	1.571525	1.936496	1.934471	1.402127	2.366349	1.693227	1.724303	1.865266	1.950428	1.464958	3.034672	1.565547	2.48209	2.316685	1.699794	1.7709	2.69043	1.752618	1.221471	1.879453	2.025734	3.349735	1.955644
abcC11	1.91137	2.354568	2.267249	2.249676	3.041617	2.412653	2.512764	2.04846	1.821091	2.194414	3.960143	2.278674	1.910223	2.632417	2.471112	2.085415	1.23627	2.110493	1.72745	2.255053	2.73184	3.89784	2.464787
abcC12	1.546044	1.995509	0.977695	1.822661	2.734458	1.859013	1.750938	1.612884	1.760107	2.162109	3.798345	1.586545	1.487875	2.471534	2.327494	1.386732	1.03601	1.932404	1.415934	1.748193	2.339279	3.749658	1.840483
abcC13	1.169213	1.487684	0.552312	1.24971	2.573845	1.516711	1.385149	1.457866	1.488695	1.457551	3.497772	1.110633	1.046521	1.93515	1.209584	0.669361	0.620419	1.5941	0.910482	1.220902	1.607429	2.927824	1.42116
abcD1	1.181699	1.52127	0.71704	1.388812	1.986261	1.605377	1.74306	1.342337	1.595344	1.461058	2.487871	1.398128	1.109717	2.102977	1.557359	1.216087	1.215288	1.664805	1.24051	1.562307	2.005313	2.772448	1.798033
abcD2	0.956691	1.156353	0.45697	0.77763	2.158991	0.958876	1.187492	0.946945	1.537675	0.967506	2.587432	1.075967	0.727389	1.957784	0.91791	1.278342	0.849769	1.181542	0.816577	0.931717	1.731701	1.516814	1.390542
abcD3	0.760633	0.863563	0.338077	0.662419	1.250969	0.807823	0.738515	0.767677	1.282318	0.537418	1.697669	0.797227	0.487618	1.594972	0.605799	0.940452	1.145877	0.800949	0.695273	0.531527	1.372148	1.476788	0.923485
gdh	0.355411	0.391491	0.469322	0.344701	0.405659	0.312593	0.315757	0.540739	0.466686	0.243926	0.487353	0.375494	0.43286	0.487112	0.392406	0.388655	0.771407	0.396189	0.243024	0.395577	0.366373	0.803564	0.351658
abcD4	1.474897	1.521249	0.771273	1.633748	2.38607	1.649083	1.623929	1.111863	2.176349	0.732842	3.411248	1.60551	1.236788	2.699782	1.802131	1.576652	2.132327	1.802682	1.571895	1.524425	2.310022	2.56848	1.486204
abcE1	1.372287	1.578654	0.5274	1.34735	2.201345	1.384041	1.305416	1.169587	1.763019	0.844503	3.104699	1.431232	0.989855	2.35867	1.370245	1.212904	1.506131	1.401787	1.156524	1.049789	1.916738	2.572449	1.380368
abcF1	1.068693	1.242889	0.673345	0.891148	1.68859	1.07488	1.179756	1.086511	1.856656	0.76625	2.228659	1.098443	0.717069	2.260949	0.940845	1.262637	1.390543	1.265726	1.10583	0.95469	1.882541	2.163066	1.641743
abcF2	1.702463	2.130359	1.803263	1.611212	2.38344	1.94888	1.656609	1.763072	2.042922	0.955916	3.709307	1.865025	1.445079	2.588582	1.839613	1.816453	1.959809	1.566269	1.336065	1.61467	2.366987	3.098901	2.135612
abcF3	1.494244	1.57849	1.792602	1.432028	2.523204	1.464507	1.38171	1.680627	1.893594	0.99601	3.312228	1.661515	1.147077	2.556323	1.619232	1.622074	1.630267	1.105128	1.352814	1.418096	2.144692	2.449596	1.677338
abcG1	1.663714	1.975945	1.947948	1.708562	2.637682	1.913751	1.892763	1.891588	1.911824	1.191108	3.213714	1.846583	1.346584	2.518112	1.843019	1.79428	1.748694	0.747608	1.632436	1.638912	2.466449	2.801668	2.223585
abcG2	1.297657	1.410091	0.659502	1.115132	2.554253	1.381116	1.11831	1.265879	1.924146	0.896323	3.365456	1.628733	0.852981	2.642239	1.326877	1.778672	1.293175	0.642073	1.317143	1.155471	2.104373	1.942463	1.38268
abcG4	2.058114	2.8303	1.720778	2.675977	3.683378	2.59632	2.605972	1.841274	2.134913	1.813821	4.793148	2.902579	2.05614	3.085885	2.82471	1.933739	1.143673	0.791185	2.035725	2.337872	2.838111	4.759776	2.91807
abcG5	0.657339	1.16151	0.210079	0.638965	1.775244	0.861015	0.897445	0.960555	2.208109	0.803595	2.081201	0.798254	0.419177	1.3679	0.731607	0.446602	0.411601	0.276478	0.578796	0.58565	1.061195	1.275059	1.253378
abcG8	1.216642	1.72946	0.875745	1.384334	2.069095	1.561616	1.403809	1.318827	2.024822	1.160993	2.974068	1.473654	0.735512	2.508029	1.454601	1.409903	0.86748	0.352435	1.500072	1.439434	2.288883	3.098981	1.785673

Table 4

	bi20	caeo2	caov	colo320	hbb161	hek	hek2	hep02	ht75	ht177	lincap	mef7	mda453	mda468	mfe29c	skmes1	skmas	sknbe	sknd2	sknncc	tt47d	zr75	mdck
wrl	0.449035	0.385505	0.890929	0.304608	0.24495	0.446078	0.266343	0.387377	0.308181	0.304036	0.21599	0.412246	0.508213	0.295845	0.342594	0.550415	0.578356	0.389629	0.325984	0.454171	0.312887	0.687244	0.284422
abcA1	0.768097	0.797436	0.518441	0.621845	0.835439	0.810359	0.467852	0.582675	0.762017	0.534926	0.731709	0.782136	0.738906	0.709946	0.845089	0.753074	1.433692	0.737498	0.679837	0.6579	0.774974	1.08654	0.494096
abcA2	1.182087	1.253334	1.820371	1.093703	1.244025	1.385231	0.966888	1.047716	1.039953	1.265724	0.954405	1.274588	1.509415	1.018316	1.351741	1.201496	1.276373	1.14536	1.156883	1.324679	1.183162	1.597367	0.804096
abcA3	1.944963	2.036125	2.700699	1.915702	1.699915	1.925614	1.310134	1.651127	1.615127	2.455845	1.688265	1.975279	2.23138	1.47321	2.149978	1.84459	2.764568	2.067384	1.87063	1.895904	1.652789	2.277643	1.033394
abcA4	1.513128	1.767484	2.403329	1.687363	1.194481	2.012839	1.484887	1.623263	1.236765	1.549109	1.163562	1.654144	2.092621	1.227284	2.049501	1.826623	1.43706	1.654261	1.573126	1.590101	1.381863	2.284975	1.056805
abcA5	0.756045	0.821536	0.560633	0.708142	0.757119	0.820963	0.887827	0.772314	1.10859	0.705334	0.782537	0.771315	0.744159	0.940792	0.786357	0.889053	1.135408	0.768629	0.756673	0.679619	0.894302	0.986069	0.641177
abcA6	1.308388	1.427791	1.387689	1.701897	1.186286	1.1757263	1.40119	1.266123	1.235541	1.400189	1.229131	1.411772	1.909291	1.156829	1.554603	1.527496	1.369658	1.481916	1.39639	1.494469	1.313904	1.582144	0.927666
abcA7	0.207828	0.345869	0.265016	0.198515	0.146791	0.317639	0.219484	0.400446	0.866515	0.244047	0.155622	0.194454	0.180275	0.357642	0.259175	0.301174	0.080252	0.203865	0.188959	0.215634	0.179256	0.267168	0.207623
abcA8	0.962841	1.050819	0.86643	1.218723	0.911364	1.121936	0.734216	1.103492	1.036426	0.998093	0.924495	1.084405	1.14006	0.954594	0.97242	1.037492	1.349928	1.025242	0.886714	0.847255	1.02246	1.235427	0.670468
abcA9	1.724345	1.871425	1.860309	2.769831	1.806107	2.371339	2.263215	2.426137	1.623488	2.350293	1.86799	1.936104	2.723096	1.536668	2.786771	1.565904	1.354766	2.526675	2.327525	2.156105	1.708472	1.940309	1.48049
abcA10	0.953953	1.17283	0.609213	1.324216	1.180485	1.049321	1.244112	1.047148	0.91574	1.527891	1.18511	0.889702	1.22027	0.948222	1.347226	0.628905	0.688971	1.270371	0.973263	1.04751	1.046113	1.335579	1.065581
abcA12	1.17641	1.440625	1.513381	1.60068	1.090711	1.466843	1.212869	1.117365	1.019292	1.472441	1.065568	1.294512	1.48225	1.008609	1.566924	1.117011	0.990535	1.331292	1.190444	1.392408	1.118277	1.739784	1.192578
abcB1	1.592455	1.649195	1.997379	1.803716	1.334924	1.746095	1.459475	1.075962	1.193674	1.732081	1.353098	1.594457	2.026945	1.242052	1.687249	1.541535	1.564133	1.677968	1.615571	1.758492	1.401194	2.141621	1.267873
abcB2	1.199418	1.351829	1.84043	1.266646	1.122756	1.550531	1.156466	1.157379	1.11972	1.416726	0.926375	1.294342	1.427115	1.096295	1.167458	1.229339	2.337697	1.092601	1.568935	1.102826	1.74975	2.377612	1.014469
actin	0.719235	0.608562	1.33296	0.76097	0.391196	0.71818	0.66464	0.688709	0.561311	0.777712	0.293154	0.6631	1.001333	0.445075	0.694403	0.651497	1.197666	0.758387	0.8249	0.793138	0.461449	0.52997	0.572577
abcB3	1.486484	1.522236	2.630753	1.640275	1.299969	1.800863	1.736528	1.270251	1.31732	1.539448	1.125258	1.595088	1.797814	1.342134	1.335174	1.707363	1.97714	1.632669	1.871517	1.236215	1.412211	1.730083	1.459115
abcB4	1.964086	1.998066	4.415974	2.798798	1.625417	2.716562	2.568845	2.333861	1.743798	2.404511	1.580001	2.07431	2.734892	1.686318	2.70364	1.880807	2.88788	2.617826	2.903345	2.237082	1.77387	2.148607	1.451544
abcB6	1.044218	1.187463	1.780541	1.132177	0.886838	1.291633	1.244317	1.076702	0.097663	1.179461	0.839762	1.093713	1.203301	0.989815	1.117045	1.093286	1.45607	1.140598	1.370637	1.041213	1.046085	1.028666	1.059108
abcB7	0.018948	0.037458	0.011884	0.057523	0.018535	0.04761	0.050347	0.079079	0.192395	0.025819	0.027473	0.02745	0.047503	0.060968	0.053285	0.026371	0.03789	0.052285	0.059435	0.07371	0.035314	0.023789	0.041114
abcB8	1.703606	1.837848	0.54952	1.948856	1.826467	1.994679	2.05263	2.575888	1.70929	2.04158	1.584723	2.028373	2.287358	1.595524	1.705755	1.774655	1.718819	2.137502	2.289526	1.609317	1.65878	1.581217	1.844647
abcB9	1.749211	1.857188	3.042333	2.113523	1.354262	2.19237	2.152301	1.481011	1.381805	2.144353	1.353503	1.883984	2.285295	1.450828	2.11165	1.652742	1.617776	1.812642	2.733309	1.653489	1.453927	1.693261	1.535293
abcB10	0.722153	0.740217	0.711001	0.603722	0.754164	0.718677	0.68991	0.849325	0.864966	0.673941	0.70583	0.731902	0.709068	0.89124	0.648771	0.856905	0.899713	0.765187	0.78356	0.585106	0.75194	0.655141	0.707522
abcB11	1.260054	1.411866	1.583004	1.578301	1.29265	1.629405	1.335615	1.260157	1.12044	1.929102	1.204959	1.232124	1.713976	1.127441	1.773707	1.096688	0.939503	1.639746	1.582139	1.350356	1.107691	1.046764	1.094056
abcC1	1.625626	1.936328	2.063644	1.95517	1.709894	1.996602	1.881361	1.780451	1.440811	2.583729	1.715036	1.694672	1.38049	1.476341	2.335579	1.271714	1.071956	2.20805	1.891352	1.866802	1.46032	1.832184	1.930339
abcC2	0.088677	0.137505	0.169088	0.100733	0.07114	0.146131	0.096372	0.100066	0.34897	0.76355	1.743071	1.171506	1.681642	2.13411	1.28337	1.843649	1.371781	1.550976	1.847483	1.787302	1.756007	1.525035	1.293147
abcC3	1.537236	1.772482	3.719264	1.628826	1.322345	2.080873	1.436527	1.855849	1.276355	0.691328	0.294136	0.512403	0.774917	0.359841	0.563246	0.517905	0.927684	0.59551	0.417937	0.775102	0.356899	0.61554	0.494376
tubulin	0.587555	0.49726	1.108869	0.61622	0.399106	0.659861	0.503339	0.475524	0.368376	0.816608	0.742674	0.834712	0.885097	0.898167	0.714499	0.847414	1.9013	0.684188	0.6301	0.700471	0.771636	1.240876	0.692312
abcC4	0.823182	0.802581	1.165193	0.680229	0.714666	0.837431	0.640674	0.784907	0.817642	0.816608	0.742674	0.834712	0.885097	0.898167	0.714499	0.847414	1.9013	0.684188	0.6301	0.700471	0.771636	1.240876	0.692312
abcC5	1.86398	2.024445	4.567212	2.228483	1.414696	2.308225	1.964943	1.822382	1.761976	2.449876	1.406791	1.85374	2.443766	1.651213	2.278364	1.862821	1.433978	2.662207	2.019458	2.644482	1.696269	2.642616	1.832506
abcC6	1.356916	1.489253	3.66764	1.546164	0.95395	1.77161	1.335531	1.453101	1.180481	1.663072	1.011199	1.39548	1.755264	1.191755	1.486006	1.304483	2.404835	1.408654	1.293505	1.551387	1.180664	1.89802	1.295408
abcC7	1.591259	1.433233	4.076304	1.950342	1.210689	1.880969	1.999273	1.353818	1.397619	1.797035	1.25563	1.784319	2.066094	1.412336	1.708986	1.664851	2.905468	1.93948	1.714017	1.917507	1.458457	2.704496	1.706499
abcC8	0.053494	0.074546	0.065545	0.104735	0.05018	0.11065	0.082263	0.033719	0.21222	0.065425	0.073289	0.063254	0.071958	0.106965	0.094554	0.067353	0.181595	0.109965	0.063965	0.103665	0.069306	0.014514	0.032517
abcC9	1.187419	1.242552	2.254089	1.443717	1.220749	1.289507	1.048617	1.34412	0.985137	1.285571	1.411054	1.112097	1.255279	1.218112	1.587128	1.587128	1.436607	1.387367	1.585616	1.140474	1.55624	1.105571	1.119757
abcC10	1.130296	1.178478	2.578573	1.066977	0.925706	1.216042	1.46042	1.284626	1.094796	1.139316	0.889627	1.038115	1.249872	1.031099	1.180342	1.153737	1.51989	1.329163	1.007591	1.450666	0.934773	1.775261	1.119757
abcC11	1.374725	1.432901	3.022153	1.711936	1.189867	1.73272	1.670084	1.410793	1.022198	1.706622	1.160932	1.510989	1.912769	1.171623	1.715948	1.358642	1.480639	1.600571	1.424973	1.788569	1.260605	2.06574	1.41128



abc12	1.111969	1.214391	1.303228	1.386991	1.069708	1.335106	1.163744	1.110809	0.987967	1.681499	1.113501	1.052039	1.489858	1.100018	1.616219	0.903452	1.240795	1.465511	1.168004	1.386559	1.079458	1.987208	1.053818
abc13	0.840939	0.903348	0.737543	0.950992	1.006877	1.089272	0.920626	1.004046	0.83562	1.133407	1.025386	0.736461	1.047915	0.861287	0.839939	0.436087	0.743055	1.208944	0.751056	0.968344	0.741747	1.55166	0.813723
abcD1	0.84992	0.926309	0.955786	1.056844	0.777017	1.15295	1.158508	0.92448	0.895484	1.136283	0.72933	0.927099	1.111196	0.935983	1.081435	0.792278	1.455509	1.262566	1.023296	1.239125	0.92535	1.469316	1.029512
abcD2	0.688086	0.703713	0.609123	0.591753	0.844588	0.688646	0.789255	0.65217	0.863113	0.752442	0.758516	0.713474	0.728358	0.871361	0.6374	0.832836	1.01774	0.896066	0.673594	0.73898	0.799092	0.803867	0.796192
abcD3	0.547074	0.525532	0.450643	0.504081	0.489374	0.580162	0.490847	0.528706	0.719779	0.417957	0.497679	0.528641	0.488268	0.709882	0.420669	0.612702	1.372378	0.60743	0.573531	0.421575	0.633177	0.782654	0.528766
gdh	0.255624	0.238247	0.625588	0.262307	0.158692	0.224498	0.209865	0.372412	0.261956	0.189704	0.14287	0.24899	0.433437	0.216801	0.272488	0.253208	0.923888	0.300465	0.20047	0.313747	0.169063	0.425865	0.201351
abcD4	1.060798	0.925775	1.028076	1.258453	0.93342	1.184339	1.079328	0.76575	1.221608	0.56994	1.000022	1.064614	1.238436	1.201605	1.251406	1.027184	2.553816	1.367131	1.296656	1.20908	1.065958	1.361219	0.850966
abcE1	0.986998	0.960709	0.703003	1.025294	0.861156	0.993991	0.867632	0.805506	0.989601	0.65678	0.910156	0.94905	0.991174	0.995129	0.951503	0.790204	1.803843	1.063097	0.954016	0.832628	0.884477	1.363322	0.790367
abcF1	0.768642	0.756375	0.897542	0.678137	0.660569	0.771958	0.784113	0.74829	1.042161	0.595922	0.653341	0.728378	0.718025	1.006292	0.653326	0.822604	1.665407	0.959911	0.912198	0.757201	0.868697	1.146361	0.940024
abcF2	1.224471	1.296456	2.403678	1.226085	0.932391	1.399647	1.101049	1.214244	1.146714	0.727873	0.940822	1.236699	1.447004	1.152113	1.277433	1.183414	2.347198	1.187838	1.2671	1.280657	1.092244	1.642326	1.222802
abcF3	1.074713	0.960609	2.389467	1.089731	0.987102	1.05178	0.91834	1.157463	1.062895	0.774609	0.970993	1.101751	1.148605	1.137756	1.1244	1.056777	1.952517	0.838114	1.15936	1.124746	0.989666	1.298214	0.960405
abcG1	1.196602	1.202485	2.596537	1.300165	1.03185	1.374418	1.258006	1.302754	1.073128	0.926339	0.942114	1.224536	1.348379	1.120749	1.279799	1.168968	2.094352	0.566976	1.346596	1.299883	1.138141	1.484801	1.273173
abcG2	0.933321	0.858128	0.87909	0.848582	0.999213	0.99189	0.743274	0.871823	1.080044	0.697082	0.986597	1.080013	0.854118	1.175995	0.921388	1.1588	1.548793	0.48694	1.086511	0.916448	0.971061	1.029448	0.791691
abcG4	1.480268	1.722414	2.293729	2.036339	1.441704	1.864626	1.732034	1.268103	1.198349	1.410631	1.405131	1.924701	2.05888	1.37345	1.961488	1.259826	1.369739	0.600024	1.679269	1.854256	1.309644	2.522541	1.670819
abcG5	0.472781	0.706851	0.280027	0.486234	0.694468	0.618364	0.596478	0.661543	1.239435	0.624966	0.610113	0.529322	0.419736	0.608818	0.50803	0.29096	0.49296	0.209677	0.477449	0.464501	0.489687	0.675744	0.717655
abcG8	0.875052	1.052484	1.172665	1.053437	0.809421	1.121522	0.933028	0.908288	1.136554	0.902918	0.87186	0.97718	0.736492	1.116261	1.010079	0.918548	1.038951	0.267282	1.237409	1.14167	1.056204	1.642369	1.022435

Table 5

	dox 0h	dox 2h	dox 4h	dox 8h
abcA1	1.793411	3.052731	1.865644	2.34586
abcA2	3.394744	6.223801	2.94659	4.02209
abcA3	4.445693	8.071446	4.290698	5.179128
abcA4	5.098287	8.764862	4.534571	6.09907
abcA5	2.006987	3.30202	2.020768	2.451236
abcA6	3.567858	6.044507	3.366697	4.295772
abcA7	0.906336	1.841564	0.932998	0.935086
abcA8	1.575163	3.035544	1.785517	2.17441
abcA9	5.12988	7.825115	4.816535	5.72013
abcA10	3.225933	4.820089	3.418986	3.792907
abcA12	3.485887	5.828746	3.418674	4.195394
abcB1	3.658465	6.734501	3.865342	4.758501
abcB2	2.792672	5.067235	3.714749	4.008349
abcB3	3.312315	6.838271	4.325461	4.812997
abcB4	5.149497	9.148426	5.624165	6.417042
abcB6	2.795918	5.173665	3.283246	3.61177
abcB7	0.143706	0.262199	0.161948	0.176608
abcB8	4.688411	8.003626	5.437681	5.35345
abcB9	4.532227	8.387881	4.897126	5.522502
abcB10	1.264095	2.115507	1.484423	1.542031
abcB11	3.285622	5.310097	3.404054	3.888131
abcC1	4.397451	7.004924	4.767338	5.055766
abcC2	0.340701	0.614144	0.360272	0.354806
abcC3	4.024623	7.155717	4.013536	4.199702
abcC4	1.480616	2.612061	2.089878	2.285607
abcC5	5.251928	10.50642	6.290367	6.521707
abcC6	3.94515	7.696336	4.515506	4.899487
abcC7	3.904822	7.480766	4.5794	5.093014
abcC8	0.210057	0.322881	0.243749	0.22546
abcC9	3.239867	5.598434	3.67832	3.981505
abcC10	3.504958	5.15091	3.334564	3.632591
abcC11	4.300962	7.608052	4.383947	5.056108
abcC12	2.421183	5.226012	3.53205	3.976487
abcC13	2.231485	3.20307	2.54815	2.593022
abcD1	2.923938	4.476831	3.385873	3.516307
abcD2	1.810003	2.503156	2.516228	2.409319
abcD3	1.143253	2.09855	1.78719	1.733079
abcD4	2.411452	4.360857	3.102722	3.194107
abcE1	2.060757	4.155317	2.79372	3.087661
abcF1	1.969904	2.485367	2.869902	2.661525
abcF2	3.671255	5.978677	4.068172	4.806913
abcF3	2.398669	3.920654	2.794743	2.793001
abcG1	3.224847	5.471919	3.555021	3.838933
abcG2	1.711538	2.988958	2.136826	2.080252
abcG4	5.107502	9.589581	5.308586	6.270866
abcG5	1.427298	2.200836	1.76435	1.751627
abcG8	2.379986	4.696989	2.811059	2.9413
standard	11	11	11	11

Table 6

	vin0h	vin2h	vin4h	vin 8h
abcA1	6.033981	6.833133	5.063992	6.364167
abcA2	6.092914	7.398232	6.087334	9.54274
abcA3	8.389483	10.83098	9.241369	14.93551
abcA4	8.853516	11.00906	9.361	15.90913
abcA5	7.368576	7.894724	6.136832	8.641923
abcA6	8.249337	9.900094	7.850423	14.54007
abcA7	3.030993	2.265104	1.807985	3.13492
abcA8	6.552532	8.424365	6.723552	10.25917
abcA9	10.06712	12.25496	10.20161	18.62193
abcA10	7.746441	10.27696	8.658689	10.49502
abcA12	6.787256	8.473897	6.774483	8.088676
abcB1	9.188582	12.11622	9.658148	11.52253
abcB2	6.87262	8.667108	8.938251	8.490746
abcB3	8.053858	9.144091	8.399529	14.78834
abcB4	11.54316	16.19463	13.24367	23.08427
abcB6	6.745944	8.654504	8.468344	7.559171
abcB7	0.969163	0.461908	0.346696	0.695811
abcB8	12.78564	16.52333	15.3408	20.22378
abcB9	9.119206	12.61687	12.27524	12.23283
abcB10	4.908251	4.258718	3.989921	5.497747
abcB11	5.160003	7.105947	7.457957	9.052987
abcC1	11.60798	16.22045	15.1016	12.68866
abcC2	2.150775	1.429625	1.196853	1.419261
abcC3	9.195576	12.14918	10.16914	11.28798
abcC4	5.334611	5.277331	5.742927	6.273209
abcC5	9.43692	10.94563	12.64342	17.32233
abcC6	7.241802	8.103238	8.42442	9.917254
abcC7	11.61626	13.77896	13.42656	16.12312
abcC8	0.527266	0.353293	0.453532	0.880544
abcC9	7.904892	9.880234	9.013857	9.735132
abcC10	8.724349	10.91895	8.808216	9.006965
abcC11	8.108411	9.016067	7.820571	11.10364
abcC12	7.448083	8.04745	7.567471	8.523092
abcC13	7.931162	9.550546	8.963819	7.491041
abcD1	8.371099	10.01996	9.667713	8.253821
abcD2	6.641271	6.669278	6.511982	5.888302
abcD3	5.873059	5.918177	5.802474	5.647165
abcD4	7.456156	8.051998	8.68655	10.27714
abcE1	6.417	6.427651	6.814744	7.53135
abcF1	7.793391	7.85194	7.234306	5.758539
abcF2	7.663223	9.20984	8.64578	9.39799
abcF3	8.043509	8.975626	7.819995	8.132801
abcG1	7.649376	9.753252	8.36374	8.726646
abcG2	5.486492	6.441959	5.659027	6.036638
abcG4	9.481624	12.50021	13.2242	9.999301
abcG5	5.764325	6.024204	6.084062	4.098926
abcG8	7.991649	9.698668	8.750869	7.315558
standard	24	24	24	24

**WE CLAIM:**

1. One or more isolated and purified nucleic acid molecules, wherein each of the nucleic acid molecules comprises a sequence that specifically hybridizes to one ABC transporter gene.
- 5 2. The one or more nucleic acid molecules according to claim 1 wherein the nucleic acid molecules comprise a portion of the 3' untranslated region of the ABC transporter gene.
3. A set of at least two nucleic acid molecules, wherein each of the nucleic acid molecules comprises a sequence that specifically hybridizes to one ABC transporter  
10 gene.
4. The set according to claim 3, wherein the set comprises at least 10 nucleic acid molecules.
5. The set according to claim 3, wherein the set comprises at least 20 nucleic acid molecules.
- 15 6. The set according to claim 3, wherein the set comprises at least 30 nucleic acid molecules.
7. The set according to claim 3, wherein the set comprises 48 nucleic acid molecules,
8. The set according to any of claims 2-7, wherein the nucleic acid molecules  
20 comprise a portion of the 3' untranslated region of the ABC transporter gene.
9. The one or more nucleic acid molecules according to claim 1 or 2, wherein the one or more nucleic acid molecules comprise a nucleic acid sequence selected from:
  - (a) the nucleic acid sequences as shown in SEQ ID NOS: 1 to 47 and Figures  
1 to 47, wherein T can also be U;
  - 25 (b) nucleic acid sequences complementary to (a);
  - (c) nucleic acid sequences which are homologous to (a) or (b); or
  - (d) a fragment of (a) to (c), which comprises a sequence that specifically hybridizes to one of the ABC transporter genes.
10. The set according to claim 8, wherein the nucleic acid molecules comprise a  
30 nucleic acid sequence selected from:
  - (a) the nucleic acid sequences as shown in SEQ ID NOS: 1 to 47 and Figures  
1 to 47, wherein T can also be U;
  - (b) nucleic acid sequences complementary to (a);

(c) nucleic acid sequences which are homologous to (a) or (b); or  
 (d) a fragment of (a) to (c), which comprises a sequence that specifically hybridizes to one of the ABC transporter genes.

11. One or more pairs of primers for preparing the one or more nucleic acid  
 5 molecules, according to claim 1 or 2.

12. One or more pairs of primers for preparing the nucleic acid molecules according to any one or claims 3-10.

13. The one or more pairs of primers according to claim 11 or 12, wherein the primers comprise a nucleic acid sequence selected from:

10 (a) a nucleic acid sequence as shown in SEQ ID NOS: 48 to 141 and Table 1, wherein T can also be U;

(b) nucleic acid sequences complementary to (a); or

(c) nucleic acid sequences which are homologous to (a) or (b).

14. The one or more pairs of primers according to any one of claims 11-13,  
 15 wherein the primer pairs comprise a nucleic acid sequence selected from one or more of:

(a) SEQ ID NO: 48 and SEQ ID NO: 49;

SEQ ID NO: 50 and SEQ ID NO: 51;

SEQ ID NO: 52 and SEQ ID NO: 53;

20 SEQ ID NO: 54 and SEQ ID NO: 55;

SEQ ID NO: 56 and SEQ ID NO: 57;

SEQ ID NO: 58 and SEQ ID NO: 59;

SEQ ID NO: 60 and SEQ ID NO: 61;

SEQ ID NO: 62 and SEQ ID NO: 63;

25 SEQ ID NO: 64 and SEQ ID NO: 65;

SEQ ID NO: 66 and SEQ ID NO: 67;

SEQ ID NO: 68 and SEQ ID NO: 69;

SEQ ID NO: 70 and SEQ ID NO: 71;

SEQ ID NO: 72 and SEQ ID NO: 73;

30 SEQ ID NO: 74 and SEQ ID NO: 75;

SEQ ID NO: 76 and SEQ ID NO: 77;

SEQ ID NO: 78 and SEQ ID NO: 79;

SEQ ID NO: 80 and SEQ ID NO: 81;



5 SEQ ID NO: 82 and SEQ ID NO: 83;  
SEQ ID NO: 84 and SEQ ID NO: 85;  
SEQ ID NO: 86 and SEQ ID NO: 87;  
SEQ ID NO: 88 and SEQ ID NO: 89;  
SEQ ID NO: 90 and SEQ ID NO: 91;  
SEQ ID NO: 92 and SEQ ID NO: 93;  
SEQ ID NO: 94 and SEQ ID NO: 95;  
SEQ ID NO: 96 and SEQ ID NO: 97;  
SEQ ID NO: 98 and SEQ ID NO: 99;  
10 SEQ ID NO: 100 and SEQ ID NO: 101;  
SEQ ID NO: 102 and SEQ ID NO: 103;  
SEQ ID NO: 104 and SEQ ID NO: 105;  
SEQ ID NO: 106 and SEQ ID NO: 107;  
SEQ ID NO: 108 and SEQ ID NO: 109;  
15 SEQ ID NO: 110 and SEQ ID NO: 111;  
SEQ ID NO: 112 and SEQ ID NO: 113;  
SEQ ID NO: 114 and SEQ ID NO: 115;  
SEQ ID NO: 116 and SEQ ID NO: 117;  
SEQ ID NO: 118 and SEQ ID NO: 119;  
20 SEQ ID NO: 120 and SEQ ID NO: 121;  
SEQ ID NO: 122 and SEQ ID NO: 123;  
SEQ ID NO: 124 and SEQ ID NO: 125;  
SEQ ID NO: 126 and SEQ ID NO: 127;  
SEQ ID NO: 128 and SEQ ID NO: 129;  
25 SEQ ID NO: 130 and SEQ ID NO: 131;  
SEQ ID NO: 132 and SEQ ID NO: 133;  
SEQ ID NO: 134 and SEQ ID NO: 135;  
SEQ ID NO: 136 and SEQ ID NO: 137;  
SEQ ID NO: 138 and SEQ ID NO: 139; and  
30 SEQ ID NO: 140 and SEQ ID NO: 141;

- (b) the nucleic acid sequences in (a) wherein T can also be U;
- (c) nucleic acid sequences complementary to (a) or (b); and
- (d) nucleic acid sequences which are homologous to (a), (b) or (c).

15. One or more nucleic acid molecules prepared using PCR and the one or more pairs of primers according to claim 14.

16. A method of detecting ABC transporter gene expression comprising:

(a) providing one or more nucleic acid molecules comprising a sequence that

5 specifically hybridizes to one ABC transporter gene;

(b) providing transcription indicators from a test sample;

(b) allowing the transcription indicators to hybridize with said one or more nucleic acid molecules; and

10 (c) detecting an amount of hybridization of said transcription indicators with said one or more nucleic acid sequences,

wherein the amount of hybridization is indicative of ABC transporter gene expression.

17. The method according to claim 16 wherein the one or more nucleic acid molecules comprising a sequence that specifically hybridizes to one ABC transporter gene comprise a nucleic acid sequence selected from:

15 (a) the nucleic acid sequences as shown in SEQ ID NOS: 1 to 47 and Figures 1 to 47, wherein T can also be U;

(b) nucleic acid sequences complementary to (a);

(c) nucleic acid sequences which are homologous to (a) or (b); or

20 (d) a fragment of (a) to (c), which comprises a sequence that specifically hybridizes to one of the ABC transporter genes.

18. The method according to claim 16, wherein the one or more nucleic acid molecules comprising a sequence that specifically hybridizes to one ABC transporter gene are prepared using PCR and the primer pairs according to claim 14.

25 19. The method according to any one of claims 16-18 wherein the transcription indicators are selected from the group consisting of transcripts of the gene or genes, cDNA reverse transcribed from the transcript, cRNA transcribed from the cDNA, DNA amplified from the genes, RNA transcribed from amplified DNA, and the like.

30 20. The method according to claim 19, wherein the transcription indicator is cDNA.

21. The method according to any one of claims 15-20, wherein the transcription indicator is labeled.

22. The method according to any one of claims 15-21, wherein the test sample is

from a human.

23. The method according to any one of claims 15-22, wherein the test sample is selected from one or more cells, cell lines, tissues and organisms.

24. The method according to any one of claims 15-22, wherein the test sample is a clinical sample.

25. The method according to any one of claims 15-23 performed in microarray format.

26. A microarray comprising one or more nucleic acid molecules arrayed on a substrate, wherein the one or more nucleic acid molecules are selected from those claimed in claim 1, 2 and 9.

27. A microarray comprising the set of two or more nucleic acid molecules according to any one of claims 3-8, arrayed on a substrate.

28. The microarray according to any one of claims 26-27 further comprising one or more control nucleic acid molecules arrayed on the substrate.

29. The microarray according to claim 18, wherein the one or more expression level control is used.

30. The method according to any one of claims 16-25, further comprising the steps of:

- a) generating a set of expression data from the detection of the amount of hybridization;
- b) storing the data in a database; and
- c) performing comparative analysis on the set of expression data, thereby analyzing ABC transporter gene expression.

31. A computer system comprising (a) a database containing information identifying the expression level of a set of genes comprising at least two ABC transporter genes; and b) a user interface to view the information.

32. The computer system according to claim 31, wherein the information identifying the expression level of a set of genes comprising at least two ABC transporter genes is obtained using a method according to any one of claims 16-25 and 30.

33. A method for screening compounds for their effect on ABC transporter gene expression comprising:

- (a) exposing a test sample to the compound;
- (b) providing a transcription indicator from the test sample;
- 5 (c) providing one or more nucleic acid sequences comprising a sequence that specifically hybridizes to one ABC transporter gene;
- (d) allowing said transcription inhibitor to hybridize with said one or more nucleic acid sequences; and
- (e) detecting an amount of hybridization of said transcription indicator with
- 10 said one or more nucleic acid sequences,

wherein the amount of hybridization is indicative ABC transporter gene expression.

34. The method according to claim 33 further comprises the steps of

- (f) comparing the amount of hybridization detected in step (e) with the amount of hybridization of transcription indicators from a normal test
- 15 sample, thereby determining the effect of the compound on ABC transporter gene expression.

35. A method for screening compounds for their effect on ABC transporter gene expression comprising:

- (a) preparing an ABC transporter gene expression profile, using a method
- 20 according to any one of claims 16-25 and 30, of a test sample that has been exposed to the compound;
- (b) comparing the gene expression profile from (a) with a gene expression profile, prepared using a method according to any one of claims 16-25 and 30, from a normal test sample,

25 wherein differential expression is indicative of a compound having an effect on ABC transporter gene expression.

36. A method of assessing the toxicity and/or efficacy of a compound in a subject comprising:

- (a) obtaining a test sample from the subject;
- 30 (b) comparing the ABC transporter gene expression profile of the test sample in the presence and absence of the compound using a method according to any one of claims 16-15 and 30.

wherein a difference in the ABC transporter gene expression is indicative of the toxicity and/or efficacy of the compound in the subject.

37. The method according to any one of claims 33-36 wherein the amount of hybridization is detected over a period of time at specified time intervals.

5 38. A kit combining, in different combinations, a nucleic acid microarray according to any one of claims 26-29, reagents for use with the microarrays, signal detection and array-processing instruments, gene expression databases and analysis and database management software.

10 39. A relational database comprising ABC transporter gene expression profiles obtained using the method according to any one of claims 16-25, 30 and 33-36.

40. The database according to claim 39, further comprising information selected from the group consisting of sequence information, descriptive information about the gene associated with the sequence information and the clinical status of the test sample and/or its source.

**ABSTRACT OF THE DISCLOSURE**

The invention provides materials and methods for detecting the expression of ABC transporter genes. The materials include sets of primers and PCR amplicons. The sets of primers are used to generate PCR amplicons, wherein each PCR  
5 amplicon is a unique portion of an ABC transporter gene. The methods of the invention include hybridization assays, such as DNA microarrays. Kits and assays for the detection of ABC transporter gene expression are also provided by the invention. In addition, the use of the materials and methods of the invention in drug screening assays is provided.

## Figure 1

abca1, 2032 bases, 11BB checksum.

aatatttttttgagtgtatgctgtagctgaaagagtatgtacgtacgtata  
agactagagagatattaagtctcagtacacttcctgtgccatgttattca  
gctcactgggtttacaaatatagggtgtcttgtgggtgtaggagcccactg  
taacaatactgggcagccttttttttttttttttaattgcaacaatgca  
aaagccaagaaagtataagggtcacaagtctaaacaatgaattcttcaac  
agggaaaacagctagcttgaaaacttgctgaaaaacacaacttggttta  
tggcatttagtaccttcaaataattggccttgcagatatgggatacccca  
ttaaatctgacagtctcaaatttttcatctcttcaatcactagtcaagaa  
aaatataaaaaacaacaataacttccatatggagcatttttcagagtttct  
taaccacagtcttatttttctagtacgtaaacatttgtaaaaaatactgttt  
cactaatacttactgttaactgtcttgagagaaaaagaaaaatatgagaga  
actattgtttggggaagttcaagtgatcttcaatatcattactaacttc  
ttccactttttccagaatttgaatattaacgctaaagggtgtaagacttca  
gatttcaaattaatctttctatatattttttaatttacagaatatatatata  
accactgctgaaaaagaaaaaaatgattgttttagaagttaaagtcaat  
attgattttaaatataagtaataagggcatatttccaataactagtata  
tggcatcggtgcattttacagtatcttcaaaaatacagaatttatagaat  
aatttctcctcattttaatatttttcaaaatcaaagttatgggttctctcat  
tttactaaaaatcgatttctaattcttcattatagtaaattctatgagcaac  
tccttacttcgggttcctctgatttcaaggccatattttaaaaaatcaaaa  
ggcactgtgaactattttgaagaaaacacaacattttaatacagattgaa  
aggacctcttctgaagctagaaacaatctatagttatacatcttcattaa  
tactgtgttaccttttaaaatagtaattttttacattttcctgtgtaaac  
ctaattgtggtagaaatttttaccactctatactcaatcaagcaaaatt  
tctgtatattccctgtggaatgtacctatgtgagtttcagaaattctcaa  
aatacgtgttcaaaaatttctgcttttgcatcttgggacacctcagaaa  
acttattaacaactgtgaatatgagaaatacagaagaaaaataataagccc  
tctatacataaatgccagcacaaattcattgttaaaaaacaaccaaact  
cacactactgtatttcttattctgtactgaaagcaaatgctttgtgacta  
ttaaatgttgacatcattcattcactgtatagtaattcattgactaaagc  
catttgtctgtgttttcttcttgggtgtatatatcaggtaaaatattt  
tccaaagagccatgtgtcatgtaatactgaaccactttgatattgagaca  
ttaatttgtacccttggtattatctactagtaataatgtaatactgtaga  
aatattgctctaattcttttcaaaattgttgcatcccccttagaatgttt  
ctatttccataaggatttaggtatgctattatcccttcttataccctaag  
atgaagctgtttttgtgctcttgggtcatcattggccctcattccaagca  
ctttacgctgtctgtaatgggatctatttttgactggaatatctgagaa  
ttgcaaaactagacaaaagtttcacacagatttctaagttaaatcattt  
tcattaaaaggaaaaaagaaaaaaattttgtatgtcaataactttatat  
gaagtattaaaatgcatatttctatgttgtaataataatgagtcacaaaat  
aaagctgtgacagttctgttggtctacagaaa

## Figure 2

abca2, 2054 bases, 1765 checksum.

gagtgggacattgtcaccgcggactggtggccatggcggttgagggcgt  
cgtgggcttcctcctgaccatcatgtgccagtacaacttcctgcggcggc  
cacagcgcattgcctgtgtctaccaagcctgtggaggatgatgtggacgtg  
gccagtgagcggcagcagtgctccggggagacgccgacaatgacatggt  
caagattgagaacctgaccaaggtctacaagtcccgaagattggccgta  
tcctggccgttgaccgcctgtgcctgggtgtgcgtcctggcgagtgcctc  
gggctcctgggcgtcaacgggtgcgggcaagaccagcaccttcaagatgct  
gaccggcgacgagagcacgacggggggcgaggccttcgtcaatggacaca  
gctgtgtgaaggagctgctccagggtgcagcagagcctcggctactgccc  
cagtgtgacgcgctgttcgacgagctcacggcccgggagcacctgcagct  
gtacacgcggctgcgtgggatctcctggaaggacgaggcccggtggtga  
agtgggctctggagaagctggagctgaccaagtacgcagacaagccggct  
ggcacctacagcggcggcaacaagcgggaagctctccacggccatcgccct  
cattgggtaccagccttcattctcctggacgagcccaccacaggcatgg  
accccaaggcccggcgttcctctggaacctcatcctcgacctcatcaag  
acagggcggttcagtgggtgctgacatcacacagcatggaggagtgcgaggc  
gctgtgcacgcggctggccatcatggtgaacggctgcctgcggtgcctgg  
gcagcatccagcacctgaagaaccgggtttggagatggctacatgatcacg  
gtgcggaccaagagcagccagagtgtgaaggacgtggtgcggttcttcaa  
ccgcaacttcccgaagccatgctcaaggagcggcaccacacaaagggtgc  
agtaccagctcaagtcggagcacatctcgctggcccagggtgttcagcaag  
atggagcaggtgtctggcgtgctgggcatcgaggactactcggtcagcca  
gaccacactggacaatgtgttcgtgaactttgccaagaagcagagtgaca  
acctggagcagcaggagacggagcccgccatccgcactgcagtcccctctc  
ggctgcttgctcagcctgctccggccccggctctgccccacggagctccg  
ggcacttggtggcagacgagcccaggacctggacacggaggacgagggcc  
tcattcagcttcgaggaggagcgggcccagctgtccttcaacacggacacg  
ctctgctgaccacccagagctgggcccaggaggagcacgctccactgacca  
cccagagctgggcccagggactcaacaatggggacagaagtccccagtg  
ctgccagggcctggagtggaggttcaggaccaaggggcttctggctcctcc  
agccccctgtactcggccatgccctgcggtcactgcggttgccgcccctaa  
ttgtgccaaaggctgaccgcggccgggctgcgtacacccttgccctgctt  
tgccctaaagcctcggggctctgcccggccccctcgccccctgcctggcactg  
ctcaccgcccgaaggcgacgcggctggaccaggcactgctggcctttctc  
ctgcccggcctcggaaccagcttttctctcttacgatgaaggctgatgcc  
gagagcgggctgtgggaggagctgggtcagtcctcgatattatatttgctt  
gagaagaggctcctctggccctgctctcctgcaggagggtggctgtccc  
cggaagccatcagcttgggcccagctggcaggtggcaggaatggagaagc  
tgacctgctggccaggcaagggggcagaccccccccaacccccagctgc  
catcgctctcccacccagcttggccccctgcccggccacctccctgggag  
ccgggctgtacatagcgcacagatgtttgttttaataaataaaca  
aaaa  
tgtc



Figure 3

abca3, 2011 bases, 91 checksum.

gcctccatggccgcctcaggggtgcgcctacctcatcctgctcttccctcat  
cgagaccaacctgcttcagagactcaggggcatcctctgcgcctcccgga  
ggaggcggacactgacagaattatacaccggatgcctgtgcttccctgag  
gaccaagatgtagcggacgagaggaccgcacccctggccccagccccga  
ctccctgctccacacacctctgattatcaaggagctctccaaggtgtacg  
agcagcgggtgccccctcctggcctgggacaggctctccctcgcggtgcag  
aaaggggagtgcttcggcctgctgggcttcaatggagccgggaagaccac  
gactttcaaaatgctgaccggggaggagagcctcacttctggggatgcct  
ttgtcgggggtcacagaatcagctctgatgtcggaaggtgcggcagcgg  
atcggctactgcccgcagtttgatgccttgctggaccacatgacaggcgg  
ggagatgctgggtcatgtacgctcggctccggggcatccctgagcggcaca  
tcggggcctgctgggagaacactctgcggggcctgctgctggagccacat  
gccaacaagctgggtcaggacgtacagtgggtggttaacaagcgggaagctgag  
caccggcatcgccctgatcggagagcctgctgtcatcttccctggacgagc  
cgtccactggcatggaccccgctggcccgccgctgctttgggacaccgtg  
gcacgagcccagagagtctggcaaggccatcatcatcacctcccacagcat  
ggaggagtgtgaggccctgtgcaccggctggccatcatggtgcagggggc  
agttcaagtgcctgggcagccccagcacctcaagagcaagttcggcagc  
ggctactccctgcggggccaaggtgcagagtgaagggaacaggaggcgct  
ggaggagtccaaggccttcgtggacctgacctttccaggcagcgtcctgg  
aagatgagcaccaaggcatgggtccattaccacctgcccgggcccgtgacctc  
agctgggccaaggttttcgggtattctggagaaagccaaggaaaagtacgg  
cgtggacgactactccgtgagccagatctcgtggaacaggctcttccctga  
gcttcgcccacctgcagccgcccaccgcagaggagggggcgatgaggggtg  
gcggctgtctcgccatcaggcagggacaggacggggaagcagggcccac  
ttacatcctctctctccaagtttatctcatcctttatttttaatcacttt  
tttctatgatggatatgaaaaattcaaggcagtatgcacagaatggacga  
gtgcagcccagccctcatgccaggatcagcatgcgcacatctccatgtctg  
catactctggagttcactttcccagagctggggcaggccgggcagctctgc  
gggcaagctccgggggtctctgggtggagagctgaccaggaagggtgca  
gctgagctgggggttgaaatttctccaggcactccctggagagaggacca  
gtgacttggtccaagtttacacacgacactaatctcccctggggaggaagc  
gggaagccagccaggttgaaactgtagcaggcccccaggccgcccaggaat  
ggaccatgcagatcactgtcagtgagggaagctgctgactgtgattagg  
tgctgggggtcttagcgtccagcgcagcccgggggcatcctggaggctctg  
ctcccttagggcatggtagtcaccgcgaagccgggcaccgtcccacagca  
tctcctagaagcagccggcacaggaggggaaggtggccaggctcgaagcag  
tctctgtttccagcactgcaccctcaggaagtgcggcgcccaggacacg  
cagggaccaccctaagggtgggtggctgtctcaaggacacattgaatac  
gttgtgaccatccagaaaataaatgctgagggggacacaaaaaaaaaaaa  
aaaaaaaaaaaa

Figure 4

abca4, 2058 bases, F7B checksum.

acttcctctgggacatcatgaattattccgtgagtgcctgggctgggtggtg  
ggcatcttcatcgggtttcagaagaaagcctacacttctccagaaaacct  
tcttgcccttgtggcactgctcctgctgtatggatgggcggtcattccca  
tgatgtaccagcatccttctgcttggatgtcccagcacagcctatgtg  
gctttatcttgtgctaattctgttcatcggcatcaacagcagtgcattac  
cttcatcttgggaattatttgataataaccggacgctgctcaggttcaacg  
ccgtgctgaggaagctgctcattgtcttccccacttctgcctgggcccgg  
ggcctcattgaccttgcactgagccaggctgtgacagatgtctatgcccg  
gtttgggtgaggagcactctgcaaaccgttccactgggacctgattggga  
agaacctgtttgccatgggtgggtggaaggggtgggtgtacttctcctgacc  
ctgctgggtccagcgccacttcttctctcccaatggattgccgagcccac  
taaggagcccattgttgatgaagatgatgatgtggctgaagaaagacaaa  
gaattattactgggtggaaataaaaactgacatcttaaggctacatgaacta  
accaagatttatctgggacacctccagcccagcagtggacaggctgtgtgt  
cggagttcgccctggagagtgtttggcctcctgggagtgaatgggtgccg  
gcaaaacaaccacattcaagatgctcactggggacaccacagtgcacctca  
ggggatgccaccgtagcaggcaagagtattttaaccaatatttctgaagt  
ccatcaaaaatatgggctactgtcctcagtttgatgcaatcgatgagctgc  
tcacaggacgagaacatctttacctttatgcccggttcgaggtgtacca  
gcagaagaaatcgaaaagggttgcaaactggagtattaagagcctgggcct  
gactgtctacgccgactgcctggctggcacgtacagtggggggcaacaagc  
ggaaactctccacagccatcgccactcattggctgcccaccgctgggtgctg  
ctggatgagcccaccacagggtggacccccaggcacgcccgcctgctgtg  
gaaogtcatcgtgagcatcatcagaaaaggagggtgtggtcctcacat  
cccacagcatggaagaatgtgaggcactgtgtacccggctggccatcatg  
gtaaaggggcgcttctcgatgtatgggcaccattcagcatctcaagtccaa  
atttgagatggctatatcgtcacaatgaagatcaaatccccgaaggacg  
acctgcttctgacctgaacctgtggagcagttcttccaggggaacttc  
ccaggcagtgtgcagagggagaggcactacaacatgctccagttccaggt  
ctcctcctcctccctggcgaggatcttccagctcctcctctcccacaagg  
acagcctgctcatcgaggagtactcagtcacacagaccacactggaccag  
gtgtttgtaaattttgctaaacagcagactgaaagtcatgacctcctct  
gcacctcgagctgctggagccagtcgacaagcccaggactgatctttca  
caccgctcgttcttgcagccagaaaggaactctgggcagctggaggcgca  
ggagcctgtgcccataatgggtcatccaaatggactggcccagcgtaaata  
ccccactgcagcagaaaacaaacacacagaggagcatgcagcgaattcaga  
aagaggtctttcagaaggaaaccgaaactgacttgctcacctggaacacc  
tgatgggtgaaaccaaatacaaaaatccttctccagaccccagaacta  
gaaacccccgggccatccactagcagctttggcctccatattgctctcat  
ttcaagcagatctgcttttctgcatgtttgtctgtgtgtctgcgttgtgt  
gtgattttcatggaaaaataaaatgcaaatgcactcatcacaaaaaaaaa  
aaaaaaaaa

**Figure 5**

abca5, 2045 bases, 263B checksum.

tatgggatacacaattgcaactattcttcattatgccttttgtatcatca  
ttccaatctatccacttctaggttgccctgatttctttcataaagatttct  
tggaagaatgtacgaaaaaatgtggacacctataatccatgggataggct  
ttcagtagctgttatatcgccctacctgcagtgtgtactgtggattttcc  
tcttacaatactatgagaaaaaatatggaggcagatcaataagaaaagat  
ccctttttcagaaacctttcaacgaagtctaaaaataggaagcttccaga  
accaccagacaatgaggatgaagatgaagatgtcaaagctgaaagactaa  
agggtcaaagagctgatgggttgccagtgttgaggagagaaaccatccatt  
atgggtcagcaatttgcataaagaatatgatgacaagaaagattttcttct  
ttcaagaaaagtaaagaaagtggcaactaaatacatctctttctgtgtga  
aaaaaggagagatcttaggactattgggtccaaatgggtgctggcaaaagc  
acaattattaatattctgggttggtgatattgaaccaacttcaggccaggt  
atTTTTtaggagattattcttcagagacaagtgaagatgatgattcactga  
agtgtatgggttactgtcctcagataaaccctttgtggccagatactaca  
ttgcaggaacattttgaaatttatggagctgtcaaaggaatgagtgaag  
tgacatgaaagaagtcataagtcgaataacacatgcacttgatttaaaag  
aacatcttcagaagactgtaaagaaactacctgcaggaatcaaacgaaag  
ttgtgttttgctctaagtatgctaggggaatcctcagattactttgctaga  
tgaaccatctacaggtatggatcccaaagccaaacagcacatgtggcgag  
caattcgaactgcatttaaaaacagaaagcgggctgctattctgaccact  
cactatatggaggaggcagaggctgtctgtgatcgagtagctatcatgggt  
gtctgggcagtttaagatgtatcggaacagtacaacatctaaagagtaaat  
ttggaaaaggctactttttggaaattaaattgaaggactggatagaaaac  
ctagaagtagaccgccttcaaagagaaattcagtatattttcccaaatgc  
aagccgtcaggaaagtttttcttctatttttggttataaaaattcctaagg  
aagatgttcagtccttttcacaatctttttttaagctggaagaagctaaa  
catgcttttgccattgaagaatatagcttttctcaagcaacattggaaca  
ggtttttgtagaactcactaaagaacaagaggaggaagataatagttgtg  
gaactttaaacagcacactttggtgggaacgaacacaagaagatagagta  
gtattttgaatttgattgttcgggtctgcttactgggacttctttctttt  
tcacttaattttaactttgggttaaaaagttttttattggaatggtaact  
ggagaaccaagaacgcacttgaaatttttctaagctccttaattgaaatg  
ctgtgggtgtgtgtgttttgcttttctttaaataaaaacgtatgtataattaa  
gtgaagctgcatgtttgtattgaagtatatgaactatatagtttgtatg  
tcacttttttcaccattcagaaacagtgcttctgaatttgtgatttaaag  
gaattgtaatagaatagttttatttttaagttatctttaagtttatgccaa  
tcttcttaataaagtacgtaatgttccaatctaaataaaaaactaataca  
taactaatgcatagaaaagatacataaagcaatgtgaaagtttcttgctt  
ctccttttttaatttctaaaaaagccactttgaatggaagttgtcatccgt  
aaaagctgaagtgtgaagcactaggaaatctcaatatagagatttgaggaa  
agttatatccactaggtggcagtcattgatcataataagtgaat

Figure 6

abca6, 2016 bases, 1AE checksum.

atcagtgattacaagaaaaatgctaagtcccagctatggatttcaggcct  
ctacacttctgcttactgggtgtgggcaggcactagtggaagtcagcttct  
tcattttaattctccttttaattgtattttaattttctacatagaaaacatg  
cagtaccttcttattacaagccaaattgtggttgctttgggttatagttac  
tcctgggttatgcagcttctcctgtctcttctcatatataatgatatacattta  
tttttcgcaaaaggagaaaaaacagtggcctttgggtcattttacttcttt  
tttgccctccaccatcatgttttccatcactttaatcaatcatttttgacct  
aagtataattgattaccaccatgggtattgggttccttcatataaccttgcttg  
gatttaaaacttttttggaagtggagagaccaggagcactacagagaattt  
ccagaggcaaattttgaattgagtgccactgattttctagtctgcttcat  
accctactttcagactttgctattcgtttttgttcttaagatgcatggaac  
taaaatgtggaaagaaaagaatgcgaaaagatcctgttttcagaatttcc  
ccccaaagtagagatgctaagccaaatccagaagaacccatagatgaaga  
tgaagatattcaaacagaaagaataagaacagccactgctctgaccactt  
caatcttagatgagaaacctgttataattgccagctgtctacacaaagaa  
tatgcaggccagaagaaaagtgtcttttcaaagaggaagaagaaaatagc  
agcaagaaatatctctttctgtgttcaagaagggtgaaattttgggattgc  
taggaccagtggtgctggaaaaagttcatctattagaatgatatactggg  
atcacaaagccaactgctggagaggtggaactgaaaggctgcagttcagt  
tttggggccacctgggggtactgccctcaagagaacgtgctgtggcccatgc  
tgacgttgagggaaacacctggaggtgtatgctgccgtcaaggggctcagg  
aaagcggacgcgaggctcgccatcgcaagattagttagtgctttcaaact  
gcatgagcagctgaatgttctgtgcagaaattaacagcaggaatcacga  
gaaagtgtgtttttgtgctgagcctcctgggaaactcacctgtcttgctc  
ctggatgaaccatctacgggcatagacccacagggcagcagcaaatgtg  
gcaggcaatccaggcagtcgttaaaaaacacagagagaggtgtcctcctga  
ccaccataaacctggctgaggcggaagccttgtgtgaccgtgtggccatc  
atgggtgtctggaaggcttagatgcattgggtccatccaacacctgaaaaa  
caaacttggaaggattacattctagagctaaaagtgaaggaaacgtctc  
aagtgactttgggtccacactgagattctgaagcttttcccacaggctgca  
gggcaggaaagggtattcctctttgttaacctataagctgcccgtggcaga  
cgttttaccctctatcacagacctttcacaaattagaagcagtgaagcata  
actttaacctggaagaatacagcctttctcagtgcacactggagaaggta  
ttcttagagctttctaaagaacaggaagtaggaaattttgatgaagaat  
tgatacaacaatgagatggaaactcctccctcattcagatgaaccttaaa  
acctcaaacctagtaattttttgttgatctcctataaaacttatgttttat  
gtaataattaatagtatgtttaatttttaaagatcatttaaaattaacatc  
aggatatattttgtaaatttagttaacaaatacataaatttttaaaattatt  
cttcctctcaaacataggggtgatagcaaacctgtgataaaggcaataca  
aaatattagtaaagtcacccaaagagtcaggcactgggtattgtggaaat  
aaaactatataaaactt

Figure 7

abca7a, 2044 bases, 9E9 checksum.

ccccttgaacctcaccaaggagcagctgtttgaggctgcattgatggcct  
cctcgggtggacgtcctcgtctccatctgtgtggtctttgccatgtcctt  
gtcccggccagcttcactcttgtcctcattgaggagcaggtcaccgcagc  
caagcacctgcagctcatggggggcctgtccccaccctctactggcttg  
gcaactttctctgggacatgtgtaactacttggtgccagcatgcacgtg  
gtgctcatctttctggccttcagcagagggcatatgtggccctgccaa  
cctgcctgctctcctgctgttgcctactactgtatggctggtcgatcacac  
cgctcatgtacccagcctccttcttcttctcctgtcccagcacagcctat  
gtggtgctcacctgcataaacctctttattggcatcaatggaagcatggc  
cacctttgtgcttgagctcttctctgatcagaagctgcaggaggtgagcc  
ggatcttgaaacaggtcttcttcttcttccccacttctgcttgggcccgg  
gggcttattgacatgggtgcggaaccagggccatggctgatgccttgagcg  
cttgggagacaggcagttccagtcaccctgcgctgggaggtggctcgga  
agaacctcttggccatgggtgatacagggggccctcttcttctcttcaca  
ctactgctgcagcacccaagccaactcctgccacagcccaggggtgaggtc  
tctgccactcctgggagaggaggacgaggatgtagcccggtgaacgggagc  
gggtgggtccaaggagccacccagggggatgtgttggtgctgaggaacttg  
accaaggtataaccgtgggcagaggatgccagctgttgaccgcttggtcct  
ggggattccccctgggtgagtggtttgggctgctgggtgtgaatggagcag  
ggaagacgtccacgtttcgcatgggtgacgggggacacattggccagcagg  
ggcgaggctgtgctggcagggccacagcgtggcccgggaacccagtgctgc  
gcacctcagcatgggatactgccctcaatccgatgccatctttgagctgc  
tgacggggccgcgagcacctggagctgcttgccgcgctgcgcggtgtcccg  
gaggcccagggtgcccagaccgctggctcgggcctggcgcgctctgggact  
ctcatgggtacgcagaccggcctgcaggcacctacagcggagggaacaaac  
gcaagctggcgacggccctggcgctgggttggggacccagccgtgggtgtt  
ctggacgagccgaccacaggcatggacccagcgcgcggcgcttctttg  
gaacagccttttggccgtgggtgcgggagggccgttcagtgatgctcacct  
cccatagcatggaggagtggtgaagcgctctgctcgcgcctagccatcatg  
gtgaatgggagggttccgctgcctgggcagcccgcaacatctcaagggcag  
attcgcgggcggtcacacactgacctgcggtgcccgcgcgcaaggtccc  
agccggcagcggccttcgtggcgccaggttccttgggtcggagctgcgc  
gaggcacatggaggccgcctgcgcttccagctgccgcgggagggcgctg  
cgccctggcgcgctctttggagagctggcggtgcacggcgagagcacg  
gcgtggaggacttttccgtgagccagacgatgctggaggaggtattcttg  
tacttctccaaggaccaggggaaggacgaggacaccgaagagcagaagga  
ggcaggagtgaggagtgaccccgcgccaggcctgcagcaccccaaacgcg  
tcagccagttcctcgatgacctagcactgccgagactgtgctctgagcc  
tccctccctgcggggccgcggggagggccctgggaatggcaagggcaagg  
tagagtgcctaggagccctggactcaggctggcagaggggctgggtgcct  
ggagaaaataaagagaaggctggagagaagccgtgggtggtgaaa

Figure 8

abca8, 2037 bases, 108 checksum.

ttcattttatcattttttctttttactcttcgatgtctggaatggaagttt  
ggaaagaaatcaatgagaaaggatcctttcttttagaatttctccaagaag  
tagtgatgtgtgtcaaaatccagaagaaccagaaggagaggatgaagatg  
ttcagatggaaagagtgagaacagcaaatgccttgaattctactaatttt  
gatgagaagccagtcattgcccagctgtctacgcaaggagtatgcagg  
gaagaggaaaggctgtttttccaagaggaagaataagatagccacgagaa  
atgtctccttctgtgttagaaaaggtgaagttttaggattattaggacac  
aatggagctggtaaaagcacatccattaaggtgataactggagacacaaa  
accaactgctggacaagtgtactgaaagggagcgggtggaggggatgcc  
tggagtctcctgggtactgccctcaggagaacgcgctgtggcccaacctg  
acagtgaggcagcacctggaggtgtacgccgcgctgaaagggctgaggaa  
aggggatgctgaggttgccatcacacggttagtggtgcgctcaagctgc  
aggaccagctgaagtctcgggtgaagacctgtcagaggggaataaagaga  
aagctgtgctttgtcctgagcatactggggaacccgtcagtggtgcttct  
ggatgagccgtcgaccgggatggaccccgaggggcagcagcaaatgtggc  
aggccatccggggccacctttagaaacacggaaaggggtgccctcctaacc  
accactacatggcagaggctgaggccgtgtgtgaccgagtggccatcat  
ggtatctgggaggttgagatgtatcgggtccatccaacacctgaaaagca  
aatttggcaaagattacctgctggagatgaaggtgaagaacctggcaca  
gtggagccccctccatgcagagatcctgaggcttttccccaggtgctcg  
gcaggaaaggtactcctctctgatggtttataagttgccagtggaaagatg  
tgcaacctttagcccaagctttcttcaaattagagaagggttaaacagagc  
tttgacctagaggagtacagcctctcacagtctacctggagcagggttt  
cctggagctctccaaggagcaggagctgggtgattttgaggaggattttg  
atccctcagtgaagtgaagctcctccccaggaagagccttaaaacccc  
aaattctgtgttctgttttaaaccctgggttttttttaatacattttatt  
tttatagcagcaatgttctatttttagaaactatattataagtacagaaa  
tggttctccgtgtggtgggaggaggaggttcgggtgctgggtaagtgcc  
tgtcagtggtggacagaggcatttgactaagccaacctcctctcacagcct  
ctgtatctctgcaggccatactgggtccattgttctgtataatactgaat  
aaataaattttacttttacatgatcgtataagtttctagataagataaaca  
aattctgttttaatttttttaataaaaatcttaaaacactttttttctaa  
cctagactgagaaattcatgtttacttttctaggtgtatgatactttgta  
aagttgatactttcctaagaatttaacatgtcatatttttgaaatagatt  
taagtgtgcttcttattgtctaaaaataactaaatgtcatgggtcatagtat  
ctgatatcaatatcgttgataacatatccacaggtaacaccatgatgtag  
gcataaatggaaaacaaaaaccctactatttcaaataatattgtactttt  
tatttctgtaagccaactgtgtgccattttcactggacttttaaatctag  
acttttagtgatgtctacattgtaaatgatcttttgtggatatttgctact  
tggtttcagaaagttcacaaatgtagcaacagctcacatgactgagtagg  
tagaaaatgtgaaataaatctcatatatatagttttg

Figure 9

abca9, 2041 bases, 1C82 checksum.

gagaacagtgaatgctatggctgtgagactttgatgagacacccgtca  
tcattgccagctgtctacggaaggaatatgcaggcaaaaagaaaaattgc  
ttttctaaaaggaagaaaaacaattgccacaagaaatgtctctttttgtgt  
taaaaaagggtgaagttataggactgttaggacacaatggagctggtaaaa  
gtacaactattaagatgataactggagacacaaaaccaactgcaggacag  
gtgatttttgaaaggagcggtggaggggaacccctgggcttctggggta  
ctgccctcaggagaatgcgctgtggcccaacctgacagtgaggcagcacc  
tgagggtgtacgctgccgtgaaaggtctcaggaaaggggacgcaatgatc  
gccatcacacgggttagtggatgcgctcaagctgcaggaccagctgaaggc  
tcccgtaagaccttgtcagaggggaataaagcgaaagctgcgctttgtgc  
tgagcatcctggggaacccgtcagtgggtgcttctggatgagccgtcgacc  
gggatggaccccgaggggagcagcaaatgtggcaggtgattcggggccac  
ctttagaaacacggagagggggcgccctcctgaccaccactacatggcag  
aggctgaggcgggtgtgtgaccgagtggccatcatggtgtcaggaaggctg  
agatgtattgggttccatccaacacctgaaaagcaaatttggaagacta  
cctgctggagatgaagctgaagaacctggcacaaatggagccctccatg  
cagagatcctgaggcttttccccaggtgctcagcaggaaagggttctcc  
tccttgatggtctataagttgcctgttgaggatgtgcgaccttatcaca  
ggctttcttcaaattagagatagttaaacagagtttcgacctggaggagt  
acagcctctcacagtctacctggagcaggttttcttgagctctccaag  
gagcaggagctgggtgatcttgaagaggactttgatccctcggtgaagtg  
gaaactcctcctgcaggaagagccttaaagctccaaataacctatatctt  
tctttaatcctgtgactcttttaagataatattttatagccttaatatg  
ccttatatcagaggtggtacaaaatgcatttgaaactcatgcaataatta  
tcctcagtagtatttcttacagtgagacaacaggcaatgtcagtgagggc  
gatcgtagggcataagcctaagccataccatgcagcctttgtgccagcaa  
ccaaatcccatgtttcctactgtgttaagtttaaaaatgcatttattata  
gaattgtctacatttctgaggatgtcatggagaatgcttaattttctttc  
tctgaacttcaaaatattaaatattttcttatttttttgattaaagtata  
aattaagacacccctattgacttcgggtaaggggagtcatttgattacc  
agcagcacagtatttgctttttataattcccttttttaaatacttggtctt  
aattgactgggttttcttttctgtcatttttcagagtttagattgtgagt  
ccatgttttgtctgtgtgtgcctataaaggaaatttgaaatctgtatcatt  
ctactataaagacacatgcacacgtatgtttattgcagcactgtttacaa  
tagcaaagacttggaaccaaccaaatacccacaaatgatagaccggata  
aagaaaacgtgacacatatacccatggaatactatgcagccatagaaaa  
ggatgagttcatattcttcacagggacatggatgaagctggaaaccatca  
tcctcagcaaaactaacacaggaacagaaaaccaaaccgcagtgtctca  
ctcataagtgggaattgaacaatgagaatacatggacacagggaggggaa  
caccacaccctggggcctgttgggggggatgggggctaggggagggatagc  
attaggagaaatacctgatgtagatgatgggttgatgggtg

**Figure 10**

abca10, 2001 bases, 2110 checksum.

tggacagtctggacaatagaataaatgaagtcaataaaaaccattctttta  
acaaccttaataaccataccttcagagtggtatctttctttttgtcataag  
gtgtctggaaatgaagtatggaaatgaaataatgaataaagaccagttt  
tcagaatctctccacggagtagagaaaactcatcccaatccggaagagccc  
gaagaagaagatgaagatgttcaagctgaaagagtccaagcagcaaatgc  
actcactgctccaaacttggaggaggaaccagtcataactgcaagctgtt  
tacacaaggaatattatgagacaaaagaaaagttgcttttcaacaagaaa  
aagaaaatagccatcagaaatgtttcttttgtgttaaaaaaggtgaagt  
tttgggattactaggacacaatggagctggtaaaagtacttccattaaaa  
tgataactgggtgcacaaagccaactgcaggagtggtggtgttacaaggc  
agcagagcatcagtaaggcaacagcatgacaacagcctcaagttcttggg  
gtactgccctcaggagaactcactgtggcccaagcttacaatgaaagagc  
acttggagttgtatgcagctgtgaaaggactgggcaaagaagatgctgct  
ctcagtatcttcacgattggtggaagctcttaagctccaggaacaacttaa  
ggctcctgtgaaaactctatcagaggggaataaagagaaaagctgtgctttg  
tgctgagcatcctggggaacccatcagtggtgcttctagatgagccgttc  
accgggatggaccccgaggggagcagcacaatgtggcagatacttcaggc  
taccgttaaaaaacaaggagaggggacccctcttgaccacccattacatgt  
cagaggctgaggctgtgtgtgaccgtatggccatgatggtgtcaggaacg  
ctaaggtgtattggttccattcaacatctgaaaaacaagtttggtagaga  
ttatttactagaaataaaaaatgaaagaacctacccaggtggaagctctcc  
acacagagattttgaagcttttcccacaggctgcttggcaggaaagatat  
tcctctttaatggcgtataagttacctgtggaggatgtccaccctctatc  
tcgggcctttttcaagttagaggcgatgaaacagaccttcaacctggagg  
aatacagcctctctcaggtaccttggagcaggtattcttagaactctgt  
aaagagcaggagctgggaaatgttgatgataaaattgatacaacagttga  
atggaaacttctcccacaggaagacccttaaaatgaagaacctcctaaca  
ttcaatttttaggtcctactacattggttagtttccataattctacaagaat  
gtttccttttacttcagttaacaaaagaaaacatttaataaacattcaat  
aatgattacagttttcatttttaaaaatttaggatgaaggaaacaaggaa  
atatagggaaaagtagtagacaaaattaacaaaatcagacatgttattca  
tccccacatgggtctatctttgtgcttaaaaataatttaaaaatcataca  
atattaggttggttttcggttattatcaataaagctaacactgagaacat  
tttacaataaaaaatatgagtttttagcctgaacttcaaagtatcagc  
tatttttaaacattatttactcggattctaatttaatgtgacattgacta  
taagaaggtctgataaactgatgaaatggcacagcataacatttaattat  
aatgacattctgattataaaataaatgcatgtgaatttttagtacatattg  
aagttatatggaagaagatagccataatctgtaagaaagtaccgcagtta  
atattttcttttagccaacttatattcaatgtattttttatggatccttt  
tcaaaggtagtatcagtaggcatagtcattttctgtatcttttcacctca  
c



**Figure 11**

abca12, 2045 bases, A5 checksum.

ctgccaatagaacacttgccaaggtatggtatgatccagaaggctatcac  
tccttccagcttacctcaacagcctgaataatttccttctgcgagttaa  
catgtcaaaatac gatgctgcccgcacatggcatcatcatgtatagccatc  
cttatccaggagtgaagaccaagaacaagccacaatcagcagtttaatc  
gatatttttagtggcactgtctatcttgatgggctactctgtcac yaccgc  
cagctttgtcacctatgttgtaagggaaacatcaaacc aaagccaaacagt  
tgcagcacatttcaggcaytggcgtgacatgctactgggtaacaaacttc  
atztatgacatgggttttctacttgggtgctgtagcgttttcaattgggtat  
catttgcgattttcaaattacctgcattctacagtga aaacaacctaggcg  
ctgtatctctcctacttctcctgtttgggtatgcaacattttcttggtatg  
tacttgcctggctgggctcttccatgaaacaggaatggccttcatcactta  
cgtctgtgtcaacttgtttttggcattaattccattgtttccctgtcag  
tggatacttttcttccaaggaaaagccta atgatccgactttagaactt  
at tctgaaaccctcaagcgcatttttctgattttccacaattctgttt  
tggctacgggttgattgaactttctcaacaacagt cggctctagacttct  
taaaagcatatggagtgg aatacccaa atgaaacctttgagatgaataaa  
ctagggtgcaatgtttgtggctttgggtttctcagggcaccatgttttttc  
cttgcgactctta atcaacgaatccctgataaagaaactcaggc ttttct  
tcagaaaatttaattcttcacatgtaagggagacaatagatgaggatgaa  
gatgtgcgggctgagagattaagagttgagagtggtgcagctgaatttga  
cttgggtccaactttattgtctcacaagaccta ccaacttatccacaaaa  
agattatagctgtaaac aacatcagcattgggatacctgctggagagtgt  
tttgggcttcttgagagtgaatggagcaggaaagaccactatattcaagat  
gctgacaggagacatcattccttcaagtggaaacattctgatcagaaata  
agaccggatctctgggtcacgttgattctcacagctcattagttggctac  
tgtcctcaggaagatgccttagatgacctggtaactgtggaagaacattt  
gtatttctatgccagggtagatggaattccagaaaaggatattaaagaaa  
ctgttcataaaactccttaggagacttcacctgatgcccttcaaggacaga  
gctacctctatgtgcagttatggcacaaaaagaaaattatccactgcact  
ggccttgatagggaaaccttccattctactgctggatgagccgagctctg  
gcatggatccgaagtga aacggcacctctggaagatcatttcagaagaa  
gtacagaacaaatgttccgtcatcctcacatctcacagcatggaagaatg  
tgaagctctctgtaccaggttggccattatggtgaatggaaagtttcaat  
gtattggatctttgcagcacataaagagcaggtttggacgaggatttact  
gtcaaagttcacttgaagaataacaaagt gacctggagaccctcacaaa  
gttcatgcagctgcactttccaaaaacatacttaaaagatcagcacctca  
gcatgctagagtatcatgtaccagtcacagcaggaggagtcgcaaacatt  
tttgatctgctggaaccaacaagactgctttaaatattacaaatttctt  
agtga gtcagaccactctggaagagggttttcatcaactttgccaaagacc  
agaagtcctatgaaactgctgataccagcagccaagggttccactataagt  
gttgactcacaagatgaccagatggagtcttaacacttccagcaa

## Figure 12

abcb1, 1023 bases, 1E31 checksum.

ctctggtgggcagcagtggtgtggaagagcacagtggtccagctcctg  
gagcgggttctacgaccccttggcagggaaagtgctgcttgatggcaaaga  
aataaagcgactgaatgttcagtggtccgagcacacctgggcatcgtgt  
cccaggagcccatcctgtttgactgcagcattgctgagaacattgcctat  
ggagacaacagccgggtggtgtcacaggaagagattgtgagggcagcaaa  
ggaggccaacatacatgccttcacagtcactgcctaataaatatagca  
ctaaagtaggagacaaaggaactcagctctctggtggccagaaacaacgc  
attgccatagctcgtgcccttggttagacagcctcatattttgccttttggg  
tgaagccacgtcagctctggatacagaaagtgaaggtgtccaagaag  
ccctggacaaagccagagaaggccgcacctgcattgtgattgctcaccgc  
ctgtccaccatccagaatgcagacttaatagtggtgtttcagaatggcag  
agtcaaggagcatggcacgcacagcagctgctggcacagaaaggcatct  
atTTTTcaatggtcagtggtccaggctggaacaaagcgccagtgaactctg  
actgtatgagatgttaaatactTTTTtaataattgttttagatatgacattt  
attcaaagttaaagcaaacacttacagaattatgaagaggtatctgttt  
aacatttcctcagtcaagttcagagtccttcagagacttcgtaattaaagg  
aacagagtgagagacatcatcaagtggagagaaatcatagtttaaactgc  
attataaattttataacagaattaaagtagatttttaaagataaaatgtg  
taattttgtttatatTTTcccatttgactgtaactgactgccttgctaa  
aagattatagaagtagcaaaaagtattgaaatgtttgcataaagtgtcta  
taataaaaactaaactttcatgtg

### Figure 13

abcb2, 1018 bases, 1E44 checksum.

gtgacggcgctggtgggacccaatgggtctgggaagagcacagtggctgc  
cctgctgcagaatctgtaccagcccaccgggggacagctgctgttgatg  
ggaagcccccttccccaatatgagcaccgctacctgcacaggcaggtggct  
gcagtgggacaagagccacaggtatttggaagaagtcttcaagaaaatat  
tgcctatggcctgaccagaagccaactatggaggaaatcacagctgctg  
cagtaaagtctggggcccatagtttcatctctggactccctcagggtat  
gacacagaggtagacgaggctgggagccagctgtcaggggggtcagcgaca  
ggcagtggcgcttgggcccgagcattgatccggaaccgtgtgtacttatcc  
tggatgatgccaccagtgccttgatgcaaacagccagttacaggtggag  
cagctcctgtacgaaagccctgagcgggtactcccgtcagtgttctcat  
caccagcacctcagcctggtggagcaggctgaccacatcctctttctgg  
aaggaggcgctatccggggaggggggaaccaccagcagctcatggagaaa  
aaggggtgctactgggcatggtgcaggctcctgcagatgctccagaatg  
aaagccttctcagacctgcgcactccatctccctccctttcttctctct  
gtggtggagaaccacagctgcagagtagcagctgcctccaggatgagtta  
cttgaaatttgcttgagtgtgttacctcctttccaagctcctcgtgata  
atgcagacttcctggagtacaaacacaggatttgtaattcctactgtaac  
ggagtttagagccagggtgatgctttggtgtggccagcactctgaaact  
gagaaatgttcagaatgtacggaaagatgatcagctattttcaacataac  
tgaaggcatatgctggcccataaacaccctgtaggttcttgatatttata  
ataaaattggtgttttgt

## Figure 14

abcb3, 1059 bases, D83 checksum.

taaccaaaaatgacataaatattcatgagattgccttcctatatccttcc  
ttgttcctaccagtgtctgctatTTTgaagaagctagggtctggagggac  
agagaacagttccctgattaacagtattaatagcgacattggtaacagct  
accatttatagagttttaatgggagtaggagctatgctaagtgtttttca  
tgtattatcgTTTTaatcattatccccaacctatgaggttggttatta  
tccccattttacagatgaggaaactgaagctcaaagaggctcaatgactt  
tcccaagggtggtcgtagtggtggagttggagtttgaacacaggcctgacc  
ctagagtcacacccctgacccaatcaattatatattgcatcttgggtccata  
aacccaatccataatcccatcaagaaaagctctgctgctcttagctcta  
aataattcagaatctattctctctctccagtcctggttatagtcttc  
actcatagacttaagatgatcccatcaccagagaggtttctctaccatta  
gcttccctcttccggccattcttcacaaagtcatttttctaaattctgtg  
tcacatacgatgatggcatttctggaaattccttcagggtgctctcaagcc  
ctgctgcagagatccttttcagagcacacactgttccagcccatctgtct  
caccctctcctgttgtatccagctccacgacaaaactttctgccttcccca  
acacctttgtgcctttgcatatgggtgttttcttgccattttctgctoga  
ctcgccccctgattttcaagttcaagacttaactcagggttcagggtcttcc  
aggaggccttacttatgtcgtcagctctggggaactctccatgtgcttcta  
tcactgtgcggttacctctttcacagcccttttaaagttctatcttccct  
ttcccaccttttttgaccttccactagaccatgagcacctgggcggaaag  
ccatatatcttattaagctttatatctgctacctggccgagggctaattc  
atagtggag

## Figure 15

abcb4, 1004 bases, 254D checksum.

tgtgaatggacatatgcgcttcagagatggtattctggtgttttctgcaa  
ttgtatttggtgcagtggtctctaggacatgccagttcatttgctccagac  
tatgctaaagctaagctgtctgcagcccacttattcatgctgtttgaaag  
acaacctctgattgacagctacagtgaagaggggctgaagcctgataaat  
ttgaaggaaatataacatttaatgaagtcgtgttcaactatcccacccga  
gcaaacgtgccagtgcttcaggggctgagcctggaggtgaagaaaggcca  
gacactagccctggtgggcagcagtggtgtgggaagagcacggtggtcc  
agctcctggagcggttctacgaccccttggcggggacagtgcttctcgat  
ggtcaagaagcaaagaaactcaatgtccagtggtcagagctcaactcgg  
aatcgtgtctcaggagcctatcctatttgactgcagcattgccgagaata  
ttgcctatggagacaacagccgggttgtatcacaggatgaaattgtgagt  
gcagccaaagctgccaacatacatcctttcatcgagacgttacccccaaa  
atatgaaacaagagtgggagataaggggactcagctctcaggaggtcaaa  
aacagaggattgctattgcccagagccctcatcagacaacctcaaatcctc  
ctggttgatgaagctacatcagctctggatactgaaagtgaaaagggttgt  
ccaagaagccctggacaaagccagagaaggccgcacctgcatttgtgattg  
ctcaccgcctgtccaccatccagaatgcagacttaatagtgggtgtttcag  
aatgggagagtcaaggagcatggcacgcacagcagctgctggcacagaa  
aggcatctatTTTTTcaatggtcagtggtccaggctgggacacagaacttat  
gaacttttgctacagtatatTTTTTaaaaataaattcaaattattctacca  
TTTT

**Figure 16**

abcb6, 1053 bases, 1F32 checksum.

agaccaacttcattgacatggagaacatgtttgacttgctgaaagaggag  
acagaagtgaaggaccttcctggagcagggccccttcgctttcagaaggg  
ccgtattgagtttgagaacgtgcacttcagctatgccgatgggcgggaga  
ctctgcaggacgtgtctttcactgtgatgcctggacagacacttgccctg  
gtgggcccctctggggcaggggaagagcacaattttgcgcctgctgtttcg  
cttctacgacatcagctctggctgcatccgaatagatgggcaggacattt  
cacagggtgacccaggcctctctccggtctcacattggagttgtgccccaa  
gacactgtcctctttaatgacaccatcgccgacaatatccgttacggccg  
tgtcacagctgggaatgatgaggtggaggctgctgctcaggctgcaggca  
tccatgatgccattatggctttccctgaagggtacaggacacagggtgggc  
gagcggggactgaagctgagcggcggggagaagcagcgcgtcgccattgc  
ccgcaccatcctcaaggctccgggcatcattctgctggatgaggcaacgt  
cagcgtctggatacatctaatagagagggccatccaggcttctctggccaaa  
gtctgtgccaaaccgcaccaccatcgtagtggcacacaggctctcaactgt  
ggtcaatgctgaccagatcctcgatcaaggatggctgcatcgtggaga  
ggggacgacacgaggctctgttgtcccgagggtggggtgtatgctgacatg  
tggcagctgcagcagggacaggaagaaacctctgaagacactaagcctca  
gaccatgggaacggtgacaaaagtgttgccacttccctctcaaagactaac  
ccagaaggggaataagatgtgtctcctttccctggcttatttcatcctggt  
cttgggggtatggtgctagctatggtgaagggaaggacctttccgaaaaa  
catcttttggggaaataaaaaatgtggactgtgaaaaaaaaaaaaaaaaaaa  
aaa

Figure 17

abcb7, 1044 bases, C20 checksum.

tttactctactcaaggtagacacccaaattaaagacaaagtgatggcatc  
tccccttcagatcacaccacagacagctaccgtggcctttgataatgtgc  
atthttgaatacattgagggccagaaagtccttagtggaatatcctttgaa  
gtccctgcaggaaagaaagtggccattgtaggaggtagtgggtcagggaa  
aagcacaatagttaggctattatthtcgcttctatgagcctcaaaagggta  
gcatttatcttgctgggtcaaaatatacaagatgtgagcctggaaagcctt  
cggaggggcagtgggagtggtacctcaggatgctgtcctcttcataatac  
tatttattacaacctcttatatggaaacatcagtgccttcacctgaggaag  
tgtatgcagtgggcaaaattagctggacttcatgatgcaattcttcgaatg  
ccacatggatatgacacccaagtaggggaacgaggactcaagctttcagg  
aggagaaaagcaaagagtagcaattgcaagagccattttgaaggaccccc  
cagtcatactctacgatgaagctacttcatcgttagattcgattactgaa  
gagactattcttggtgccatgaaggatgtgggtcaaacacagaacttctat  
tttcattgcacacagattgtcaacagtggttgatgcagatgaaatcattg  
tcttggatcagggttaaggtagccgaacgtggtagccaccatggtttgctt  
gctaaccctcatagtatctattcagaaatgtggcatacacagagcagccg  
tgtgcagaaccatgataacccccaaatgggaagcaaagaaagaaaatatat  
ccaaagaggaggaaagaaagaaactacaagaagaaattgtcaatagtgtg  
aaaggctgtggaaactgttcgtgctaagtcacataagacattttcttttt  
ttgttggttttggtactacatatttgcaactgaagcagaattgttttattaaa  
aaaatcatacattcaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa

**Figure 18**

abcb8, 1039 bases, 11C8 checksum.

cgtccccaagagcagctgcgtggctccgttacatttcagaacgtctgct  
tcagctaccctgcccggccttcgaggtgctgaaagacttcaccctg  
acgtgccccctggcaagatcgtggccctcgtgggcccagctctggcggagg  
aaagaccaccgtggcttccctgctggagcgttctacgacccacggcag  
gcgtgggtgatgctggatgggcccggacctgcgcacccttgacccctcctgg  
ctccggggccaggttgtcggtttcatcagccaggagcccgtcctgtttgg  
gacgaccatcatggaaaacatccgctttgggaagctggaagcttccgatg  
aagaggtgtacacagccgcccgggaagcgaatgctcacgagttcatcacc  
agtttccccgagggctacaacacggctcgtcggtgaacggggcactaccct  
gtctggggggccagaagcagcgcctggccatcgcgcgagcccttatcaagc  
agcccacggtgctgatactggatgaagctaccagcgcgctggatgcagag  
tccgagcgggttgtacaggaggccctggaccggggccagtgccaggccgcac  
ggtgctggtaattgccaccggctcagcactgtccgtggggcccactgca  
ttgtcgtcatggccgatggccgtgtctgggaggctgggacacatgaagag  
ctcctgaagaaaggcgggctatacgcgcgagctcatccggaggcaggccct  
ggatgccccgaggacagcggccccaccgccccaaaaagccagaaggcccca  
ggagccaccagcaccaagtccctgagaaggggccccctgaggtgtggtcgctg  
ccaagcatcagtggttagggctggggctcagcctgggggagcctactgggg  
actgagccccaggaggggccagcatgtggagagtcgctgcggctgctcct  
gctcacaataaagccggggccgagcagctggcaggggaggccaatccctc  
cctccctccccagtcctgcgggctgcctccctcccacc



## Figure 19

abcb9, 1032 bases, 11D7 checksum.

tggcccagggcggcctctacgccaagctggtgcagcggcagatgctgggg  
cttcagccccgcccagacttcacagctggccacaacgagcctgtagccaa  
cggcagtcacaaggcctgatggggggcccctgcttctcccgggtggggcag  
aggacccgggtgcctgcctggcagatgtgccacggaggccccccagctgcc  
ctccgagcccaggcctgcagcactgaaagacgacctgccatgtcccatgg  
atcacgccttcttgcctcttgcccctggtccttgccccattcccaggggca  
ctccttaaccctgctgccctgagccaacgccttcacggacctccctagcc  
tcctaagcaaaggtagagctgcctttttaaacctaggtcttaccagggtt  
tttactgtttggtttgaggcaccccagtcactccttagatttcaaaaacc  
tttttctaattgggagtaatggcgggcactttcaccaagatgttctagaa  
acttctgagccaggagtgatggcccttcccttagtagcctgggggatgtc  
cagagactaggcctctcccctttaccctccagagaaggggcttccctgt  
cccggaggggacacgggggaacgggattttccgtctctccctcttgccagct  
ctgtgagcttgccaggggcgggtagggagcgtggaggggcatctgtctgcc  
atcgcccgtgccaatctaagccagctctcactgtgaaccacacgaaacct  
caactgggggagtgaggggctggccaggcttgagggggcctcaggggtgc  
ccagcccggcacccagcgtttcgcccctcgtccaccaccccctggctgg  
cagcctccctccccacacccgcccctgtgctctgctgtctggaggccacg  
tggatgttcatgagatgcattctcttctgtctttgggtggatgggatgggtg  
gcaaagcccaggatctggctttgccagagggtgcaacatgttgagagaac  
ccggtcaataaagtgtactacctcttaccct

## Figure 20

abcb10, 1017 bases, 2077 checksum.

tgaggaatatgtgttcctatgggaactatgtttgaatatgtgcagttttc  
aacatthttggcacatgaaagcctgacaagtthtttaaaggccagaagctt  
taththtttgacaggaaaacatgtthtttaaattcacatgtttgtatgag  
tactthttgcgaagcaaggcatgaactgctaggtattattaagaatgaatg  
atthttgcatthtaagtgtttgaaggcatgtatthttgaaaaatatctgtt  
acaaatthtataatthcaagacaaattgaatcttaththttataatactthttg  
gaatthcattaataaggctaaaaatthtgaggaatataactaatthttcagcc  
ttaagacatthtaagtthtggagtccttgctattcaacagaataacaagaa  
aacttcagaatgtatcactctcctgaaaagaagatattaataagccctth  
tathtatgggttatagthtttaththtatagctctcaaaattcctaaagcaatgc  
tacaaccattgaatthtgccataththtgatcagtgtgttaatthtgctgt  
tgcttcaagaaaaagtgctthtttctccatggatgaggctagaccctaaga  
agtaattaagtcaatgtaaatcaaatggaagthttcccatgaactaagaa  
thttattagthccctgattagactggaagaagaaaccactatthcatgaaa  
agcatggaatattataththttattgttcataattaatgaataaaattgata  
tgaatgaatgtagtgthtttgaattagtaaacagtacatctgtgacaat  
catththtaacaagctctacttgthgtthtttataaagtgthgattthtcagaa  
agcaaacaacacaattacaaggthgaatctgaggaaaataatcctthgtgc  
catagaagthtttacgaaattgcaththcattgthtatgthtttaththctga  
tacatgatgthtcaaththttatctthtaggtaaththttatcatagattaa  
aaththtatagthgaactth

## Figure 21

abcb11, 1035 bases, 2307 checksum.

agagaaatatgaaactaacgttgggtcccaggggtctcaactctctagag  
gggagaaacaacgcattgctattgctcgggccattgtacgagatcctaaa  
atcttgctactagatgaagccacttctgccttagacacagaaagtgaaaa  
gacggtgcaggttgctctagacaaagccagagaggggtcggacctgcattg  
tcattgcccatcgcttgctccaccatccagaacgcggatatcattgctgtc  
atggcacaggggggtggtgattgaaaaggggacccatgaagaactgatggc  
ccaaaaaggagcctactacaaactagtccaccactggatccccatcagtt  
gaccaatgcaagaatctcagacacacatgacgcaccagttacaggggtt  
gtttttaaagaaaaaaacaatcccagcaggagggattgctgggattgttt  
tttctttaaagaagaatgttaatattttacttttacagtcattttcctac  
atcggaatccaagctaatttctaattggccttccataataattctgcttta  
gatgtgtatacagaaaaatgaaagaaactagggtccatatgagggaaaacc  
caatgtcaagtggcagctcagccaccactcagtgttctctgtgcaggag  
ccagtcctgattaatatgtgggaattagtgagacatcagggagtaagtga  
cactttgaactcctcaagggcagagaactgtctttcatttttgaaccctc  
ggtgtacacagaggcgggtctataacaggcaatcaacaaacgtttcttga  
gctagaccaaggtcagatttgaaaagaacagaaggactgaagaccagctg  
tgtttcttaactaaatttgctcttcaagtgaaccagcttccttcattctc  
taaggctaaggatagggaaaggggtggatgctctcaggctgagggaggcag  
aaagggaaagtattagcatgagctttccagttagggctggtgatttatgc  
tttaacttcagagtgagtgtaggggtggtgatgct

## Figure 22

abcc1, 1047 bases, CB checksum.

ccacactgaaacaaaacataaaaaccaaaccagacaaccaaatacatat  
tcaaagcagcagccaccgccatccggtcccctgcctggaactggctgtga  
agaccaggagagacagagatgcgaaccacccaaaacacgcacaccctgc  
ccctgggtgccctgagacagacacacagcctcacgccccaggaatgcaag  
tggtttcctgggtgcttcccacggaggagttttggcagccagacttctgga  
ggaattgggttgtatagaagatcctagtgaacaaattcagcctactgcctc  
ggatctctccagccgaagtctgtggactgcaagtctttgagatgcttctg  
gctcccatcacctctaacatccttgtctgggtctaccaggaacgcttcat  
ttccttggggctgcagttttgtggttgaggggcctggagaaaatcatttt  
ctccccttggcagtgctcccagggccctggatgggtcctcttaccaacatct  
ggctctccaggcactcaaaagctgggaaccagcatctcagcgccagctct  
accagttctcgttttggggccagaggcagcctctgcactcccacgcctgtc  
ctcctggaagggaacctgggttggaactaacggctaacctggacctggaactg  
tagggccaggggattgtctcagggccgacgttccacctggggcttccctc  
cccacccaccccgactccaggctttcccttttttcttttgttcaacattg  
taagaacaatcaatgctgttattactgatcccaccatgattgatgtgggg  
taaataattaaggagatggcctcatgggaatttgaccttgactagaaatag  
agactgagagtgagcaaccagctggaaggtagctatgccagtcctagcaga  
aaaatgtgttaggggcctggcccaaagcagtggttggttgcttacagtggt  
gattgattttgttcttttttcttaccacctcttttctttccctctcatgg  
tacctgctcatgggttatgaagctttcaaagtaaagaacacgaaatac

Figure 23

abcc2, 1008 bases, 24BF checksum.

acacaaaagtggaaaatgaggcaccctgggtgactgataagaggcctccg  
ccagattggcccagcaaaggcaagatccagtttaacaactaccaagtgcg  
gtaccgacctgagctggatctggtcctcagagggatcacttgtgacatcg  
gtagcatggagaagattgggtgtgggtgggcaggacaggagctggaaagtca  
tccttcacaaactgcctcttcagaatcttagaggctgccggtggtcagat  
tatcattgatggagtagatattgcttccattgggctccacgacctccgag  
agaagctgaccatcatccccaggaccccatcctgttctctggaagcctg  
aggatgaatctcgaccctttcaacaactactcagatgaggagatttgga  
ggccttgagctgggtcacctcaagtcttttgtggccagcctgcaacttg  
ggttatcccacgaagtgcagagggctgggtggcaacctgagcataggccag  
aggcagctgctgtgcctgggcagggtctctgcttcggaaatccaagatcct  
ggtcctggatgaggccactgctgcggtggatctagagacagacaacctca  
ttcagacgaccatccaaaacgagttcgcccactgcacagtgatcaccatc  
gcccacaggctgcacaccatcatggacagtgcacaggtaatggtcctaga  
caacgggaagattatagagtgcggcagccctgaagaactgctacaaatcc  
ctggacccttttactttatggctaaggaagctggcattgagaatgtgaac  
agcacaaaattctagcagaaggccccatgggttagaaaaggactataaga  
ataatttcttattttaattttatttttataaaaatacagaatacatacaaa  
agtgtgtataaaatgtacgttttaaaaaaggataagtgaacacccatgaa  
cctactaccaggttaagaaaataaatgtcaccaggtacttgagaaacc  
ctcgattg

## Figure 24

abcc3, 1016 bases, 1D6B checksum.

ctcagctgaccatcatcccgcaggaccccatcctgttctcggggaccctg  
cgcatgaacctggaccccttcggcagctactcagaggaggacatttggtg  
ggctttggagctgtcccacctgcacacgtttgtgagctcccagccggcag  
gcctggacttccagtgtcagagggcggggagaaatctcagcgtgggccag  
aggcagctcgtgtgcctggcccgagccctgctccgcaagagccgcaccc  
ggtttttagacgaggccacagctgccatcgacctggagactgacaacctca  
tccaggctaccatccgcacccagtttgataacctgcactgtcctgaccatc  
gcacaccggcttaacactatcatggactacaccagggtcctggtcctgga  
caaaggagtagtagctgaatttgattctccagccaacctcattgcagcta  
gaggcatcttctacgggatggccagagatgctggactgcctaaaatata  
ttcctgagatttcctcctggcctttcctggttttcatcaggaaggaaatg  
acaccaaatatgtccgcagaatggacttgatagcaaactgggggcacc  
ttaagattttgcacctgtaaagtgccttacagggttaactgtgctgaatgc  
tttagatgaggaaatgatccccaagtggtgaatgacacgcctaaggtcac  
agctagtttgagccagttagactagtcccccggtctcccgattcccaact  
gagtgttatattgcacactgcactgttttcaaataacgattttatgaaatg  
acctctgtcctccctctgatttttcatattttcctaaagtttcgtttctg  
ttttttaataaaaagctttttcctcctggaacagaagacagctgctgggt  
caggccacccctaggaactcagtcctgtactctgggggtgctgcctgaatc  
cattaaaaatgggagtagtgaaataaaaactacatgggtcaacagtaaa  
aaaaaaaaaaaaaaaa

## Figure 25

abcc4, 1031 bases, E3B checksum.

aacgcccaccaccagcctggcccatgaaggagtataatccttgacaat  
gtgaacttcatgtacagtccaggtgggcctctggtactgaagcatctgac  
agcactcattaaatcacaagaaaagggtggcattgtgggaagaaccggag  
ctggaaaaagttccctcatctcagcccttttttagattgtcagaaccgaa  
ggtaaaatttgattgataagatcttgacaactgaaattggacttcacga  
tttaaggaagaaaatgtcaatcatacctcaggaacctgttttggtcactg  
gaacaatgaggaaaaacctggatccctttaaggagcacacggatgaggaa  
ctgtggaatgccttacaagaggtacaacttaaagaaaccattgaagatct  
tcctggtaaaatggatactgaattagcagaatcaggatccaatttttagtg  
ttggacaaaagacaactgggtgtgccttgccagggcaattctcaggaaaaat  
cagatattgattattgatgaagcgacggcaaatgtggatccaagaactga  
tgagttaatacaaaaaaaaaatccgggagaaatttgcccactgcaccgtgc  
taaccattgcacacagattgaacaccattattgacagcgacaagataatg  
gttttagattcaggaagactgaaagaatatgatgagccgtatgttttgct  
gcaaaataaagagagcctattttacaagatgggtgcaacaactgggcaagg  
cagaagccgctgccctcactgaaacagcaaaacaggtatacttcaaaaga  
aattatccacatattgggtcacactgaccacatgggtacaaacacttccaa  
tggacagccctcgaccttaactattttcgagacagcactgtgaatccaac  
caaaatgtcaagtccgttccgaaggcattttccactagtttttggactat  
gtaaaccacattgtacttttttttactttggcaacaaatatttatacata  
caagatgctagttcatttgaatatatttctccc

## Figure 26

abcc5, 1018 bases, 5C5 checksum.

taataacagtgcataattcctttctatcattttgtacagtttgctgtact  
agagatctgggttttgctattagactgtaggaagagtagcatttcattctt  
ctctagctgggtgggtttcacgggtgccaggttttctgggtgtccaaaggaag  
acgtgtggcaatagtggggccctccgacagccccctctgccgcctccccac  
agcgcgtccaggggtggctggagacgggtgggaggctggagaccatgcag  
agcgccttgagtctcagggctcctgccttctgtcctgggtgtcacttact  
gtttctgtcaggagagcagcggggcgaagcccaggcccccttttcaactccc  
tccatcaagaatggggatcacagagacattcctccgagccggggagtttc  
tttctgccttcttctttttgctgttggtttctaaacaagaatcagtctat  
ccacagagagtcccactgcctcagggttcctatggctggccactgcacaga  
gctctccagctccaagacctgttggttccaagccctggagccaactgctg  
ctttttgaggtggcactttttcatttgctattcccacacctccacagtt  
cagtggcagggctcaggatttcgtgggtctgttttcttctcaccgcag  
tcgtcgcacagtctctctctctctctccctcaaagtctgcaactttaag  
cagctcttgctaatacagtgtctcacactggcgtagaagttttgtactgt  
aaagagacctacctcagggttgctgggttgctgtgtgggttggtgtgtccc  
gcaaaccctttgtgctgtggggctggtagctcagggtgggcgtgggtcac  
tgctgtcatcagttgaatgggtcagcgttgcatgtcgtgaccaactagaca  
ttctgtgccttagcatgtttgctgaacaccttggtggaagcaaaaatctg  
aaaatgtgaataaaaattattttggattttgtaaaaaaaaaaaaaaaaaaaa  
aaaaaaaaaaaaaaaaaaaa



## Figure 27

abcc6, 1035 bases, 1737 checksum.

atcagtttcccgcgactgggtggctgacaggtggcttgcgggccaatgtgga  
gctcctggggaatggcctgggtgtttgcagctgccacgtgtgctgtgctga  
gcaaagcccacctcagtgtggtcctcgtgggttctctgtctctgctgcc  
ctccaggtgacctcagacactgcagtgggttggttcgcaactggacagacct  
agagaacagcatcgtgtcagtggagcggatgcaggactatgcctggacgc  
ccaaggaggctccctggaggctgccacatgtgcagctcagccccctgg  
cctcagggcgggcagatcgagttccgggactttgggctaagataccgacc  
tgagctcccgtggctgtgcagggcggtgtccttcaagatccacgcaggag  
agaagggtgggcatcgttggcaggaccggggcagggaagtccctccctggcc  
agtgggctgctgcggctccaggaggcagctgaggggtgggatctggatcga  
cggggtccccattgccacgtggggctgcacacactgcgctccaggatca  
gcatcatccccaggaccccatcctgttccctggctctctgoggatgaac  
ctcgacctgctgcaggagcactcggacgaggctatctgggcagccctgga  
gacggtgcagctcaaagccttgggtggccagcctgcccgccagctgcagt  
acaagtgtgctgaccgaggcgaggacctgagcgtgggcccagaaacagctc  
ctgtgtctggcacgtgcccttctccggaagaccagatcctcatcctgga  
cgaggctactgctgccgtggaccctggcacggagctgcagatgcaggcca  
tgctcgggagctgggtttgcacagtgcactgtgctgctcattgcccaccgc  
ctgcgctccgtgatggactgtgcccgggttctgggtcatggacaaggggca  
gggtggcagagagcggcagccccggcccagctgctggcccagaagggcctgt  
tttacagactggcccaggagttaggcctggtctga

**Figure 28**

abcc7, 1009 bases, 5CE checksum.

gtattagaataccacaggaaccacaagactgcacatcaaaatatgccccca  
ttcaacatctagtgagcagtcaggaaagagaacttccagatcctggaaat  
caggggttagtattgtccaggtctaccaaaaatctcaatatttcagataat  
cacaatacatcccttacctgggaaagggctgttataatctttcacagggg  
acaggatgggtcccttgatgaagaagttgatatgccttttcccaactcca  
gaaagtgacaagctcacagacctttgaactagagtttagctggaaaagta  
tgtagtgcaaatgtgcacaggacagcccttctttccacagaagctccag  
gtagaggggtgtgtaagtagataggccatgggcactgtgggtagacacaca  
tgaagtccaagcatttagatgtatagggtgatgggtggtagtgttttcaggc  
tagatgtatgtacttcatgctgtctacactaagagagaatgagagacaca  
ctgaagaagcaccaatcatgaattagttttatatgcttctgttttataat  
tttgtgaagcaaaattttttctctaggaaatatttattttaataatgttt  
caaacatatattacaatgctgtattttaaaagaatgattatgaattacat  
ttgtataaaaataattttttatatattgaaatattgactttttatggcactag  
tatttttatgaaatattatgttaaaactgggacaggggagaaacctaggg  
gatattaaccagggggccatgaatcaccttttgggtctggaggggaagcctg  
gggctgatcgagttgttgcccacagctgtatgattcccagccagacacag  
cctcttagatgcagttctgaagaagatggtagaccaccagtctgactgtttc  
catcaagggtagactgccttctcaactccaaactgactcttaagaagact  
gcattatattttattactgtaagaaaatatcacttgtcaataaaatccata  
catttgtgt

**Figure 29**

abcc8, 1057 bases, 220A checksum.

ctccatctccaactccctgcacagggagctctctgctggcctggtggggc  
tgggccttacctacgccctaataaggctctccaactacctcaactggatggtg  
aggaacctggcagacatggagctccagctgggggctgtgaagcgcaccca  
tgggctcctgaaaaccgaggcagagagctacgaggggctcctggcaccat  
cgctgatcccaaagaactggccagaccaagggaagatccagatccagaac  
ctgagcgtgcgctacgacagctccctgaagccggtgctgaagcacgtcaa  
tgccctcatctcccctggacagaagatcgggatctgcggccgcaccggca  
gtgggaagtccctccttctctcttgccttcttccgcatggtggacacgttc  
gaagggcacatcatcattgatggcattgacatccgcaaactgccgctgca  
caccctgccgtcacgcctctccatcatcctgcaggaccccgctcctcttca  
gcggcaccatccgatttaacctggaccctgagaggaagtgctcagatagc  
acactgtgggaggccctggaaatcgcccagctgaagctggtggtgaaggc  
actgccaggaggcctcgatgccatcatcacagaaggcggggagaatttca  
gccagggacagaggcagctgttctgcctggcccgggccttcgtgaggaag  
accagcatcttcatcatggacgaggccacggcttccattgacatggccac  
ggaaaacatcctccaaaagggtggtgatgacagccttcgcagaccgcactg  
tggtcaccatcgcgcatcgagtgcacaccatcctgagtgcagacctggtg  
atcgtcctgaagcggggtgccatccttgagttcgataagccagagaagct  
gctcagccggaaggacagcgtcttcgcctccttcgtccgtgcagacaagt  
gacctgccagagcccaagtgccatcccacattcggaccctgcccataccc  
ctgcctgggttttctaactgtaaatcacttgtaaataaatagatttgatt  
atttcct

## Figure 30

abcc9, 1030 bases, 15B9 checksum.

tgcctacttatttctctcagctgccaacagatggctggaggtcaggacgg  
attatctgggagcttgcatgtcctcactgcacatctatagcatccattagt  
gggtcttccaattctggattggtaggcttgggtcttctgtatgcacttac  
gataaccaattatttgaattgggttgtaggaacttggctgacctggagg  
tccagatgggtgcagtgaagaaggtgaacagtttcttgactatggagtca  
gagaactatgaaggcacaatggatccttctcaagttccagaacattggcc  
acaagaaggggagatcaagatacatgatctgtgtgtcagatatgaaaata  
atctgaaacctgttcttaagcacgtcaaggcttacatcaaacctggacaa  
aaggtgggcatatgtggtcgcactggcagtgaggaaatcatcgttatctct  
ggcttcttccagaatgggtgatataatttgatggaaaaattgtcattgatg  
ggatagacatttccaaattaccactgcacacactacgttctagactttca  
atcattctgcaggatccaatactattcagtggttccattagatttaattt  
agatccagagtgc aaatgcacagatgacagactctgggaagccttagaaa  
ttgctcagctgaagaatatggtcaaactctctacctggaggtctagatgcg  
gttgtcactgaaggtggggagaatttttagcgtgggacagagacagctatt  
ttgccttgccagggccttctgtccgcaaaagcagcattcttattatggatg  
aggcaacagcttccattgacatggccacagagaatattttgcaaaaagta  
gtaatgacagcctttgcagaccggaccgtggtgacaatggctcaccgtgt  
ctcttctattatggatgcaggccttggttttagtcttttctgaggggtattt  
tagtggagtgatgatactgtcccaaatttggttcgcccacaagaatggcccc  
tttccactttgggtgatgaccaacaagtag

Figure 31

abcc10b, 1043 bases, 1C40 checksum.

cggccagggctgccgaatgccctggatggagtgcaccttctgcgtgcagcc  
tggagagaagttgggcatcgtgggccgcacaggctccggcaagtcttccc  
tgttgttgggtgctcttccggctgctagagcccagttcagggcgagtgcg  
ctggacggcggtggacaccagccagctggagctggcccagctcagatccca  
gttggctatcatccccaggagccctttttgttcagtgggactgttcggg  
aaaacctggacccccagggcctacataaggacagggccttgtggcaggcc  
ctgaagcagtgccacctgagtgaggtgattacatccatgggtggtctgga  
tggtgagctgggtgagggggggccggagcttatctcttgggcagaggcagc  
tgttgtgtttggccagggctctcctcacagatgccaaagatcctgtgtatc  
gatgaggccacagcaagtgtggaccagaagacagaccagctgctccagca  
gaccatctgcaaacgctttgccaacaagacagtgcctgaccattgcccata  
ggctcaacacgatcctgaactcagaccgggtgctgggtgctacaagcgggg  
agagtggtagagctggactccccggccaccctgcgcaaccagccccactc  
cctgttccagcagctgctgcagagcagccagcagggagtccctgcctcac  
tcggaggctccctgagcccaatcccacaccctgcagagttctcccctctct  
ctgatccaggccgggcctatacagaggtgctggctgcttgtttacattct  
cctctggggctctacctctccacacttcccagaagggaagggaaccc  
tggattactctttggaaatcactccttggtgggcagcatcctgaggcttc  
cccagaaccaggcctctgctctggccctcttgcatctggaacgccagggtg  
ggtttttctggcataggagcccacttgcattttcatagttttatttgata  
aaattccatcttacattctgtgtattaaaaaataatatttct

## Figure 32

abcc11, 1030 bases, 10A6 checksum.

caacctgaccatccgcggccacgaagtgggtgggcatcgtgggaaggacgg  
gctctgggaagtccctccttgggcatggctctcttccgcctgggtggagccc  
atggcaggccggattctcattgacggcggtggacatttgcagcatcggcct  
ggaggacttgcggtccaagctctcagtgatccctcaagatccagtgtctgc  
tctcaggaaccatcagattcaacctagatccctttgaccgtcacactgac  
cagcagatctgggatgccttggagaggacattcctgaccaaggccatctc  
aaagtcccccaaaaagctgcatacagatgtgggtggaaaacggtggaaact  
tctctgtgggggagaggcagctgctctgcattgccagggtgtgtcttcgc  
aactccaagatcatccttatcgatgaagccacagcctccattgacatgga  
gacagacaccctgatccagcgcacaatccgtgaagccttccagggtgca  
ccgtgtctcgtcattgcccaccgtgtcaccactgtgtctgaactgtgaccac  
atcctgggttatgggcaatgggaagggtggtagaatttgatcggccggagggt  
actgcggaagaagcctgggtcattgttcgcagccctcatggccacagcca  
cttcttcactgagataaggagatgtggagacttcatggaggctggcagct  
gagctcagagggttcacacaggtgcagcttcgaggcccacagtctgcgacc  
ttcttgtttgagatgagaacttctcctggaagcaggggtaaatgtagggt  
ggggtggggattgctggatggaaaccctggaataggctacttgatggctc  
tcaagaccttagaaccacagaaccatctaagacatgggattcagtgatca  
tgtggttctccttttaacttacatgctgaataattttataataaggtaaa  
agcttatagttttctgatctgtgttagaagtgttgcaaagtgtgtactga  
ctttgtaaaatataaaaactaaggaaaactc

### Figure 33

abcc12a, 1056 bases, 257 checksum.

acttctcagtaggggaacgtcagctgctttgtgtggcccgagctcttctc  
cgtaattcaaagatcattctccttgatgaagccaccgcctctatggactc  
caagactgacaccctgggttcagaacaccatcaaagatgccttcaagggct  
gcactgtgctgaccatcgcccaccgcctcaacacagttctcaactgcgat  
cacgtcctgggttatggaaaatgggaaggtgattgagtttgacaagcctga  
agtccttgacagagaagccagattctgcatttgatgttactagcagcag  
aagtcagattgtagaggtcctggcggctgattctagaggaggaagaggct  
ctgtgagatgaataggaggagtcttcaggaggaggggctgtcctctccgc  
aggcagccctgggtcttcagccctcccatccacggagtgcgctggggctg  
aagttgtccccactgccatactcagtcctatgtcacccacttggtgggct  
tgggggttggttctgggtgggtgaaccggggcagaccagctaattggattaa  
aaaactgcccttcacctcccaaattcccaagggttcctcatgtgttttca  
ccaaaaccaccccgatgcctgagattgaaaatattgtaactttcagttag  
aaatcagccacaataaacaacatgggaaaatgccttaggatggagtttgc  
aaggtttcttgccattatcagaaggaaaaagagcagaattttcttctc  
gtttaacccctcacttccatcttgactgggtgacaagtggtaatgaca  
cagatttgtagcgtgaaagactgaatacagtggttggccaaaaattttt  
taaaaatcatattatgtttcaattgatctgttagaataaccaagaaaa  
caaatgctggagtttctctataaatgacacttttatatcttctttatc  
gtcgttaaaacgcggtaggaaattaccctgaaatgtcgcttgcaattat  
ttcactgaagatattccaatttccatactatttctccaatagaccctg  
ttgcct

Figure 34

abcc13, 1059 bases, 16CA checksum.

[illegible]



## Figure 35

abcd1, 1016 bases, 25E8 checksum.

ggcctccaggggtgcctccacctgacacaaccgtccccggccccctgccccg  
cccccaagctcggatcacatgaaggagacagcagcaccacccatgcacg  
caccgcgccccctgcatgcctggccccctcctcctagaaaacccttccccgc  
ctcgggaaagtagatgtggaggggtggcgccctgcgtaaccctcgccctgt  
ccctcccactccctgggggcgctgttccacagtgactggggccctgtccag  
ggcagtgagtcctctactttgctccgcggaggaagctgggggtacaagggg  
cccagtgcctggccacacagcagcgcagccgagccccaggagcccgtcagg  
ccacagccccctggcactgcaggtggcctccctccagagactcgagtcccc  
atgattccctcctcgtcagtcctctcaaagaccccatgggtccatccccctga  
gggtgggtcagccaaggctcccgttccgtgggatgccataaaagccgcccc  
gtgggacccacagtcacacagagcgcctcacctgcatcctctccccca  
agagccccaaagatcccacgggagaggggagaggggacgcacagcactgcc  
tgccaagcgagaatgcaggccccgccccctcgggccccctcaccacctctt  
ctacagcctaatttatggattccctattcgtagccatctcgtgggcaa  
tgtgactaccgtgccagcagcgggggcgggccagcctctgagtcctcggtgg  
ggccccggctcccaccggtgccaaaccagccccctgcggccggtcacccccg  
ccagcctacactgccagccgcccacggggcacacgggcctctgcttgcca  
gccaggagtgcggacaccatgttcccagctcagtgccaaagaggggtcac  
cagggggagctgtctgcggagccagcgcctgcccagagagagacccccacg  
ccaccgtgtgcctttccccgggccccctcagccctcgggccgggcaccacccc  
cagtccccccagtaaa

## Figure 36

abcd2, 1009 bases, 1B50 checksum.

ttatgtaaggtcagtcattatgacttataactaattcctagtgaggccta  
atgcacttgtaaaacaggattttctaggtgaattcctgatgaataccaga  
tttactatgtatatgtgggtgtgtctgaagttcttaacaaacatgggcaat  
attctggaaatgaaacaagttataactgagcaccatttggggtgatacca  
agtgcataagattcaaactttgagtgacatttagtccatttatgggtgat  
attaggtttaatacctagaattcaaattgattattgctagtgggccaacta  
aacctgtacaaaatagctgacagttttataactaatttcaatataaaaaat  
tgttttaatggcatttggttgaaagaaaaaagcatgggctaaaatgtatcaa  
atgccatatttttaaatTTTggactttaagcatcttaatgagggcatata  
acaaattaatttttagtacaatcttaaatatTTTtaataaatcctttcatt  
ttaaaaagagaattgccaatacagaaaaggagtatccaacaatgtctca  
acctgataatttccttagcagaattacctattgcaacttctgttcagaaa  
tacacagcttggtTTTTTgccaaggatgagtcacattttaagaactgc  
aatgggtataaaggaacttaaggattctgagaatcatagtaataacataca  
ttggaatagtactttataatttacaatccccatttacatcatttcacctt  
aatggtgaggacaatgTTTTgaaacaaatactatTTTtctactttgctt  
ttgagaaaattgacactcagacttgccctaatacatgcactttacttaagg  
aaagatcgagaaatcaaataaggttctcctgactctctgggttagtgctc  
TTTTgttattatcctttaaatcaaactgggctataatagcaataaaagt  
agacgaagtgtagaaaaataaaataaatttcataatgttaaaaaaaaaa  
aaaaaaaaa

## Figure 37

abcd3, 1003 bases, 91F checksum.

cttcagtttcattttcctgtgccctgtggtagttggaaacaaatcataat  
gtattatttaaagttttaacatcattgcataacagcgtttattatacagt  
ggcagatttcttttagctgccacagtaataactcattccttgtgtgtgtcct  
ggagtgcatttgactccaggaaaagccattttggttttccttaactaaat  
gataaatgtaccctctcagtcctgcagtcattgagttgtttaagtatatg  
tgcagtccttgcttacaaggaggggtaccatgtatcacacctaattctcc  
caatgtttgggatattaaaacacaaagtccttaacatgccagggtcaagg  
tcttataagagttctagatttttaagagaattagacaaatttgtgtgtgt  
tagaagcccattcattagaagtgtggtgggtattttggtattaaactccaa  
atgagccataggaaggcactacatgaaataatgcactgagtatgcaatgc  
tactactgtctttgactgtgattttatgtttaaaaagtatgttctaaaat  
tattatatatacatgggtgaattatgtttccgaggcactgttttatctct  
gtgaatcttgaataacttttttatatttgggttatgatgtcaaacgatcc  
taagcgaagatgatttcagttcatcaaatacatcattaatgactttatgta  
ttatttgcacagggagaattgaaactgagtataatcaataagctagatac  
gaaatcagtttctcaaactgagcttcagaaaggggcattttgtactcttg  
tttttgcataactgggttttgtttttttgcagaattaactataacaatcac  
tggctaccgaagtaaaactgatgtactgaattccataatacataacattca  
atttttaccacttctgttttagcgaacttgtatacttattttctgttcaga  
ttaaaaaaaaaaaaaaaaaaactcagatatcctataaaaaaaaaaaggaa  
ttc

**Figure 38**

abcd4, 1047 bases, 883 checksum.

cttttggaggagaaccacactgtggcgggtcggcggccctcaagagaca  
ccaggaggactgacagcgaagatcgagctcaggttcgccacatagatccc  
gtgcaggagccgcatgggtcctgtgcaggacccctagcagtgggtgggctg  
agcccagggtctaggtttctgtgggggacattgaatctcccagtgttcagt  
ctcccaggactctgctgcctcagccagagcctccatatgcttgaagtgt  
gattacctacaaatgatttcagatcatgtttgctaaagagaaatctggaa  
gtgtgagatctgtaagaaatgaaagaaatgactcttggagtcaagagatc  
tggaaatcttttaatcagttaaattgtgcagcaatagatttttaacttta  
actgaccattttaagttttttaataagttttttacaaagaaaagttaaaca  
ttaaaaagaattacagctttctgtcttctctatcatggaatgattttttt  
tattgaatctccagatttgtatttgacagcttgggtgggaagggaagcaca  
ctctgctgttctggaatcttatgcccagggtttttcacttctccccacat  
ctccctttccacttgccagtgttgtgtagttagaacctgaaccactaact  
tctaggggcctttgggtctgccctaccttaacccaaatgaaagtaaattccc  
ttcccccttagccaaaataagggttgggttttctaaaaaaatagtctatat  
tagggaacaacaacagcaaattagacaaaaccagaaagcacaagcatg  
agggtggagtactgtgcccaggtcctcactcagaccagtggccctccag  
ttcagttgtctatgtattaccttccttaccttcataatgtttgccaggct  
tctgtacttctagtacttgagttacttaatatttttaaaaacaaaccttt  
taagtttaaatggatttttaagtgaattttacacttaacatagatggaa  
agtaactaaaaataaatacaagaaaaacaaaaaaaaaaaaaaaaaaaaa

**Figure 39**

abce1, 1648 bases, 22A0 checksum.

gactctgagaatattgataagccatttattaaaaggagtatttactagaa  
ttttttgtcatataaaaacttgaatcaggattttatgccccacatactctg  
gaacttgaagtataatataacttaataaacataaaaaagccagttgggttc  
taaattgtagttgaaacacagaaaaatgccacttttctgttcctgaagagg  
ctcttttgtgcataatattctaaaatgaagacatttcaagctatacaaat  
tacttccaagttttcatgatgtatgggaagattttcagtaggtgtattat  
attcacggtaccaaattgctgaccagtggttgctccattttttaaatcttga  
aaagggtttctgtacttacctgggttgccaagtatgccagtgtaatgaaa  
ctgcccttattttaaaagccagtc aaagattccactgattgacatttgat  
aaataaacatcaggattatgtttattgtttgttttcagtctttgcactat  
attaccagtatatgggtttccgaggaagattatctactgcaaacaccact  
gttggaaaaataggtatttttaaatgtttttaatccttttttggtgctt  
ttaaacatgtttaagcaaaaaccaattcagtcattccccgcaaaaaacc  
cctaactttactctgaactttttttgtttttgcattccatgaggttctgt  
attcagtcattctctaggtaatgtcatttttgtacacatatatttatata  
atcactgattgagatttaggaaaaagcatttctaaagaatatttgcttcc  
cttagaactacagactcgaaatctttaagatgggtgcctaagcatctatg  
tattttttttaagtccacagatttttctgttgggcaggccaaggattat  
aaaccacttccctaaaggcaacattaatgcaaaagtcccagatggcaat  
acaaagtatcccctgggtaccacatatattcatttgtgagtttggatatag  
agcacattatctaaaccattttgtagttccaaaaacccatctaaatttct  
tgagttcctgaattttgaacaggattacctggagcctggagccactttaa  
gttgtacttctgactaaactggaattatgagtgaggaagagtgtttacta  
aataaatgactggggcaagcaaaattgaggaggaaattagaaactgtttg  
acaaactttaagagctacttgaaataacagaagtcttgattaatatgcaa  
ataatggctagaaaagtatgggttaactggaccctattatgccttttaaaa  
ataatttcagtaacccataaatacatgttgtaaaaaattcaaatatacag  
aatggaataaaaaaatgatctccctttattaccctcccaaagggttaccag  
cgtttgaatttaataatgtatatctttcatgcttttttctgtgcactta  
cctaagtgtgaatatgtaaagggtttgttttgtatacaaatgggattata  
ctaaaataagtaatgcctatttttaaggatagggttaaatttgtgaatgat  
catttcaaatatattgaataaaaataagcaaaagctattgttatttactga  
tcctgaaa

## Figure 40

abcf1, 1021 bases, 5A8 checksum.

gcttcaacctgccctaccaggatgcccgcagtgccctgggcccgttcggc  
ctggagagtcacgcccacaccatccagatctgcaaactctctggtggtca  
gaaggcgcgagttgtgtttgctgagctggcctgtcgggaacctgatgtcc  
tcatcttggacgagccaaccaataacctggacatagagtctattgatgct  
ctaggggaggccatcaatgaatacaaggggtgctgtgatcgttgtcagcca  
tgatgcccgactcatcacagaaaccaattgccagctgtgggtggtggagg  
agcagagtgttagccaaatcgatgggtgactttgaagactacaagcgggag  
gtgttggaggccctgggtgaagtcatggtcagccggccccgagagtgaag  
ctttccttcccagaagtctcccgagagacatatattgtgtggcctagaagt  
cctctgtggtctccctcctctgaagactgcctctggcctgcagctgacc  
tggcaaccattcaggcacatgaaggtggagtgtgaccttgatgtgaccgg  
gatcccaactctgattgcatccatttctctgaaagacttggtttgttctgct  
tctcttcatataactgagctggccttatccttggcatccccctaaca  
caagaggtgaccaccttattgtgaggttccatccagccaagtttatgtgg  
cctattgtctcaggactctcatcactcagaagcctgcctctgatttaccc  
tacagcttcaggcccagctgccccccagctcttgggtggtgctgttcttt  
tctggtggatttaatgctgactcactggtacaaacagctggtgaagctca  
gagctggaggtgagcttctgaggcctttgccattatccagcccaagattt  
gggtgcctgcagcctcttgtctggttgaggacttggggcaggaaaggaatg  
ctgctgaacttgaatttccctttacaaggggaagaaataaaggaaaggag  
ttgctgccgaaaaaaaaaaaaa

## Figure 41

abcf2, 1037 bases, 2DB checksum.

cagagaggggtcgtgagcgataagacactgtcattttatttcccaccatgt  
ggcaagatccctccacctgtcattatggtgcaaaatgtgagcttcaagta  
tacaaaagatgggccttgcatctacaataatctagaatttggaattgacc  
ttgacacacgagtggctctggtagggcccaatggagcaggggaagtcaact  
cttctgaagctgctaactggagagctactaccacagatggcatgatccg  
aaaacactctcatgtcaagatagggcggtaccatcagcatttacaagagc  
agctggacttagatctctcacctttggagtacatgatgaagtgctaccca  
gagatcaaggagaaggaagaaatgaggaagatcattgggcgatacgggtct  
cactgggaaacaacaggtgagcccaatccggaacttgtcagacgggcaga  
agtgccgagtggtgtctggcctggctggcctggcagaacccccacatgctc  
ttcctggatgaaccaccaatcacctggatatcgagaccatcgacgccct  
ggcagatgccatcaatgagtttgaggggtggtatgatgctggtcagccatg  
acttcagactcattcagcaggttgccacaggaaatttgggtctgtgagaag  
cagacaatcaccaagtggcctggagacatcctggcttacaaggagcacct  
caagtccaagctggtggatgaggagccccagctcaccaagaggaccaca  
acgtgtgcaccctgacattggcatctctgccaaggccatgagcatcatga  
actcgtttgtaaacgacgtgtttgagcagctggcgtgtgaggctgcccg  
ctggcccagtaactcgggcccggaccaccctgacatcccgagaagtccagac  
ggctgtgctgtctgctgctgctggggagctggccaagcagcgtgtgtctg  
agggcaccaaggctgtcaccaagtacaccagctccaagtgacccagggcc  
tgacaaaaataaagggtgaactgttaaaaaaaaaaaaa

Figure 42

abcf3, 1191 bases, B58 checksum.

gaatggactctaaagtaatgataacctgagtggtaggagtacaagcccttt  
ctaagttttctctgaacacatattactcgtgtaggaagttatTTTTTTaa  
gtaataaatctagctacctcatctcttctcccaggcctgagctgaagcc  
tgtggacaaggaatcagaggctgtaatgaagttccctgatgggtttgaga  
agttctcgccgccaattctgcagctagatgaggtggatttctactacgat  
ctgaagcacgtcatcttcagtcgcctctctgtgtctgctgatctcgagtc  
tcgcatctgtgtggttgaggagaaatggggctgggaagtctaccatgctga  
agctgcttttgggggacctggcacctgttcggggcatcagacacgctcac  
aggaatctgaagattggctatttcagccagcaccatgtggagcagctgga  
cctaaacgtcagtgcttgtggaactgctggcacgcaagtttcctnnggggc  
ggcctgaggaggagtaccgtcaccagctgggtcggtatggcatctccgga  
gaactggccatgcgtcctcttgccagcctgtctggggggccagaagagccg  
agtggcctttgctcagatgactattgccctgccccacttctacattctgg  
atgaaccacaaaaccacctggacatggagaccattgaggctctgggcccgt  
ngctncaacaatttcaggggtggtgtgattctggtgtcccacgatgagcg  
ctttatcaggctggtgtgcccgggagttgtgggtatgcgaaggaggcggcg  
tcacccgtgtggaaggaggatttgaccagtaccgcgcctcctccaggga  
acagttccgcgcggaaggctttcctctagggccaccaggctgaggactcg  
ccccaggacatggactggtctctcagacccctggggccaccatgtaggcca  
ccantcccaggcnttggacttccccccaacttgggggacagccttatccc  
aaatgtctctatccttttgactggagcatctctgcacaaccttggggagc  
ccatccaagggttgggtgaggactggtctcccgggggtgggggnttggggg  
gtacctctgggggttatagattcccccaactgcccagctctgactggaccc  
caagtggctgctatgtaaattaaatctctnaantngcgtct



## Figure 43

abcg1, 1050 bases, 18FB checksum.

gcactgtgacatcgacgagacgtgccacttccagaagtcggaggccatcc  
tgcgaggagctggacgtggaaaatgccaaagctgtacctggacttcacgta  
ctcgggatTTTTCTTCATCTCCCTCCGCTCATTGCCTATTTGGTCCTCAG  
GTACAAAATCCGGGCAGAGAGGTAAAACACCTGAATGCCAGGAAACAGGA  
AGATTAGACACTGTGGCCGAGGGCACGTCTAGAATCGAGGAGGCAAGCCT  
GTGCCCgaccgacgacacagagactcttctgatccaacccctagaaccgc  
gttgggttttgtgggtgtctcgtgctcagccactctgcccagctgggttgg  
atcttctctccattcccccttctagctttaactaggaagatgtaggcaga  
ttgggtgggttttttttttttttttaacatacagaattttaaataccacaac  
tggggcagaattttaagctgcaacacagctgggtgatgagaggcttcctca  
gtccagtcgctccttagcaccaggcaccgtgggtcctggatgggggaactg  
caagcagcctctcagctgatggctgcacagtcagatgtctggtggcagag  
agtccgagcatggagcgaattccattttatgactgttggtttttcacatttt  
catctttctaaggtgtgtctcttttccaatgagaagtcatttttgcaagc  
caaaagtcgatcaatcgcatctattttaagaaattataccttttagtac  
ttgctgaagaatgattcagggtaaatcacatactttgttttagagaggcga  
ggggtttaacccgagtcacccagctgggtctatacatagacagcacttgt  
gaaggattgaatgcaggttccaggtggagggaagacgtggacaccatctc  
cactgagccatgcagacatttttaaaagctatacacaaaattgtgagaag  
acattggccaactctttcaaagcttttctttttccacgtgcttcttattt  
taagcgaaatatattgtttgtttcttcttaaaaaaaaaaaaaaaaaaaaaa

## Figure 44

abcg2, 1019 bases, 183A checksum.

gaagccaaaggcagatgccttcttcgttatgatgtttacccttatgatgg  
tggcttattcagccagttccatggcactggccatagcagcaggtcagagt  
gtggtttctgtagcaacacttctcatgaccatctgttttgtgtttatgat  
gattttttcaggtctgttgggtcaatctcacaaccattgcatcttggtgt  
catggcttcagtacttcagcattccacgatatggatttacggctttgcag  
cataatgaatttttgggacaaaacttctgccaggactcaatgcaacagg  
aaacaatccttgtaactatgcaacatgtactggcgaagaatatttggtaa  
agcaggggcatcgatctctcaccctggggcttgtggaagaatcacgtggcc  
ttggcttgatgatgttattttcctcacaattgcctacctgaaattggt  
atctcttaaaaaatattcttaaatctcccttaattcagtatgatttato  
ctcacataaaaaagaagcactttgattgaagtattcaatcaagtttttt  
gttggtttctgttcccttgccatcacactgttgccacagcagcaattgttt  
taaagagatacatttttagaaatcacaacaaactgaattaaacatgaaag  
aaccgaagacatcatgtatcgcatattagttaatctcctcagacagtaac  
catggggaagaaatctgggtctaatttattaatctaaaaaaggagaattga  
attctggaaaactcctgacaagttattactgtctctggcatttgtttcctc  
atctttaaaatgaataggtaggttagtagcccttcagtccttaatacttta  
tgatgctatggtttgccattatttaatatatgacaaatgtattaatgcta  
tactggaaatgtaaaattgaaaatagtgttgaaaaaagattctgtcttat  
agggtaaaaaaagccaccggtgatagaaaaaaaatctttttgataagcac  
attaaagttaatagaactt

## Figure 45

abcg4, 1022 bases, 19E9 checksum.

tccacccctagaccctggctgacttggacaatctgccaggacagaagctg  
ggttttctgtctaggtcaccactcccaatcctggggattggagaggcctg  
gggctgtgggatgccccatccccctccccatcacctttggtgggggcagg  
gcctgggtggcacctgtgcaataatgtctgtgtttctctcccacctgccac  
tggaactggagaatgcactttattctgggcgggggggtgagtgggggaaga  
cccaaccctcctttctcgctgcccctaacgcacacggtctctgtgatgc  
tccctccctctccggagtgcaggcacatacatgagaacaggccatctca  
gccctacacacttgccatcccctacagcacagaggaagagtgatgggtggc  
atgctgggtgggtggcgggtgctgggtgggaggacagtgccaacctcctcctg  
gggatcccatgttggagactctaaggataaggetgggtgctgcccagggtg  
tctacaggaactgcagggtgtctacccccaaagtcttccctcctcccaagcc  
aggggtggcacagggcactagatccctggagttcaggaaccaacacaagc  
acaaccacgggcataagttggccttggccactgccacccacggccctcct  
tttgtgctccatgctggcatcttctactcccctaccccttccccagccact  
gctgctcattcaaacttctgtccatgtccctccactgttcctatcagcag  
gtggcccttgggcatcagaacagcctgccctgggcaccagggtggcagaca  
cactcagagcatgtctggctttcctgggtgggtccagggtcattctgcttc  
tgatttccccctccccagggtcattttccccctttttcctgtacacatc  
cctgtctacctcctctcaccctgccacagattcttcctatcacacaggga  
tgccagttgtatttgtgggatttcacccattattaataaaaacctatattt  
atacagtaaaaaaaaaaaaaaa

## Figure 46

abcg5, 1040 bases, 1A09 checksum.

cttggtatcgtccaaaatccaaatatagtcaacagtgtagtggctctgct  
gtccattgcgggggtgcttgttggatctggattcctcagaaacatacaag  
aaatgcccattccttttaaaatcatcagttattttacattccaaaaatat  
tgcagtgagattccttgtagtcaatgagttctacggactgaatttcacttg  
tggcagctcaaagtgttctgtgacaactaatccaatgtgtgccttcactc  
aaggaattcaattcattgagaaaacctgccaggtgcaacatctagattc  
acaatgaactttctgattttgtattcatttattccagctcttgtcatcct  
aggaatagttgttttcaaaataagggatcatctcattagcaggtagtga  
agccatggctgggaaaatggaagtgaagctgccgactgtgcatgactgct  
ctgaacgtctgaaatgagagtgccatgtatttctttcttgacaggacatc  
tcaagtcttttaaccattaagactccatttgtgcctcttggatccaagca  
ggccttgaatgcaatggaagtgggttatagtcccttgctcttacaacttg  
cagggacatgtggttatgttgaaattgtgactgagcggacccaagaatgt  
aaataatattcataaacctatgggagactcgtgtgactatTTTTTtct  
tggtctaggcacagaaaaaaataggtcagcttaaaaaatatgtttacattg  
gataaaggattaggcaaaaaataaaatgtttcaaggattcctgaccataag  
tgacagagaaagagagtgtgggttttagatgaagcaaggttatcatgcag  
aattgggtaagaatgcttctgttcctggaagaccagagttaaatgcaga  
tgtccacacgaggggtcggagttacctgatcacatcgagagagtgtggg  
cagatggatggtgagcaccactgctacagagcaccagtgattttactga  
ggattaaaaataaaaaaccgtaggaatgggctcaacagtga


**Figure 47**

abcg8, 1042 bases, 2284 checksum.


tgacagggcgcagcagagagcaggaattggccaccagggagaaggctcagt  
cactcgcagccctgtttctagaaaaagtgcgtgacttagatgactttcta  
tggaagcagagacgaaggatcttgacgaggacacctgtgtggaaagcag  
cgtgacccccactagacaccaactgcctcccgagtcctacgaagatgcctg  
gggcggtgcagcagtttacgacgctgatccgtcgtcagatttccaacgac  
ttccgagacctgcccaccctcctcatccatggggcggaggcctgtctgat  
gtcaatgaccatcggtcttctctattttggccatgggagcatccagctct  
ccttcatggatacagccgcccctcttgttcatgatcgggtgctctcatccct  
ttcaacgtcattctggatgtcatctccaaatgttactcagagagggcaat  
gctttactatgaactggaagacgggctgtacaccactgggtccatatttct  
ttgccaagatcctcggggagcttccggagcactgtgcctacatcatcatc  
tacgggatgccacctactggctggccaacctgaggccaggcctccagcc  
cttctgtctgcacttctgtgtggtgtggtggtggtcttctgttgcagga  
ttatggccctggccgcgcggccctgtccccaccttccacatggcctcc  
ttcttcagcaatgccctctacaactccttctacctcgccgggggcttcat  
gataaacttgagcagcctgtggacagtgcccgcggtggatttccaaagtgt  
ccttctgtcggtggtgttttgaagggtgatgaagattcagttcagcaga  
agaacttataaaatgcctctcggaacctcaccatcgcggtctcaggaga  
taaaatcctcagtgtcatggagctggactcgtaccctctctacgccatct  
acctcatcgctattggcctcagcgggtggcttcatgggtcctgtactacgtg  
tccttaagggtcatcaaacagaaaccaagtcaagactggtga

**Figure 48**


ABC-A



ABC-B



ABC-C



ABC-D, E, F, G






Figure 49


ABC-A




ABC-B



ABC-C



ABC-D, E, F, G




**Figure 50**


ABC-A



ABC-B



ABC-C



ABC-D, E, F, G








Figure 51




Figure 52




Figure 53

Figure 54





Figure 55






Figure 56



Figure 57